


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

IDAHO PORTLAND CEMENT COMPANY

H. C. Cuyler
(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

775-3351 (Inkom)

Permit No. 25-7306

Phone No. 522-7636 (plant)

A. GENERAL INFORMATION


1. Owner: Ash Grove Cement West, Inc.
Current Address: Inkom, ID 83245
2. Accompanied by: Jerry Gibbons EXAM. DATE: 6/16/87
Address: Rt 1 Box 11 Idaho Falls Phone No. 522-5280
Relationship to Permit Holder: plant manager
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: canal shares to same site, but not used in building ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED


JUN 16 1988

Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

25-7306





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-7306

Priority: February 22, 1983 Amount: .02 CFS .6 AFA

This is to certify, that ASH GROVE CEMENT WEST INC.

111 S.E. MADISON ST.

PORTLAND, OR 97214

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 22, 1983, and has submitted proof to the Department of Water Resources on September 18, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .02 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.02 cfs	.6 afa

LOCATION OF POINT OF DIVERSION(S): SESE , Sec. 35, Township 2N, Range 37E
Bonneville County

PLACE OF USE: Domestic

TWN RGE SEC

2N 37E 35

SESE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for employees in cement distribution terminal.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of April, 1988.

MICROFILMED

Director

JUN 16 1988

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	25-7306	Idaho Portland Cement Co.	0.02
Merger	25-7306	Ash Grove Cement West, Inc.	0.02

MICROFILMED



ASH GROVE CEMENT WEST, INC.

111 S.E. MADISON STREET
PORTLAND, OR 97214
(503) 232-3116

TO WHOM IT MAY CONCERN:

This is to certify that Idaho Portland Cement Company was merged into Oregon Portland Cement Company pursuant to a Plan of Merger approved by stockholders of both companies effective August 25, 1969. The Agreement of Merger was filed with the Secretary of State of the State of Idaho on August 25, 1969 as stated in the attached certificate.

Oregon Portland Cement Company was acquired by Ash Grove Cement Company pursuant to a Plan of Merger approved by the stockholders of Oregon Portland Cement Company on August 24, 1983. Ash Grove Cement Company acquired all of the outstanding stock of Oregon Portland Cement Company and became its sole stockholder.

Oregon Portland Cement Company changed its corporate name to Ash Grove Cement West, Inc. effective June 27, 1984 as stated in the attached Amended Certificate of Authority issued by the Secretary of State of Idaho.

Earl W. Wheeler
Vice President and Treasurer

STATE OF Oregon)
COUNTY OF Multnomah) ss.

On this 2nd day of July, 1985, before me, Emery N. Sundberg, a Notary Public, personally appeared Earl W. Wheeler, known to me to be the person who executed the foregoing instrument and acknowledged to me that he executed the same freely and voluntarily for the uses and purposes therein mentioned.

Notary Public residing at Portland, Oregon
My Commission expires April 27, 1986

MICROFILMED

State of Idaho



Department of State

I, PETE T. CENARRUSA, Secretary of State of the State of Idaho and custodian of the Seal of said State, do hereby certify that the annexed is a full, true and complete transcript of Agreement of Merger, merging Idaho Portland Cement Company into OREGON PORTLAND CEMENT COMPANY, a Nevada corporation, received and filed in this office on the 25th day of August, 1969, at 1:30 o'clock P.M., as appears of record in this office.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the Great Seal of the State of Idaho.

Done at Boise, Idaho, this 25th day of August A.D., 19 69 .

Pete T. Cenarrusa

Secretary of State

Margaret Lawrence

MICROFILMED




AMENDED CERTIFICATE OF AUTHORITY
OF

OREGON PORTLAND CEMENT COMPANY

I, PETE T. CENARRUSA, Secretary of State of the State of Idaho, hereby certify that duplicate originals of an Application of OREGON PORTLAND CEMENT COMPANY for an Amended Certificate of Authority to transact business in this State, duly signed and verified pursuant to the provisions of the Idaho Business Corporation Act, have been received in this office and are found to conform to law.

ACCORDINGLY and by virtue of the authority vested in me by law, I issue this Amended Certificate of Authority to ASH GROVE CEMENT WEST, INC. to transact business in this State under the name ASH GROVE CEMENT WEST, INC. and attach hereto a duplicate original of the Application for such Amended Certificate.

Dated June 27, 19 84.



Pete T. Cenarrusa
SECRETARY OF STATE

Samuel J. Clark
Corporation Clerk

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Idaho Portland Cement Company Phone (208)775-3351

Post office address Inkom, Idaho 83245

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 2N

Range 37E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3/4 hp pump housed in a small
underground pump house - water pumped to point of use 190 ft. through a
1" pipe.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6" inches; proposed depth of well is 188 Ft. feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 2N
Range 37E B.M.

(2) Amount of power to be generated: NA horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered NA

(4) Name of municipality to be served NA, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: Domestic - use for 2 employees

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

IDAHO PORTLAND CEMENT COMPANY

H. C. Cuyler
(Applicant)

MICROFILMED

Proposed Priority 2/22/83

MICROFILMED

Received by OW Date 2-22-83 Time 3:45p.

Preliminary check by HWT Fee \$ 30.00

Receipted by OW Date 2-23-83 # 25430

Publication prepared by OW Date 3-27-85

Published in Post Register

Publication dates 4/04 & 4/11/85

Publication approved OW Date 4-16-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7306, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 12th day of June, 1985.

J. Glen Saxton
Chief, Operations Bureau

Proof of Publication
The Post-Register

RECEIVED

APR 15 1985

Department of Water Resources
Eastern District Office

State of Idaho,
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 4th day of April, 1985, last publication having been made on the 11th day of April, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 12th day of April, 1985.

Donk Napier
Notary Public

My commission expires September 30, 1988.

B10, 1M,

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

23-7102
CARL L. & BEATRICE P. SALISBURY TRUST
STAR RT. BOX 30, IRWIN, ID 83428
Source: SPRING trib. to BIG SHEEP CREEK
Date Filed: 12/13/1983
Diversion Pt: NWNE Sec 08 T 01S R 45E
Use: DOMESTIC (0.18 CFS)

In: NENE NWNE Sec 08 T 01S R 45E
23-7104
LOUGHRIDGE, WILLIAM J. &/or ANN M.
RT. 1, BOX 155, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 03/15/1984
Diversion Pt: SESE Sec 34 T 02N R 43E
Use: STOCKWATER (0.05 CFS); DOMESTIC (0.04 CFS)
In: SESE Sec 34 T 02N R 43E
25-7298
CITY OF IDAHO FALLS
P.O. BOX 220, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 12/23/1982
Diversion Pt: NWSE Sec 28 T 02N R 38E
Use: MUNICIPAL (3.35 CFS)
In: the city limits of Idaho Falls
25-7300
HAROLDSEN, GRANT &/or OLIVER
RT 2, BOX 448, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 01/05/1983
Diversion Pt: NWNW Sec 33 T 03N R 38E
Use: STOCKWATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: NWNW Sec 33 T 03N R 38E
25-7306
IDAHO PORTLAND CEMENT CO.
INKOM, ID 83245
Source: GROUNDWATER
Date Filed: 02/22/1983
Diversion Pt: SESE Sec 35 T 02N R 37E
Use: DOMESTIC (0.02 CFS)
In: SESE Sec 35 T 02N R 37E
25-7325
CITY OF RIRIE
BOX 68, RIRIE, ID 83443
Source: GROUNDWATER
Date Filed: 05/13/1983
Diversion Pt: NENE Sec 05 T 03N R 40E
Use: MUNICIPAL (0.89 CFS)
In: The city limits of Ririe
25-7388
HOWELL, RONALD J.
BARDSLEY, R.J.
230 AMY LANE, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NENE Sec 22 T 02N R 38E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.06 CFS)
In: NENE Sec 22 T 02N R 38E FOR 1 ACRES
25-7389
HKKOIA, ARTHUR &/or MARK

MICROFILMED

JUN 16 1988

April 19, 1988

ASH GROVE CEMENT WEST INC.
111 S.E. MADISON ST.
PORTLAND, OR 97214

RE: Permit No. 25-7306

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

JUN 16 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED
JUN 16 1988

License

RECOMMENDED AMOUNTS

- | 3. | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|----|------------|-----------|----------|-----------|----------------------|-----------------|
| | 25-7306 | 2-22-1983 | 0.02 cfs | 2-22-1983 | 9-18-1985 | 0.02 cfs |
4. Permit Holder: Ash Grove Cement West, Inc.
 Address: 111 S.E. Madison St., Portland, OR 97214
 5. Source: gw tributary to ✓
 6. Beneficial Use
- | | Period of Use
From | To | Rate of Diversion
Q (cfs) | Annual Volume
V (afa) |
|-----------------|-----------------------|--------------|------------------------------|--------------------------|
| <u>Domestic</u> | <u>1-1</u> | <u>12-31</u> | <u>0.02 cfs</u> | <u>0.6 AFA</u> |
| | | | | |
| | | | | |
| | | | | |
- Allowable Maximums: 0.02 cfs 0.6 AFA

7. Point(s) of Diversion: ✓

[illegible]

8. Place(s) of Use ☒

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	37E	35																X	
Total Acres _____																			

- 9. Recommended Conditions/Remarks:**

Domestic use is for employees in cement distribution terminal.

- ## 10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

- ### 11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by _____

JUN 16 1988

Date _____

Date _____

3/25/88

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

→ 775-3351 (Inkom)

Permit No. 25-7306

Phone No. 522-7636 (plant)

A. GENERAL INFORMATION

1. Owner: Ash Grove Cement West, Inc.

Current Address: Inkom, ID 83245

2. Accompanied by: Jerry Gibbons

EXAM. DATE: 6/16/87

Address: Rt 1 Box 11 Idaho Falls

Phone No. 522-5280

Relationship to Permit Holder: plant manager

3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: canal shares to same site, but not used in building ☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3/4 hp pump (submersible) with 1" pipe to building
used solely for bathroom & drinking in building

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	35	2N	37E	Bonneville	USGS map

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	37E	35																X	

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

no measurements taken - .02 cfs domestic

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{675 \text{ hp} \times 8.814 \times .8}{188 \text{ ft} + (2.308 \times 35 \text{ psi})} = 0.02 \text{ cfs}$$

Theoretical

2. Alternate Method for Checking Purposes:

HLJ

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

allow 0.6 afa for in-house use only

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
domestic	1/1	12/31	.02	0.6
		Totals:	.02 cfs	0.6 cfs

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Carol Slaughterbeck
Signature Carol Slaughterbeck
Certification Date 8-4-87
Field Report Preparation Date 6/16/87

Steve McCormick


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MURKIN


JUN 16 1988

25-7306



20 37E

25-7306



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

25-7306
Permit No.
21 11-21-86

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index KW 30 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index KW 30 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed C.S. 6-16-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 26 8-4-87 (Initial and date)

Exam Reviewed by Manager of Regional Office S.M. 8-4-87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 18, 1986

Ash Grove Cement West, Inc.
Cement Road
Inkom, ID 83245

Gentlemen:

Re: Permit No. 25-7306

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded in the department's records. Enclosed is a copy of the permit for your records.

Before a water right license can be issued, a field representative from our Eastern Regional office must do a field inspection to determine the exact extent of use and rate of diversion. I cannot tell you just when this inspection will take place, but our regional office will contact you to schedule a convenient time.

If you have any questions concerning this field inspection, please contact the regional office in Idaho Falls.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

Permit No. 25-7306

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? -
2. Notary? - Yes
3. a. Full Assignment? - Yes
b. Partial Assignment?
4. "No assignment" condition on permit? - NO
5. Commencement of Works received? - B/u rec'd
a. Commencement of works requested? N/A
b. Show Cause Order drafted & sent?
c. Cancellation necessary?
6. Affidavit of residency required? - NO
7. Extension granted due to litigation?
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region. ✓

Sharla _____

Sharla _____

Rita send w/ B/u Acknowledge-
ment
Sharla _____

NOTE! Ash Grove Cement West, Inc. has submitted satisfactory evidence to show they are current owners of this permit.

See letter of MERGER

Date 6-24-86

Employee Jim

MICROFILMED

RECEIVED

MAY 9 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

SEP 18 1985

Department of Water Resources

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 25-7306

Name(s) of Permit Holder: Ash Grove Cement West, Inc. (Formerly Idaho Portland Cement Co.)

Post Office Address: Cement Road - Inkom, Idaho 83245

Telephone No. (208)775-3351

Source of Water: Ground

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks This is a cement distribution terminal - Water use
is for toilet and drinking only. 0.02 cfs

Indicate the date water was first diverted and beneficially used under this permit: 1965

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

H. E. Curzon

(Name)

Inkom, Idaho 83245

(Address)

(208)775-3351

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.


Sept. 16, 1985
Date

H. E. Curzon ~~Plant Manager~~
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

~~ASH GROVE CEMENT WEST, INC.~~
~~INKOM, IDAHO 83245~~

ASHGROVE CEMENT
WEST INC.



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

May 5, 1986

H. E. Cruzon, Plant Manager
Ash Grove Cement West, Inc.
Cement Rd.
Inkom, ID 83245

Dear Mr. Cruzon:

Re: Permit No. 25-7306

I've reviewed the file and find that although there is a letter returning proof of beneficial use to Ash Grove Cement Co., there is not presently one in the file. One reason it may have been returned is that the proof was submitted in the name of Ash Grove Cement West when the permit holder is Idaho Portland Cement Co.

Since a water right is considered personal property, a conveyance of the permit is necessary for Ash Grove to take action on this permit. Enclosed is a copy of the department's assignment form. Note that it must be signed by an authorized representative of Idaho Portland Cement Co.

The most convenient way for the department to further process this permit is to have the assignment and proof returned together by July 1, 1986. If this is a problem or you have other questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1986

IDAHO PORTLAND CEMENT CO.
INKOM. ID 83245

138319

PROOF DUE NOTICE

RE: PERMIT NO. 25-7306

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 15, 1985

Ash Grove Cement West, Inc.
(Idaho Portland Cement Co.)
Cement Road
Inkom, ID 83245

Re: Water Right No. 25-7306

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the Department is being returned to you because proof of beneficial use has already been submitted for the water right.

If you have any questions, please feel free to contact this office.

Sincerely,

LINDA D. SMITH
Receptionist

Enclosure

cc: Region

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

IDAHO PORTLAND CEMENT CO.
INKOM, ID 83245

JUNE 19, 1985

RE: PERMIT NO. 25-7306

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 25-7306

PAGE 01

JUNE

19, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWJ

APPLICATION NUMBER: 25 7306

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4-22-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4-15-85
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
2-22-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. released in 3rd S.F. dismissal

By: Ernest Carlson

Date: April 23, 1985

STATE OFFICE REVIEW:

L05, L16

- ☐ See attached sheet for more information.

By: HWJ

Date: 6/7/85

RECEIVED

APR 9 C 1985

Department of Water Resources

MICROFILMED

25-2306

IDAHO PORTLAND CEMENT CO.

INKOM. ID 83245

Source: GROUNDWATER

Date Filed: 02/22/1983

Diversion Pt: SESE Sec 35 T 02N R 37E

Use: DOMESTIC (0.02 CFS)

In: SESE Sec 35 T 02N R 37E

*Propped by phone
4-2-85
CJF*

MICROFILMED

January 31, 1983

Idaho Portland Cement Co.
Inkom, ID 83245

Dear Sirs:

Enclosed is a claim to a water right that was received by this office.

From the information supplied on the claim, it will be necessary that an application for permit be filed. Therefore, enclosed is an application for permit with instructions. To assist in completing the application, I have noted on the instruction sheet information from the claim form.

Upon receipt of the application and appropriate filing fee, processing will begin.

Sincerely, ...

KEITH C. WILSON
Sr. Resource Agent

KCW:bp

Enclosures

MICROFILMED

3/83

IDENT. NO. 25 7306

IDAHO DEPARTMENT OF WATER RESOURCES

S
Proof

WATER RIGHT
DATA ENTRY LOG

[illegible]