


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

New Life Assembly of God
x Randall K. Barton - Deacon
(Applicant)

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

NW 1/4 SE 1/4 Sec 21, Twn 2 N. Range 38 E B.M.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

New Life Assembly
by Randall K. Barton
(Applicant)

Proof of Publication
The Post-Register

RECEIVED

NOV 1 1982

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 21st day of October, 1982, last publication having been made on the 28th day of October, 1982, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 28th day of October, 1982

Deon R. Napier
Notary Public

My commission expires September 30, 1984

B10, 1M,

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7292

NEW LIFE ASSEMBLY OF GOD
P.O. BOX 2533, IDAHO FALLS, ID
83402

Source: GROUNDWATER

Date Filed: 10/06/1982

Amount: 0.20 CFS

Diversion Point: NWSE Sec 21 T 02N R

38E, BONNEVILLE Co.

Use: HEATING (0.20 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 21 T 02N R

38E

Diversion Means: WELL, PUMP & LINE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before NOVEMBER 8, 1982.

KEN DUNN, Dir.

Published: October 21, 28, 1982

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director




APR 17 1990

RECEIVED

25-7292

NW 1/4 SE 1/4, Sec 21, T2N, R38E



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07292

Priority: November 2, 1982

Maximum Diversion Rate: 0.14 CFS
Maximum Diversion Volume:¹ 8.8 AF

This is to certify, that NEW LIFE ASSEMBLY OF GOD

P.O. BOX 1484

IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 6, 1982; and has submitted Proof of Beneficial Use on October 27, 1983. An examination indicates that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.14 CFS	8.8 AF
COOLING	01/01 to 12/31	0.14 CFS	8.8 AF
	Totals	0.14 CFS	8.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 21, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: HEATING

TWN RGE SEC

02N 38E 21 NWSE

PLACE OF USE: COOLING, same as HEATING use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit.

MICROFILMED

APR 17 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07292

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd
day of April, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

APR 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant New Life Assembly of God Phone 523-0620

Post office address P.O. Box 2533 Idaho Falls, Idaho 83402

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2N

Range 38E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Heating purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well/pump with line to heat pump and discharge to drain field and storm drain

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2N

Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water: _____

(5) If water is to be used for other purposes describe: For use in a heat pump to heat or cool a church structure.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. N.A.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Excess water will go to underground drainfield distribution
lines. In an emergency water could be channeled to storm sewer/

RECEIVED

[illegible]

New Life Assembly of God
x Vandale K. Barton - Deacon
(Applicant)

Proposed Priority 11/2/1982

Received by BP Date 10/6/82 Time 12:35am

Preliminary check by HWT Fee \$ 30.00

Receipted by BP Date 10/6/82 # 22529

Publication prepared by BP Date 10/13/82

Published in Past Register

Publication dates 10/31 & 10/28/82

Publication approved CW Date 11-02-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7292, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 23rd day of November, 1982.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED
NOV 15 1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

VOID

To appropriate the public waters of the State of Idaho

1. Name of applicant New Life Assembly of God Phone 523-0620
904 R. V. K. Barton
Post office address P.O. Box 2533 Idaho Falls 83402

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2N
Range 38E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 20 for Heating ~~domestic~~ purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, distribution lines,
to heat pump w/ discharge to drain field
and storm drain

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2N
Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

Water to Air Heat pump for cooling
and heating a structure

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion New Life Assembly

b. Who owns the land to be irrigated or place of use New Life Assembly

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

dist lines

10. Remarks Note excess water to drain fields which are
Approx 8' below ground level - NO Above ground
flow.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 21

N W S E

WELL

Point of Diversion and
Place of Use

Scale: 8 inches equal 1 mile.

NW 1/4 SE 1/4 Sec. 21, T11N 2 N. Range 38 E. B. M.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

New Life Assembly
by Vardell K. Barton
(Applicant)

(Applicant)

Received by BP Date 10/6/82 Time 12:35am

Preliminary check by HWT Fee \$ 30.00

Receipted by BP Date 10/6/82 # 22529

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Proof of Publication
The Post-Register

RECEIVED

NOV 1 1982


Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 21st day of October, 1982, last publication having been made on the 28th day of October, 1982, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 28th day of October, 1982



J. Robb Brady
Deon K. Napier
Notary Public

My commission expires September 30, 1984

B10, 1M,

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7292

NEW LIFE ASSEMBLY OF GOD
P.O. BOX 2533, IDAHO FALLS, ID
83402

Source: GROUNDWATER
Date Filed: 10/06/1982

Amount: 0.20 CFS
Diversion Point: NWSE Sec 21 T 02N R
38E, BONNEVILLE Co.

Use: HEATING (0.20 CFS) from 01/01
to 12/31

Place of Use: NWSE Sec 21 T 02N R
38E

Diversion Means: WELL, PUMP &
LINE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before NOVEMBER 8, 1982.

KEN DUNN, Dir.

Published: October 21, 28, 1982

RECEIVED

April 5, 1990

NEW LIFE ASSEMBLY OF GOD
P.O. BOX 1484
IDAHO FALLS, ID 83401

RE: PERMIT NO. 25-07292

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 17 1990

February 23, 1990

NEW LIFE ASSEMBLY OF GOD
P.O. BOX 1484
IDAHO FALLS, ID 83401

RE: PERMIT NO. 25-07292

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 17 1990

MEMORANDUM

TO: FILE

FROM: ROXANNE

RE: EVALUATION OF ^{HEATING/}COOLING USE

DATE: 01/11/90

=====

RATE OF FLOW AND ANNUAL VOLUME FOR ^{HEATING/}COOLING USE

INPUT:

Geothermal Source Temperature	=	60 Degrees
Area of Floor Space	=	15000 Square Feet
Temperature Outside	=	100 Degrees
Temperature Inside	=	70 Degrees
Building Efficiency	=	0.44 *
Days per year temp above 70 Degrees	=	120 Days
Hours per day temp above 70 Degrees	=	6 Hours

FORMULAS:

RATE;

GPM = System Cooling Load (BTU/HR)

/[Temp.Drop Across the System*(500)]

System Cooling Load (BTU/HR) = Building Efficiency*Area
*(Temp.inside-Temp.outside)

Temp. Drop Across the System = (0.6)*(Geothermal Temp.-Temp. Reqd.)

Temp. Required = 70 Degrees

VOLUME;

Annual Volume = CFS*1.9835*Hours/24*Days

OUTPUT:

RATE OF FLOW = 66.00 GPM

ANNUAL VOLUME =

0.147 CFS
8.8 ACRE FEET

MISCELLANEOUS INFORMATION:

* 0.28 Best energy efficiency **
0.44 Good energy efficiency
0.67 Average energy efficiency
1.11 Poor energy efficiency

**Source Administrator,s Memorandum dated May 9, 1984

MICROFILMED
APR 17 1990

3 01 3

INTER-DEPARTMENT MEMO — 1

FROM KEITH C. WILSON

RECEIVED

DATE 6 June 1989

TO File 25-7292-Vault

JUN 12 1989

SUBJECT Theoretical flow rate Department of Water Resources

Using static H_2O level the amount of flow would exceed the permitted amount of 0.20 cfs. If the well pumping depth was 171.7' then the flow would equal permitted amount. Recommend licensing 25-7292 for 0.20 cfs, 96.5 afk

MICROFILMED

APR 17 1990

Keith C. Wilson
SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7292

Permit No.

RECEIVED

JUN 12 1989

Analysis: Pressure 30 psi

Static H₂O level from Well Log = 125'

Pump 7.5 hp

Efficiency from Pump Chart 72.9% Department of Water Resources

$$Q = \frac{\text{hp} (8.814) \text{ eff}}{\text{head} + (\text{PSI} \times 2.308)} = \frac{7.5 (8.814) (.729)}{125' + (30 \times 2.308)} = 0.248 \text{ cfs} = 0.25 \text{ cfs}$$

$$Q \text{ LIMITED BY PERMIT} = 0.2 \text{ cfs}$$

$$V = 0.2 \text{ cfs} \times 1.4835 \times 365 \text{ days} = 144.79 \text{ afa} \approx 144.8 \text{ afa}$$

Assume operating approximately $\frac{2}{3}$ of the time

$$\therefore V = (144.8 \text{ afa}) \frac{2}{3} = 96.5 \text{ afa}$$

Recommend


Heating & Cooling @ - 0.20 cfs and 96.5 afa

MICROFILMED

APR 17 1990

Keith C. Wilson
6 June 1989

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks System used for heating & cooling

P/D & P/U aka Lot 1 Block 1 Lakewood Aspens Addition

15. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Keith C Wilson Date 7 June 1984

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

MICROFILMED

APR 17 1990

CONSULTANT SEAL

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
25-7292		0.18			0.18

4. Permit Holder: New Life Assembly of God

Address: 2170 E. 12th St. / P.O. Box 1484 / Idaho Falls Idaho 83401

5. Source: Groundwater tributary to _____

3. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Heating	1/1	12/31	0.18 cfs	89.3 afa

Cooling	1/1	12/31	0.18 fs	89.3 ofc
---------	-----	-------	---------	----------

Allowable Maximums: 0.18 cfs 89.3 afa

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: Note application indicates under description of proposal uses if water is not for irrigation (item 8a.5.) "For use in a heat pump to heat or cool a church structure."

P/O: P/u aka Lot 1 Block 1 Lakewood Aspens Addition

Injection well application/permit 25-W-60-From John Beal

10. Recommended Amendments (PERMIT SEE ITEM 8, a. 5)

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

11. Examiner's Signature

Checked in Regional Office by Gary Jackson APR 17 1990

Approved in State Office by

Heating & Cooling

Date 7 Jan 1986

Date 1-08-86

Date

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED

25-7292

Permit No.

JAN 13 1986

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$Q = \frac{hp (8.814) (off)}{head + (psi \times 2.308)} = \frac{7.5 (8.814) (72.9)}{190 + (30 psi \times 2.308)} = \frac{48.19}{259.24} = 0.185 cfs$$

hp = 7.5 head = assume Pump setting = 190'

psi = 30 psi

- b) Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

$$0.185 cfs \times 1.9835 \times 365 \text{ days} = 133.9 afa$$

Assume operation approximately, $\frac{2}{3}$ of the time therefore

$$(133.9 afa) \frac{2}{3} = 89.3 afa$$

2. Overlap Review

- a) Other water rights with same place of use:
- NONE

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED

APR 17 1990



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director


150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161



APR 17 1990

MICROFILMED

25-7292
NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 21, T2N, R38E






TABLE D. PERFORMANCE DATA OF SINGLE-PHASE SUBMERSIBLE MOTOR

		2P FOR 6" DEEP WELL														
Output (HP)		5					7.5					10				
Voltage-Frequency		230V 60Hz					230V 60Hz					230V 60Hz				
No Load Current (A)		7.7					8.3					11.9				
No Load Loss (W)		1128					1428					1544				
Load Characteristics	Load (%)	25	50	75	100	125	25	50	75	100	125	25	50	75	100	125
	Current (A)	13.2	15.2	19.3	24.6	30.5	13.6	19.5	26.7	35.2	45.6	17.2	25.1	34.9	47.1	58.5
	Efficiency (%)	38.4	59.6	67.6	70.1	70.7	51.1	67.6	72.5	72.9	70.8	57.5	72.7	76.0	75.6	74.0
	Power Factor (%)	80.0	89.7	93.1	94.1	94.1	87.8	92.5	94.5	94.9	94.2	81.8	88.9	91.8	93.2	93.7
	Slip (%)	0.8	1.8	2.7	3.6	4.7	0.8	1.8	2.9	4.2	5.8	0.7	1.7	2.8	4.1	5.6
Rated Torque (ft-lbs)		7.56					11.42					15.23				
Pull Out Torque (ft-lbs)		15.10					22.05					27.41				
Locked Rotor Torque (ft-lbs)		11.48					18.29					21.32				
Locked Rotor Current (A)		120					167					210				
Locked Rotor Code		F					F					E				
Rated Input (W)		5321					7675					9868				
Current of SF 1.15 (A)		28					40.9					54				
Input of SF 1.15 (W)		6085					8950					11454				
Spec. of Running Capacitor		440VAC/Mallory Capacitor 30 MFD (OP3040 or OP1540 x 2)					440VAC (Mallory Capacitor) 40MFD (OPR4040 or OPR2040B x 2)					440VAC (Mallory Capacitor) 50MFD (OPR5040 or OPR2540 x 2)				
Spec. of Starting Capacitor		330VAC (Mallory Capacitor) 200MFD (PSU9730 x 2)					330VAC (Mallory Capacitor) 250MFD (PSU12430 x 2)					330VAC (Mallory Capacitor) 350MFD (PSU16130 x 2)				
Spec. of Starting Voltage Relay		3ARR3J6V3 (GE TYPE)					3ARR3J6V3 (GE TYPE)					3ARR22J6A3 (GE TYPE)				
Spec. of Overload Protect Relay		CF1G3U312402 (HEINEMANN)					CF1G3U452402 (HEINEMANN)					CF1G3U602402 (HEINEMANN)				

Hitachi, Ltd. Tokyo Japan

RECORDED

APR 1 / 1990

25-7292



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

December 9, 1983

New Life Assembly of God
P.O. Box 1484
Idaho Falls, ID 83401

RE: Permit #2507292

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

 X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:JK

MICROFILMED

APR 17 1990

NEW LIFE ASSEMBLY OF GOD


2170 EAST 10th STREET

P.O. BOX 1484

IDAHO FALLS, ID 83401

26 OCT

1983



13 OCT 1983

OCT 1983



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

POSTAGE WILL BE PAID BY ADDRESSEE

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below on Permit No. 25-7292.

Name(s) of Permit Holder: NEW LIFE ASSEMBLY OF GOD

Post Office Address: P.O. BOX 1484

IDAHO FALLS, ID. 83401 Tel. No. 522-2931

Source of Water: WELL

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☒ Other HEATING AND COOLING SOURCE
FOR BUILDING HEAT PUMP

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-25-83
Date

J. D. Jones
NEW LIFE ASSEMBLY OF GOD
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138009

NEW LIFE ASSEMBLY OF GOD
P.O. BOX 2533
IDAHO FALLS, ID 83402

PROOF DUE NOTICE

SEPTEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 25-7292 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RENE FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

NEW LIFE ASSEMBLY OF GOD
P.O. BOX 2533
IDAHO FALLS, ID 83402

DECEMBER 07, 1982

RE: PERMIT NO. 25-7292

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
DEC 10 1982

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AWJ

APPLICATION NUMBER: 25 7292

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

* Have advised applicant by phone to get City's OK
to put excess water in storm drain

* Have sent newly typed copy to applicant for file use.

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: Nov 8, 1982
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11-01-82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11-02-82 Date of priority recommended.
Special conditions of approval or cover letter. _____

09C, 26

By: Ernest Carlson

Date: Nov. 10, 1982

STATE OFFICE REVIEW:

SW/Lib

09C

- ☐ See attached sheet for more information.

By: Ray

Date: 11/22/82

RECEIVED

NOV 17 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

RECEIVED BY: 10/10/1982

NOV 1 1985

WEGEN

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

80 15 15

RECEIVED

INTER-DEPARTMENT MEMO — 1

To
FROM Deann - Boise

OCT 25 1982

DATE 10/18/82

from TO ~~Barbara~~ or Colleen

Department of Water Resources
Eastern District Office

SUBJECT

Attached is returned check — account closed.

25-7292

Received \$30.00 cash on 11/2/82 to
replace returned check. CW

SIGNATURE

October 25, 1982

RE: Application for Permit No. 25-7929

New Life Assembly of God
P.O. Box 2533
Idaho Falls, ID 83402

ATTENTION: Randall K. Barton, Deacon

Dear Mr. Barton:

The Department has received notice of "account closed" on your check No. 92-301 in the amount of \$30.00 issued as payment of the statutory filing fee for application No. 25-7292. This will stop further processing of the application and also voids any priority that would have been established.

In order for the Department to resume processing we must receive a cashier's check or money order in the amount of \$30.00. Since the priority date will be established on the day sufficient funds are received, it is hoped you can give this matter your immediate attention.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83402
(208) 525-7161

OCTOBER 13, 1982

The Post Register
P. O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 8, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

RECEIVED
OCT 14 1982

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before NOVEMBER 8, 1982.

KEN DUNN, Dir.

Published 10/21 & 10/28/82.

RECEIVED
OCT 21 1982

25-7292

NEW LIFE ASSEMBLY OF GOD

P.O. BOX 2533, IDAHO FALLS, ID 83402

Source: GROUNDWATER

Date Filed: 10/06/1982

Amount: 0.20 CFS

Diversion Point: NWSE Sec 21 T 02N R 38E, BONNEVILLE Co.

Use: HEATING (0.20 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 21 T 02N R 38E

Diversion Means: WELL, PUMP & LINE

MICROFILMED