


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

H. C. Sorenson
(Applicant)

RECEIVED

APR 7 1980

Department of Water Resources
Eastern District Office

Affidavit of Publication

THE RIGBY STAR

STATE OF IDAHO, }
County of Jefferson } ss

I, Marie B. Nye, do solemnly swear that I am the Publisher of THE RIGBY STAR, a weekly newspaper as defined by Idaho Codes Annotated Section 58-106 as amended, and that said newspaper is a weekly newspaper, printed and published at Rigby, Jefferson County, Idaho, having a general circulation in said county, and that said newspaper has been printed and published as a weekly newspaper, in said county for more than 78 consecutive weeks prior to the first publication of the attached notice.

And affiant further says that at the times herein mentioned said publication as per clipping attached, was published in said newspaper in the regular and entire issue thereof, and not in any supplement issue thereof, for 2 consecutive issues thereof; first publication having been made on the

Twelfth day of March, 1980

and the last publication on the

Twentieth day of March, 1980

And affiant further says that at the times herein mentioned said newspaper was made up of at least four pages of at least five columns each printed from type matter of at least seventeen and three-fourths inches depth; and that there are at least two hundred bonafide subscribers in Jefferson County.

Marie B. Nye
Publisher

Subscribed in my presence and sworn to before me this Twentieth day of March, 1980.
[SEAL]

Evelyn M. Flayler
Notary Public for the State of Idaho
Residence and P. O. Address, Rigby, Idaho.

My commission expires Life, 19

Publication Fee: \$ 41.82

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

Idaho

25-7187

Sorenson, H.C. and/or Vonda Rt. 1, Roberts, ID 83444

Source: Groundwater

Date Filed: 2/27/1980

Amount: 0.06 CFS

Diversion Point: NWNW

Sec 36 T 05N R 37E,

Jefferson County. Use:

Domestic (0.04 CFS) from

1/01 to 12/31 Irrigation (0.02

CFS) from 4/1 to 11/1 Place

of Use: NWNW Sec 36 T 05N

R 37E for 1 acres Diversion

Means: Well, pump, lines

and sprinkler system.

31-7330

Yearsley, Kim and/or Janet Star Rt., Box 403, Hamer, ID 83425

Source: Groundwater

Date Filed: 2/28/1980

Amount: 6.40 CFS

Diversion Point: SWSE Sec

22 T 09N R 36E SWSW Sec

23 T 09N R 36E, Clark

County.

Use: Irrigation (6.40 CFS)

from 4/1 to 11/1 Place of

Use: NESE NWSE SWSE

SESE Sec 22 T 09N R 36E

NESW NWSW SWSW

SESW Sec 23 T 09N R 36E

for 320 acres. Diversion

Means: Well, pump &

center pivot.

It has been requested that

the above mentioned lands

be segregated under the

Carey Act.

31-7331

Kesler, David O., II and/or Darene D. Star Rt., Box 411, Hamer, ID 83425

Source: Groundwater

Date Filed: 2/28/1980

Amount: 6.40 CFS

Diversion Point: SESW

SESW Sec 27 T 09N R 36E,

Clark County. Use: Irrigation

(6.40 CFS) from 4/1 to 11/1

Place of Use: SWNW

SESW NESW NWSW

SWSW SESW Sec 27 T 09N

R 36E NENW NWNW Sec 34

T 09N R 36E for 320 acres.

Diversion Means: Well,

pumps and center pivots.

It has been requested that

the above mentioned lands

be segregated under the

Carey Act.

31-7332

Barrett, Robert Lloyd and/or Wendy R. 1020 Quincy NE, Albuquerque, NM 87110

Source: Groundwater

Date Filed: 3/5/1980

Amount: 4.00 CFS

Diversion Point: NWSE Sec

04 T 08N R 36E, Jefferson

County. Use: Irrigation (4.00

CFS) from 4/1 to 11/1 Place

of Use: SWNE SENW NESW

SESW NESE NWSE SESE

SWSE Sec 04 T 08N R 36E


for 206 acres. Diversion



Means: Well and pump.

If issued, the permit(s) will be subject to all prior water rights. Protects against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before March 31, 1980.

/s/ C. Stephen Allred
Director

Published March 13 and 20,
1980.





RECEIVED

FEB 25 1988

25-7187

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-7187

Priority: February 27, 1980 Amount: .06 CFS 4.7 AFA

This is to certify, that H. C. SORENSON
VONDA SORENSON

RT. 1

ROBERTS, ID 83444

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 27, 1980, and has submitted proof to the Department of Water Resources on February 27, 1980, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .08 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	.02 cfs	3.5 afa
Domestic	01/01 to 12/31	.04 cfs	1.2 afa
Totals		.06 CFS	4.7 AFA

LOCATION OF POINT OF DIVERSION(S):

NWNW , Sec. 36, Township 5N, Range 37E
Jefferson County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
5N	37E	36	NWNW	1			1

Total number of acres irrigated: 1

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 31st day of December, 1987.

RECEIVED

FEB 25 1988

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant H. C. &/or Vonda Sorenson Phone 754-0030

Post office address Route #1, Roberts, ID 83444

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 36 Township 5N

Range 37E B.M. Jefferson County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump with lines to houses
and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 36 Township 5N
Range 37E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

H. C. Soames
(Applicant)

Proposed Priority 2/27/80

Received by S.M. Date 2/27/80 Time 10:15

Preliminary check by JC Fee \$ 20

Receipted by kw Date 2/27/80 # 13816

Publication prepared by kw Date 3/6/80

Published in The Rigby Star

Publication dates 3/13 & 3/20/80

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7187, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 15 day of April, 19 80.

J. Glen Saxton
DIRECTOR, DEPARTMENT OF WATER RESOURCES

January 7, 1988

H. C. & VONDA SORENSON
RT. 1
ROBERTS, ID 83444

RE: Permit No. 25-7187

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 25 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7187
Permit No.

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Exam. Est. cap. as .08 cfs

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1(3.5) = 3.5 \text{ AFA} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.48 \text{ AFA} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.48 \text{ AFA} \end{aligned}$$

- c) Volume Calculations for Other Uses:

$$D = 2 \times 0.6 = 1.2 \text{ AFA}$$

2. **Overlap Review**

- a) Other water rights with same place of use: Possible 25-0259 Anderson Canal Co

- b) Other water rights with same point of diversion:

- c) Analysis: R30

MICROFILMED

FEB 25 1988

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	25-7187	2-27-80	0.06	2-27-80	2-27-80	0.08

4. Permit Holder: H.C. or Vonda Sorensen

Address: Rt. 1, Box 126 - Menan, Id. 83434

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>1.2</u>
<u>IRRIGATION</u>	<u>4-1</u>	<u>11-1</u>	<u>0.02</u>	<u>3.5</u>

Allowable Maximums: 0.06 4.7

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		<u>SW</u>	<u>NW</u>	<u>NW</u>	<u>36</u>	<u>5N</u>	<u>37E</u>	<u>JEFFERSON</u>

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
5N	37E	36						1										1	
Total Acres 1																			

9. Recommended Conditions/Remarks: D12

10. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None

☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

11. Examiner's Signature _____ Date _____

Checked in Regional Office by _____ Date _____

Approved in State Office by Ron Howerton 12-22-87 Date 12-22-87

MICROFILMED

FEB 25 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 25-7187

Phone No. 754-0030

1. Owner: H.C. or Vonda Sorenson

Current Address: Rt 1 Box 126 Menan Id

83434

2. Accompanied by: H.C. Sorenson

Address:

Phone No. _____

Relationship to Permit Holder:

Source: Groundwater

tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Domestic System	Johnston	1/2	382		
Irrigation System	Dayton	1hp	12NK	STARTE	R67

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Domestic

Well, pump main line to pressure tank w/ distribution line to two domestic homes

IRRIGATION SYSTEM Well pump to $1\frac{1}{2}$ " flexible hose to 3" hand line with 6- $\frac{5}{8}$ " nozzles

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	Pitot tube	Pressure	Excel			0-30	
	Theoretical						

7. Measurements 20 PSI DOMESTIC PRESSURE ☐ Additional data/computation sheets attached

10' static H₂O level

6-5/32 nozzle @ 18.5 to 18 psi Avg 18.25

0.03 cfs

355' x 147.6' Lot w/ Barn + 2 houses

8. Point(s) of Diversion:

Indicate Method of Determination

[illegible]

9.

Place(s) of Use:

Irrigation - give acres served by system at time of exam.

Indicate Method of Determination


[illegible]

Total Acres

~~FILED 25 1988~~

RECORDED

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Permit does not specify number of domestics however the
description in item 6a specifies houses

IRRIGATION & DOMESTIC SYSTEMS ARE TOTALLY SEPARATE

15. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 7 Aug

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED
FEB 25 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

APR 29 1986

25-7187

Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

SEE MEMORANDUM DATED MAY 13, 1981, ON FIELD EXAMINATIONS FOR DOMESTIC PURPOSES

MAXIMUM INSTANTANEOUS WATER REQUIREMENTS FOR DOMESTIC USE FOR 2 HOMES.Domestic System $h_p = 1/2$ psi = 30 psi head = 10' eff = 0.8

$$Q = \frac{HP (8.814) (EFF.)}{HEAD + (PSI \times 2.308)} = \frac{(0.5) (8.814) (0.8)}{10 + (30 \times 2.308)} = \frac{3.5256}{79.24} = 0.04 \text{ cfs}$$

IRRIGATION System

$$Q = A \sqrt{2gh} = 1.332 \times 10^{-4} \sqrt{2(32.2)(42.121)} = 0.0069374 \text{ cfs} \times 44.8 \text{ gpm/cfs} = 3.11 \text{ gpm/needle}$$

$$A = \text{area in ft}^2 = \pi \frac{d^2}{4} = \frac{\pi (\frac{5/32 \div 12}{4})^2}{4} = 0.0001332 \text{ ft}^2$$

$$g = 32.2$$

$$h = \text{psi} \times 2.308 = 18.25 \times 2.308 = 42.121$$

$$(6 \text{ sprinklers}) \times (3.11 \text{ gpm}) = 18.66 \text{ gpm} = 0.04 \text{ cfs}$$

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.5 \text{ af} = 3.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \text{ cfs} \times 1,985 \times 2.14 = 8.48 \text{ af}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5 \text{ af}$$

c) Volume Calculations for Other Uses:


$$V_{dom} = \text{No. Units} \times 0.6 \text{ af} = 2 \times 0.6 \text{ af} = 1.2 \text{ af}$$


2. Overlap Review

a) Other water rights with same place of use: Possible 25-0259 Anderson Canal Co.b) Other water rights with same point of diversion: NONEc) Analysis: R30

MICROFILMED

FEB 25 1986





RECEIVED

FEB 25 1988

25-7187

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

MAY 17, 1985

H.C. SORENSON
RT. 1
ROBERTS

ID 83444

RE: Permit No. 25-7187

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

REPROFILMED

FEB 25 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. **25-7187**

Name(s) of Permit Holder: A.C. & Vonda Sorenson

Post Office Address: Rte 1 Roberts Id.

Tel. No. _____

Source of Water: Groundwater

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 1 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Signature of Permit Holder

MICROFILMED

RECEIVED

FEB 27 1980

Department of Water Resources
Eastern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

PLACE
TEN CENT
STAMP
HERE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 15, 1980

H.C. ? Vonda Sorenson
Route # 1
Roberts, Idaho 83444

Dear Mr. & Mrs. Sorenson,

RE: Permit No. 25-7187

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

25 7187
25-7187

INITIAL REVIEW BY: jc
CHECK:

APPLICATION NUMBER: 25-7187

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: jc Map No. 25-5N 37E
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: March 31
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/7/1980
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 2/27/1980 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ernest Carlson

Date: 4/8/1980

MICROFILMED

STATE OFFICE REVIEW:

S.L. w/o cond

- ☐ See attached sheet for more information.

By: Jmi

Date: 4/11/80

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before MARCH 31, 1980.

C. STEPHEN ALLRED

Director

Published 3/13 & 3/20/80.

MICROFILMED

SORENSEN, H. C. &/or VONDA

RT. 1, ROBERTS, ID 83444

Source: GROUNDWATER

Date Filed: 02/27/1980

Amount: 0.06 CFS

Diversion Point: NWNW Sec 36 T 05N R 37E, JEFFERSON Co.

Use: DOMESTIC	(0.04 CFS)	from 01/01 to 12/31
IRRIGATION	(0.02 CFS)	from 04/01 to 11/01

Place of Use: NWNW Sec 36 T 05N R 37E FOR 1 ACRES

Diversion Means: WELL, PUMP, LINES & SPRINKLER SYSTEM.

MICROFILMED

IDENT. NO. 25 7187

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]