


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald R Dick Dist Engr.
(Applicant)

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 14th day of February, 1980, last publication having been made on the 21st day of February, 1980, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 21st day of February, 1980

Dean R. Spence
Notary Public

My commission expires April 5, 1983

B10, 1M,

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

25-7186

STATE OF IDAHO
DEPT. OF TRANSPORTATION,
DIVISION OF HIGHWAYS, BOX 97,
RIGBY, ID 83442

Source: GROUNDWATER
Date Filed: 01/31/1980
Amount: 0.10 CFS
Diversion Point: SWSW Sec 35 T 03N R 38E, BONNEVILLE Co.
Use: COMMERCIAL (0.08 CFS) from 01/01 to 12/31
DOMESTIC (0.02 CFS) from 01/01 to 12/31
Place of Use: SWSW Sec 35 T 03N R 38E

Diversion Means: WELL AND PUMP.
If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before MARCH 3, 1980.

C. STEPHEN ALLRED
Director
Pub. Feb. 14 & 21, 1980

ok
kw
2/27/80


RECEIVED

FEB 25 1980

Department of Water Resources
Eastern District Office


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 of SW 1/4 SECT 35 T3N R38E

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
3N	38E	35											X						


Recommended Amendments:

- ☐ Change P.O. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature A.W. Jones
Checked by K.W. Jones
Approved by J. King

Date 2-24-81
Date 2-24-81
Date 2-25-82

14wJ 24-81



"NOT TO SCALE"

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 25-7186 Priority January 31, 1980 Amount .06 cfs

THIS IS TO CERTIFY, that Idaho Transportation Dept., Division of Highways
of Rigby, Idaho, has complied with the terms and conditions of Permit
No. 25-7186 issued pursuant to Application for Permit dated January 31, 1980,
and has submitted proof to the Department of Water Resources on April 24, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .24 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u> at	<u>.02</u> cfs and	<u>.6</u> acre feet
Commercial	from <u>January 1</u> to <u>December 31</u> at	<u>.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____ at _____ cfs and _____		
(both dates inclusive)			

Subject, however, to the condition that no more than .06 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.8 acre feet per year, said waters to be diverted within the SWSW Section 35, Twp 3N,
Rge 38E in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	38E	35													

Total number of acres irrigated _____

Commercial use is Beeches Corner Rest Area.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
March, 19 82.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant I.T.D. Division of Highways Phone 745-7781

Post office address P. O. Box 97, Rigby, Idaho 83442

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 3 N

Range 38 E.B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 cfs for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

.10 cfs as per tele-con with Dick Rubuglet ARK
a. .08 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pump.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 175 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 3 N

Range 38 E. B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Water is used by public at Beeches Corner Rest Area. It is also used at the Idaho Department of Lands office which adjoins the Rest Area property.

MICROFILMED

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion State of Idaho, Transportation Department


b. Who owns the land to be irrigated or place of use Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald R. Dick *Sist Engr.*
(Applicant)

Proposed Priority 1/31/80
Received by kw Date 1/31/80 Time 11:00
Preliminary check by BRL Fee \$ 20.00
Receipted by kw Date 2/1/80 #15564
Publication prepared by kw Date 2/7/80
Published in The Post Register
Publication dates 2/14 & 2/21/80
Publication approved kw Date 2/27/80
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date 4 _____
Recommended for approval denial by EMC quin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7186 , and said application is hereby approved .

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1 , 19 81 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.
- _____

Witness my hand this 13th day of March , 19 80 .

A. Glen Saylor
Chief Engineer in Bureau

Proof of Publication

The Post-Register

State of Idaho,
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 14th day of February, 1980, last publication having been made on the 21st day of February, 1980, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 21st day of February, 1980

Dean R. Spence
Notary Public

My commission expires April 5, 1983

B10, 1M,



ok
KW
2/27/80

RECEIVED

FEB 25 1980
Department of Water Resources
Eastern District Office

MICROFILMED

WELL DRILLER'S REPORT

SEP 25 1987

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

~~Department of Water Resources~~

1. WELL OWNER State of Idaho Div. of Public Works
Department of Lands-Idaho Falls, Idaho
 Name 502 N. 4th st. Statehouse
 Address Boise, Idaho 83720
 Owner's Permit No. #25-7186

7. WATER LEVEL

Static water level 125' feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☒ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other **Sprinkler System** (specify type)

Discharge G.P.M.	Pumping Level	Hours Pumped

4. METHOD DRILLED

☒ Rotary	☐ Air	☐ Hydraulic	☐ Reverse rotary
☐ Cable	☐ Dug	☐ Other	

[illegible]

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness		Diameter		From		To
.250	inches	10	inches	+	1	feet 52
.250	inches	8	inches		1	feet 163
	inches		inches			feet
	inches		inches			feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number		From		To
	perforations		feet	
	perforations		feet	
	perforations		feet	

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18' Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld


☐ Cemented between strata

Describe access port _____

10. Work started 3/19/87 finished 3/31/87

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bonneville

SW 1/4 SW 1/4 Sec. 35 T. 3n R. 38e E 1

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Denning Drilling, Inc. Firm No. 10

Address Box 460 Ucon 83454 Date 3/31/87

Signed by (Firm Official) [Signature]
and
(Operator) [Signature]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEBARTMENT

VERIFIED DJ

5-20-85

WATER RIGHT NUMBER 25-7186

OWNER LAST NAME - STATE OF IDAHO FIRST NAME - ORIG OWNER -
ADDRESS LINE 1 - DEPT. OF TRANSPORTATION ADDRESS LINE 2 - DIVISION OF HWYS.
ADDRESS LINE 3 - BOX 97 CITY - RIGBY STATE - ID ZIP CODE - 83442
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENSE STATUS - PRIORITY - 01-31-1980 COUNTY - BONNEVILLE TOTAL DIV. RATE - .0600-CFS
TOTAL DIV. VOLUME - 1.80 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SWSW 35 03N 38E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 01-01 TO - 12-31 USE - COMMERCIAL USE DIV. RATE - .0400 CFS USE DIV. VOLUME - 1.20 AFA
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .0200 CFS USE DIV. VOLUME - .60 AFA
USE - COMMERCIAL PLACE OF USE - TWN 03N RNG 38E SEC 35 TRACT SWSW LOT AC
DECREE NAME - DATE - TOTAL ACRES 0
REMARKS -
NON IRRIG USE - C/BEECHES CORNER REST AREA, IDAHO DEPT. OF LANDS OFFICE.
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 04-01-1981 PERMIT/DENIED - 03-13-1980 PROTESTED - HEARING - OLD NO. -
PROOF MADE - P FLD EXAM - COND. OF APPROVAL -
DIVERSION MEANS - WELL & PUMP.

April 21, 1982

RE: Permit No. 25-7186

Idaho Transportation Dept., Division of Highways
P.O. Box 97
Rigby, ID 83442

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 18, 1982

Idaho Transportation Dept.
Division of Highways
P.O. Box 97
Rigby, ID 83442

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. **25-7186**, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: **.06 cfs** Source: **groundwater**

The maximum quantity diverted shall not exceed **1.8** acre feet per year.

Point(s) of diversion: **SWSW Section, 35th Twp 3N, Rge 38E**

Beneficial use: **Domestic and Commercial use in the SWSW Section 35,
Twp 3N, Rge 38E**

Priority date established: **January 31, 1980**

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

RECORDED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

25-2186

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8-11-80 Accompanied by N.A. Total Q measured _____
If source is surface water, estimate total flow of source _____
Methods of measurement N.A. Meets Permit requirements? _____

Measurement calculations:	Theoretical - $\frac{10 \text{ HP} \times 8.814 \times .7}{175' + (35 \text{ psi} + 2.308)} = .24 \text{ cfs} \checkmark$ Domestic - 0.02 cfs Industrial - 0.04 cfs
---------------------------	---

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	10	Jacuzzi						

System Description From well/pump to 5 100 gallon pressure tanks thru line to Dept of Hyway restrooms and to State Lands Building and Truck bay.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
Domestic	0.02 ✓	0.6 ✓	Jan. 1	Dec 31
* Commercial				
* Industrial (See remarks)	0.04 ✓	1.2 ✓	Jan. 1	Dec. 31
Total	0.06	1.8		

* Remarks Well serves Dept. of Hyways campground and Dept. of Lands office & Truck Bay. Total of 4 restrooms and 12 full time employees use facilities for domestic application. Truck bay has 3 bays for washing & servicing trucks. Cannot perceive use exceeding 13,000 gpd or 0.04 cfs.

MICROFILMED


Jim
RC 3/1

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SW 1/4 of SW 1/4 SECT 35 T 3 N R 38 E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3 N	38 E	35											X						

Recommended Amendments:

- ☐ Change P.O. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.O.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature A.W. Jones

Checked by K.W. King

Approved by J. King


Date 2-24-81

Date 2-24-81

Date 2-25-82

C-6

100J 24-81



I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

June 5, 1980

RE: Permit No. 25-7136

Idaho Transportation Department, Division of Highways
Box 97
Rigby, Idaho 83442

Dear Sirs:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

Bobbie R. Stephens
Senior Clerk

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 72-7096.

Name(s) of Permit Holder: I.T.D. Division of Highways

Post Office Address: Box 97 Rigby, Id. 83442

Tel. No. 745-7391

Source of Water:

Well

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☒ Other Used by maintenance personnel at Challis Maint. Shed

Measuring Device:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☒ No

Access Port:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has developed.

April 23, 1980

Date

J R Dick
Signature of Permit Holder

MICROFILMED

Div. of Hwys
Box 97
Rigby, Id 83442



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

APR 24 1980

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 13, 1980


I.T.D. Division of Highways
P.O. Box 97
Rigby, Idaho 83442

Dear Sirs,

RE: Permit No. 25-7186

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,



DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

*I.T.D.
Div. of Highways
Beetles Corner*

APPLICATION FOR PERMIT ANALYSIS SHEET

25 7186

INITIAL REVIEW BY:

A.R. Kozlowski

APPLICATION NUMBER:

25-7186

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☒ Yes ☐ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: *ARK*

Map No. *Basin 25 3N 88E*

Other rights on same place of use. *none*

In form for advertising.

Final date for protests: *March 3*

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *3/25/80*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/31/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: *Ernest Carlson*

Date: *3/7/80*

STATE OFFICE REVIEW:


ot

Short letter w/o cond

- ☐ See attached sheet for more information.

By: *Jan*

Date: *3/13/80*



STATE OF IDAHO

DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS, BOX 97, RIGBY, ID 83442

Source: GROUNDWATER

Date Filed: 01/31/1980

Amount: 0.10 CFS

Diversion Point: SWSW Sec 35 T 03N R 38E, BONNEVILLE Co.

Use: COMMERCIAL	(0.08 CFS)	from 01/01 to 12/31
DOMESTIC	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SWSW Sec 35 T 03N R 38E

Diversion Means: WELL AND PUMP.

ENCLOSURE