


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eldon L. Ward
(Applicant)

Proof of Publication
The Post-Register

RECEIVED

DEC 9 1977

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 24th day of November, 1977, last publication having been made on the 1st day of December, 1977, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 5th day of December, 1977.


Karl Stoller
Notary Public

My commission expires April 5, 1979.

B10, 1M

CW
**NOTICE OF APPLICATION
FOR WATER PERMIT**
Notice is hereby given that Eldon L. Ward, Idaho Falls, Idaho has on 11-17-77 submitted Application No. 25-7139 for a permit to appropriate 2.90 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, T. 3N, R. 38E, B.M., Bonneville County; to be used from Apr. 1 to Nov. 1 for the irrigation of 145 acres within the NW $\frac{1}{4}$, Sec. 16, T. 3N, R. 38E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 12, 1977.
C. Stephen Allred
Director
Published in the Post-Register, Idaho Falls, Idaho on November 24 and December 1, 1977
me

10. Other water rights on these lands 01-0262
11. Other water right diverted from same p.d. N/A
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____
15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature Keith Wilson Date 6 July 1984
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL

MAR 30 1989

25-7139



R 38E

N-2

T 3 N


POINT OF DIVERSION

PLACE OF USE

MED

MAR 30 1989

Not to Scale



SCALE: ~~2 inches Equal 1 Mile.~~ Draw Plan In Ink.

25-7139

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07139

Priority: November 17, 1977 Amount: 2.68 CFS 469.0 AFA

This is to certify, that ELDON L. WARD
RT. 2 BOX 360
IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated November 17, 1977, and has submitted proof to the Department of Water Resources on November 2, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 2.800 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	2.68 CFS	469.0 AFA

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 16, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 38E 16	NENW 39	NWNW 35	SWNW 28	134
	SEnw 32			
Total number of acres irrigated:				134

CONDITIONS/REMARKS:


1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of MARCH, 1989.

MICROFILMED

MAR 30 1989

Acting for the Director



BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 25-7139

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

MAR 30 1989

Identification No. 25 7139
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Eldon L. Ward Phone: 522-3340
post office address Rt. #2, Box 360 Idaho Falls, ID 83401
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 16 Township 3N
Range 38E B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.9 for irrig. purpose from Apr 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.9 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 175 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	38E	16					40	40	30	35									145


Total number of acres to be irrigated 145

c. Describe any other water rights used for the same purposes as described above. shares in
Burgess Canal

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Static water level 118, very little draw down

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin L. Ward
(Applicant)

11/17/77
Proposed Priority _____

Received by CW Date 11-17-77 Time 12:25p
Preliminary check by thj Fee \$ 45.00
Receipted by CW Date 11-17-77 49100
Publication prepared by CW Date 11-17-77
Published in Post Register
Publication dates Nov. 24 & Dec. 1-1977
Publication approved me Date December 9, 1977
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 25-7139, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1983.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water. (2) The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 29 day of January, 1978.


DEPUTY Director

Proof of Publication.
The Post-Register

RECEIVED

DEC 9 1977

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.


That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 24th day of November, 1977, last publication
having been made on the 1st day of December, 1977, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 5th day of December, 1977.

J. Robb Brady
Karl H. Hall
Notary Public

My commission expires April 5, 1979.

B10, 1M



March 27, 1989

ELDON L. WARD
RT. 2 BOX 360
IDAHO FALLS, ID 83401

RE: PERMIT NO. 25-07139

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

MAR 30 1989

March 1, 1989

ELDON L. WARD
RT. 2 BOX 360
IDAHO FALLS, ID 83401

RE: PERMIT NO. 25-07139

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc


Enclosure

MICROFILMED

MAR 30 1989

[illegible]

10. Other water rights on these lands 01-0262
11. Other water right diverted from same p.d. N/A
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature Keith C Wilson Date 6 July 1984
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date _____

CONSULTANT SEAL _____

MAR 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAR 12 1986

25-7139

Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$Q = 3.85 (L.d.)^2 \sqrt{Y} (K)$$

$$L.d. = 9.851''$$

$$Y = 11.3''$$

$$K = 1.0 \text{ for manometer}$$

$$Q = 3.85 (9.851)^2 \sqrt{11.3} = 1256 \text{ gpm} = 2.80 \text{ cfs}$$

$$0.02 \text{ cfs/ac} \times 134 \text{ ac} = 2.68 \text{ cfs}$$

Recommend licensing for 2.70 cfs

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 134 \times 3.5 = 469$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.68 \times 214 \times 1.9835 = 1,137.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 469 \text{ afa}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: 01-0262 ;

b) Other water rights with same point of diversion: N/A

c) Analysis:

R30

MICROFILMED

MAR 30 1989

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
25-7139					2.80

4. Permit Holder: _____

Address: _____

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	4/1	11/1	2.68 cfs	469 afa

Allowable Maximums: 2.68 cfs 469 af

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	38E	16					39	35	28	32									134
Total Acres																			134

9. Recommended Conditions/Remarks: K 30

0. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

1. Examiner's Signature *Jethro Wilson*

Checked in Regional Office by Dary Spickman

Approved in State Office by _____


Date 5 Mar 1986

Date 3-5-86

Date 12/1/88

R 22.2 38E

Not to scale



SCALE: 2-Inches Equal 1 Mile. Draw Plan In Ink.

25-7139

IDENT. NO. 25-7139

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

February 9, 1983

Eldon L. Ward
Rt. #2, Box 360
Idaho Falls, ID 83401

RE: Permit No. 25-7139

Dear Mr. Ward:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

 X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:CM

MICROFILMED

MAR 30 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below of permit No. 25-7139.

Name(s) of Permit Holder: Eldon L Ward

Post Office Address: Rt 2 Box 360
Idaho Falls, ID

Telephone: 2-340

RECEIVED

FILED

Source of Water: _____
Extent of Use: ☒ Domestic (number of households) _____
☐ Stockwater _____
☒ Irrigation 145 (number and type of stock) _____
☐ Other _____ (acres)

NOV 2 1982

Department of Water Resources
Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-2-82
Date

Eldon L Ward
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

MICROFILMED

MAK 30 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

WARD, ELDON L.
RT. 2 BOX 360
IDAHO FALLS, ID 83401

~~138806~~
138806

OCTOBER 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 25-7139 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

MAR 30 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 28, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

MAR 30 1989

January 30, 1978

Re: Permit No. 25-7139

Eldon L. Ward
Route #2
Box 360
Idaho Falls, ID 83401

Dear Mr. Ward:

Enclosed is a copy of your approved Application for Permit No. 25-7139 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah
Enclosure

MICROFILMED

November 18, 1977

RE: Application for Permit No. 25-7139

Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Enc: Legal Notice (1)

Bill submitted 12-09-77 by CW

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Eldon L. Ward,
Idaho Falls, Idaho

has on 11-17-77 submitted Application No. 25-7139
for a permit to appropriate 2.90 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from a ground-water source
by means of well and pump
within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16, T. 3N, R. 38E, B.M., Bonneville County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 145 acres

within the NW $\frac{1}{4}$, Sec. 16, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
December 12, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINSON

Director

Post Register, Idaho Falls, Idaho

Published in the _____
November 24 _____
on _____ and December 7, 1977

*called - Mr. H.
Mr. D.*

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Ward

g.w. Source
✓ Point of Diversion
✓ County
2.9 Quantity of Water and Period of Use
✓ Description of Diverting Works
✓ Time required for B/U of water
✓ Place of Use or Acres Irrigated
✓ Map
✓ Signature
45.00 Fee

(1) EDIC 11/17/77

In form to receipt YES

(2) " "

Send Copies to:

✓ Idaho State Health Department
✓ Idaho Fish and Game Department
✓ Bureau of Land Management

(3) " "

✓ Request Special Use Permit from U.S.F.S.
✓ Request Easement from B.L.M.
✓ Request Information from Applicant
✓ Request Dam Safety Information

(4) " "

In form for advertising YES

(5) " "

Platted on Map No. 3N 38E

(6) " "

Located within Water District No. 25

(7) " "

Critical groundwater area: yes no X

(8) " "

Groundwater levels:

Declining, X Stable, Increasing

(comment) _____

(9) " "

Other rights on the same place of use Surface Water

(10) " "

Comments: None
none known

(11) CD 12-07-77

Affidavit of Publication received (date) Dec. 9-1977

(12) CD 12-12-77

Final date for protests Dec. 12-1977

Protests received: yes no

(13) LH 12-12-77

All requested information received from agencies or applicant: yes no

(14) LH 12-12-77

Action recommended:

✓ Approve

Deny

11-17-77 Proposed Priority

Reason for Reduction

✓ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By Loren O'Halloran Date 12-13-77

Copied
Sent

RECEIVED
Supplemental