


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
HAROLD BUERSTATTE
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

Proof of Publication
The Post-Register

RECEIVED

OCT 3 1977

State of Idaho,
County of Bonneville } ss.

Department of Water Resources
Eastern District Office

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 22nd day of September, 1977, last publication having been made on the 29th day of September, 1977, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 30th day of September, 1977.

Ted Delezene


Karey Hale
Notary Public

My commission expires April 5, 1979.

B10, 1M

aw
**NOTICE OF APPLICATION
FOR WATER PERMIT**
Notice is hereby given that U.S. Army Corps of Engineers, Walla Walla, WA has on 9-15-77 submitted Application No. 25-7135 for a permit to appropriate 0.00078 cubic feet per second of water from a spring tributary to Ririe Reservoir by means of a trench and holding tank within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 2N, R. 40E, B.M., Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T. 2N, R. 40E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before October 10, 1977.
C. Stephen Allred
Director
Publish: Sept. 22, 29, 1977
me

NOTARY PUBLIC



● INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1979
438000m.E.

ROAD CLASSIFICATION

Heavy-duty ——— 4 LANE 6 LANE Light-duty ———
Medium-duty ——— 4 LANE 6 LANE Unimproved dirt ———
U. S. Route State Route



QUADRANGLE LOCATION

Microfilm

MAY 09 1989

RIGBY SE, IDAHO

SE/4 RIGBY 15' QUADRANGLE


N4330—W11145/7.5

1950

PHOTOREVISED 1979

DMA 3671 III SE—SERIES V893

Revisions shown in purple and woodland compiled from
aerial photographs taken 1976 and other source data
This information not field checked. Map edited 1979





MAY 09 1989

From AMS map
Driggs, Idaho; Wyoming
1955



COMPUTATION SHEET

BY <i>G King</i>	DATE <i>4/87</i>	PROJECT <i>Blacktail Park</i>	SHEET ____ OF ____
CHKD BY	DATE	FEATURE <i>Infiltration Gallery for Irrigation Water Supply</i>	
DETAILS			



COMPUTATION SHEET


BY <i>G King</i>	DATE <i>4/87</i>	PROJECT <i>Blacktail Park</i>	SHEET ____ OF ____
CHKD BY	DATE	FEATURE <i>Infiltration Gallery for Irrigation</i>	
DETAILS <i>Water Supply</i>			



MULTICOLLIERED

MAY 09 1989

25-7135



T 2 N

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1979
438000m.E.

R40 E
ROAD CLASSIFICATION

1 MILE
1000 FEET
METER

Heavy-duty ——— 4 LANE 6 LANE Light-duty - - - - -
Medium-duty ——— 4 LANE 16 LANE Unimproved dirt - - - - -
U. S. Route State Route

25-7135
IDAHOT
QUADRANGLE LOCATION

VIRGINIA 22092
WEST

Revisions shown in purple and woodland compiled from
aerial photographs taken 1976 and other source data
This information not field checked. Map edited 1979

RIGBY SE, IDAHO
SE/4 RIGBY 15' QUADRANGLE
N4330—W11145/7.5

MICROFILMED

1950
PHOTOREVISED 1979
DMA 3671 III SE—SERIES V893

MAY 09 1989

X-94

(HELL CREEK 1:62 500)
3670

25-7135



underground
spring and tank



drinking fountain

FILMED

1989

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-7135

RECEIVED

MAY 23 1988

no # encl. 87
Department of Water Resources

Date of Priority: September 13, 1977

Comes now U.S. DEPT. OF INTERIOR
BUREAU OF RECLAMATION
ATTN: 424 BOX 043
550 W. FORT ST.
BOISE, ID 83724

APPROVED

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-7135, and requests that the permit be changed as follows:

Source: SPRING

tributary to: RIRIE RESERVOIR

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.01 cfs	2.0 afa

LOCATION OF POINT OF DIVERSION(S): SWNW Sec. 16 Township 2N, Range 40E
Bonneville County

PLACE OF USE: Domestic

TWN RGE SEC

2N 40E 16 SWNW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise Id, this 16th day of Feb., 19 89.

MICROFILMED

MAY 06 1989

Kenneth R. Pedde
(Signature)
Regional Director

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-7135

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$20.00 Received by Ky Date 3/9/89 #C005725

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 25-7135 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 21st day of April, 19 89

Ronny Young
Acting for the (Director)

MAILED 10 1989

MAY 09 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07135

Priority: September 13, 1977 Amount: 0.01 CFS 2.0 AFA

This is to certify, that U.S. DEPT. OF INTERIOR
BUREAU OF RECLAMATION
ATTN: 424 BOX 043
550 W. FORT ST.
BOISE, ID 83724

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated September 13, 1977, and
has submitted proof to the Department of Water Resources on July 19, 1982, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .010 cfs of water from:

SPRING tributary to RIRIE RESERVOIR

source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	2.0 AFA
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NENE	Sec. 17, Township 02N, Range 40E BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 40E 16 NWSW

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of April, 1989.

MICROFILMED

Acting for the Director

Ron C Young

MAY 09 1989



REPLY TO
ATTENTION OF:

NPWRE

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BUILDING 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

RECEIVED

SEP 2 1982

Department of Water Resources

31 August 1982

State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:

Inclosed is Assignment of Permit form transferring Permit No. 25-7135, Ririe
Lake Project, to the Bureau of Reclamation.

Sincerely,

1 Incl
As stated

Allen L. Baim
ALLEN L. BAIM
Chief, Real Estate Division

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

ALLEN L. BAIM
Chief, Real Estate Division
I, Walla Walla District, Corps of Engineers, hereby assign to Bureau of Reclamation

of Federal Bldg., Box 043, 550 W. Fort Street, Boise, ID 83724
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 25-7135
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 31st day of August, 1982.

Allen L. Baim
Permit Holder ALLEN L. BAIM
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

~~Spouse of Permit Holder~~

State of ~~Idaho~~ ^{Washington})
County of Walla Walla) ss.

On this 31st day of August, 1982, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Donley L. Rogers
Notary Public residing at
College Place, WA 99324

My commission expires:

March 25, 1984

Identification No. _____

Application No. 25-7135

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- U. S. Army Corps of Engineers,
1. Name of applicant Walla Walla District Phone: _____
post office address Bldg. 602, City-County Airport, Walla Walla, Washington 99362
2. Source of water supply spring which is a tributary of Ririe Reservoir
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 2N
Range 40E B.M. Bonneville County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into ditch at a point in NE $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 17 Township 2N Range 40E B.M. Bonneville
4. Water will be used for the following purposes:
Amount 0.00078 or Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.00078 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. the spring water is collected in a
trench and piped to a 2,000 gallon tank which will feed two drinking fountains
in the park by gravity

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 28,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation: SE NE
(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 16 Township 2N
Range 40E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served: _____, or number of families to be
supplied with domestic water: _____
(5) If water is to be used for other purposes describe: drinking water in park area

RECEIVED
JAN 10 1975
IDAHO DEPT. OF WATER RESOURCES

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above._____

None


9. a. Who owns the property at the point of diversion
U. S. Government
- b. Who owns the land to be irrigated or place of use
U. S. Government
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks
Blacktail Park - A spring developed to produce water for domestic use.

If examination of water system is necessary, please contact the following person: Marvin Shollenberger, Operations Division, Recreation and Reservoir Management Branch, Bldg. 605, City-County Airport, or telephone (509) 525-5500, Ext. 632. He will make arrangements for having a Corps' representative at the site.


A 60-foot collector trench at the spring, the westerly end lays S 13° 51' 08.4" W, a distance of 414.04 ft. from the east quarter corner of Sec. 17. Mercator, Idaho, east zone, coordinates for ¼ Cor. 17-16, N669,77.00, E606,607.13, W. end collector trench N669,375.0, E606,508.0; E. end collector trench N669,373.0, E606,658.0.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
HAROLD BUERSTAMME
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

Proposed Priority 9/13/77
me 9-26-77 11:22 a.
CW 9-15-77 10:30 a.
B 9-13-77 Noon
CW 9-02-77 12:15 p.
Received by B Date 8-31-77 Time Noon
Preliminary check by Emc Fee \$10⁰⁰
Received by Aw Date 10-03-77 #9031
Publication prepared by CW Date 9-16-77
Published in Post Register
Publication dates September 22 & 29, 1977
Publication approved me Date 10-03-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Emc if

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7135, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 82.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 8 day of November 19 77.


Deputy Director

Proof of Publication
The Post-Register

RECEIVED

OCT 3 1977

State of Idaho, }
County of Bonneville } ss.

Department of Water Resources
Eastern District Office

I, Ted Delezene, first being duly sworn, depose and say: That I am the
Foreman of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 22nd day of September, 19 77, last publication
having been made on the 29th day of September, 19 77, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 30th day of September, 19 77


Ted Delezene

Karl H. Hall

Notary Public

My commission expires April 5, 19 79

B10, 1M



RECEIVED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 25-07135

AMENDED

Priority: September 13, 1977

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:¹

2.0 AF

This is to certify, that U.S. DEPT. OF INTERIOR

BUREAU OF RECLAMATION

ATIN: 424 BOX 043

550 W. FORT ST.

BOISE, ID 83724

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 13, 1977; and has submitted Proof of Beneficial Use on July 19, 1982. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to **RIRIE RESERVOIR**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 16, Township 02N, Range 40E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 40E 16

SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for Blacktail Park.

MICROFILMED

SEP 15 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07135

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12th
day of SEPTEMBER, 1989.

Acting for R. Keith Higginson, Director

MICROFILMED
SEP 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 13, 1989

RE: Water Right No. 25-7135

Bureau of Reclamation
Attn: 424 Box 043
550 W. Fort St.
Boise, ID 83724

Gentlemen:

Enclosed is a copy of the Amended Water Right License issued on the above referenced water right. The license was amended to reflect the correct point of diversion and place of use which had been listed on the application for amendment approved at the time of licensing but was listed in error on the original license.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 15 1989

April 25, 1989

U.S. DEPT. OF INTERIOR
BUREAU OF RECLAMATION
ATTN: 424 BOX 043
550 W. FORT ST.
BOISE, ID 83724

RE: PERMIT NO. 25-07135

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

MAY 09 1989



IN REPLY
REFER TO:

PN 424

United States Department of the Interior

BUREAU OF RECLAMATION
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724-0043

FEB 27 1989

Department of Water Resources

FEB 21 1989

Mr. Jim Johnson
Water Rights Supervisor
Idaho Department of Water Resources
1301 North Orchard
Boise ID 83270

Subject: Blacktail Park, Ririe Reservoir, Water Right 25-7135 (Water Rights)

Dear Mr. Johnson:

Enclosed is the signed application for amendment of the referenced permit which you returned with your December 30, 1988, letter. The point of diversion and place of use described in the application for amendment are correct.

Sincerely,

Kenneth R. Pedde

ACTING Regional Director

Enclosure

MICROFILMED

MAY 09 1989

*all up in 30
days to be
done - KWD
3/8/89*

MEMORANDUM

TO: FILE

FROM: JIM JOHNSON

RE: AMENDMENT OF PERMIT

DATE: 14-FEB-1989

Ed Thomas called today and wanted to return the prelicense amendment on this file but questioned if the fee had been received by the Department yet.

I found the payment voucher in the file and returned it to Ed.

He is going to forward the voucher to San Francisco for payment and return the signed amendment of permit to us.

Ed warned that when the check is prepared it often does not reference any document therefore it may be difficult to trace the check to payment of the amendment.

We need to watch for the checks from the Bureau for payment of this amendment.

MEMORANDUM

MAY 09 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

December 30, 1988

RE: Permit No. 25-7135

U.S. Dept. of Interior
Bureau of Reclamation
ATTN: 424 Box 03
550 W. Fort St.
Boise, ID 83724

Dear Sir:


Enclosed is the application for amendment of permit you returned to us last May. Please excuse us for being so slow in responding; this has been a terrible summer with the drought and activity caused by the Snake River Adjudication.

Also enclosed is a copy of the field report filed by the examiner. You will find that the location of both the point of diversion and the place of use is in disagreement with the information provided in the memorandum dated April 27, 1987.

Please review and inform us which of the two versions is correct.

If you have any questions, please let us know.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:ky

Enclosures

MICROFILMED

MAY 09 1989



United States Department of the Interior

MAY 23 1988

BUREAU OF RECLAMATION
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 043-550 WEST FORT STREET
BOISE, IDAHO 83724-0043

Department of Water Resources

IN REPLY
REFER TO: PN 424

MAY 20 1988

Mr. Jim Johnson
Water Rights Supervisor
Idaho Department of Water Resources
1301 North Orchard
Boise, Idaho 83270

Dear Mr. Johnson:

Re: Water Right 25-7135,
Blacktail Park, Ririe Reservoir

Enclosed, as suggested in your March 24, 1988, letter, is the application for amendment of permit 25-7135 for domestic use of water from springs at Blacktail Park at Ririe Reservoir. The application for amendment has been changed to show both the point of diversion and the place of use to be in the SW1/4NW1/4, Section 16, T. 2 N., R. 40 E., as indicated in our Hydrology Field Trip Report dated April 27, 1987, (copy attached).

Please sign and return the enclosed voucher for payment of the \$20.00 filing fee.

Sincerely yours,

Acting Regional Supervisor of
Water, Power, and Lands

Enclosure

RECEIVED

MAY 09 1989



United States Department of the Interior

BUREAU OF RECLAMATION
PACIFIC NORTHWEST REGION
FEDERAL BUILDING & U.S. COURTHOUSE
BOX 049-550 WEST FORT STREET
BOISE, IDAHO 83724

IN REPLY
REFER TO PN-230

APR 27 1987

Memorandum

To: Project Superintendent, Burley, Idaho

From: Regional Director, Boise, Idaho

Subject: Field Trip Report, Blacktail Park, Ririe Reservoir, Water Supply Evaluation (Your Memorandum dated March 18, 1987)

GENERAL

In response to the subject memorandum, Groundwater Geologist Gary King made a field review trip to the Blacktail Park at Ririe Reservoir on April 2, 1987. The purpose of the trip was to determine the potential for improving the water supply for the park, primarily by drilling a well. Gary King met with Paul Clements, Facility Manager, Ririe Field Station at the park site. Mr. Clements explained the water system layout, discussed the water requirements, and identified the location of existing springs near the park.

BACKGROUND

Blacktail Park is located on Ririe Reservoir on Blacktail Creek, a tributary to Willow Creek (see Rigby SE map, attached). The park is located about 7 miles above Ririe Dam and about 13 miles east of Idaho Falls, Idaho (see AMS map, attached).

The present park water supply comes from two sources: potable water from a developed spring (see Rigby SE map) located within the park area, and irrigation water from the reservoir. The spring supply is not adequate during July and August of each year despite a potable water demand of only a few gallons per hour for the two drinking fountains.

The irrigation water is supplied with a pump located at the bottom of the reservoir. However, because of difficulties completing needed repairs to the pump, this source is not reliable. The irrigation supply demand is about 180 gallons per minute (gpm) for the 5 hour irrigation required each week. Mr. Clements stated that the sprinkler nozzles could be reduced to a smaller size which would decrease the water demand to about 90 gpm.

MAY 09 1989

There are also concerns for the safety of park visitors swimming because of the underwater 440 volt electric supply to the pump.

Mr. Clements reported that Blacktail Park has one of the highest recreation uses in the Idaho Falls area. Therefore, Bonneville County has committed to contribute up to \$3,000 toward the improvement of the park water supply.

There are several alternatives for improving the reliability of the park water system:

- (1) Develop additional springs located near the park.
- (2) Drill a water supply well for both potable and irrigation needs.
- (3) Drill a water supply well for potable use and construct an infiltration gallery for irrigation use.

The potable water supply is needed before July when the present water supply spring dries up. It is too late to attempt to alter the irrigation system because the reservoir is filling. Therefore, alteration of the irrigation system will have to wait until this fall when the reservoir level is down.

EXAMINATION RESULTS

The topography in the area of the park is a gently sloping surface in a narrow (about 1/2 mile wide), relatively steep-walled canyon which is over 400 feet deep. The canyon was eroded by Blacktail Creek which is tributary to Willow Creek.

The most widespread, variably lithified geologic formations in the area of the park are the Tertiary-age Salt Lake Formation which probably underlies most of the area, and rhyolite tuff and flows overlying the Salt Lake Formation. The Salt Lake Formation is made up of conglomerate, volcanic ash, marl, calcareous clay, and sandstone. The rhyolite is made up of welded and nonwelded ash-flow and air-fall rhyolite tuffs and rhyolite lava flows. Geologic units observed in and adjacent to the park included the Tertiary-age volcanic ash, rhyolitic tuff, and rhyolite flows; and unconsolidated, Quaternary-age alluvial fan deposits made up of bedded and poorly sorted clay- to gravel-sized sediment.

The park is located along Blacktail Creek on the Quaternary alluvial fan deposits that have formed at the mouths of small, ephemeral creek drainages. South of the park is the probable remnant of a landslide in the sediment. North and northwest of the park are the Tertiary rhyolite outcrops, consisting of rhyolite flows, welded tuffs, and volcanic ash. The Salt Lake Formation is mostly covered but may be encountered during well drilling. Substantial amounts of silt and clay are found within the potential aquifers within the Salt Lake Formation. Therefore, the fine sediment combined with the bedded and poorly-sorted nature of the aquifer material will probably result in a water yield of low to very low, up to several gallons per minute. However, water yield from the few sand and gravel beds found within the aquifer may be from low to moderate, up to several tens of gallons per minute.

MAY 09 1989

Located on and adjacent to the park are several springs and series of springs. Most of these springs appear to flow from sediments beneath the rhyolite, possibly at the Salt Lake Formation-rhyolite contact. Developing some of these springs for a total park water supply was considered by Gary King because they are an obvious existing resource that could be utilized.

There are several springs flowing from beneath the rhyolite deposits located north of the boat ramp on the north side of the park (see Rigby SE map). These springs yield an estimated 20 to 30 gpm, but they discharge below maximum reservoir level.

Another series of springs is located several hundred feet south of the park at about maximum reservoir level and appear to flow from the sand and gravel beds within the unconsolidated alluvial deposits. These springs were dry at the time of the field review, which may be because of the present, unusually dry winter and spring. The springs could also be the result of bank storage draining from aquifers recharged from the reservoir.

A third series of springs is located in the "draw" north of the park, several hundred feet from the reservoir. At the time of the field review these springs had a flow of a few gallons per minute, but it seeped into the ground before reaching the reservoir. Mr. Clements reported that the spring flow was observed to be substantial last summer. But again, the low flow is probably caused by the present, unusually dry winter and spring. These springs do not receive recharge from the reservoir.

CONCLUSIONS

The reconnaissance of the several springs located adjacent to the park led to the conclusion that the spring flows are not a reliable or an adequate water supply for both potable and irrigation needs. This may be especially true during dry climatic periods, such as is occurring at present.

With storage, the springs north of the boat ramp (see Rigby SE map) would have sufficient yield for both potable and irrigation needs. These springs would, however, be difficult to intercept because they discharge below maximum reservoir level. A well might be drilled through the rhyolite, from above the springs, in an attempt to intercept them. However, this may be difficult to accomplish without knowing more about the aquifer geology from which the springs are flowing.

Another potential water supply source could be a drilled well. The field review of the geology of the area adjacent to the park suggests that the groundwater aquifers may have limited yield potential. A well with sufficient yield for the potable supply is highly likely. A well with sufficient yield for both a potable and an irrigation supply is less likely. It is possible that a well may encounter an aquifer recharged from the reservoir that would have adequate yield for both needs. A low yielding well and surface storage could supply enough water for both needs. For instance, a well yielding about 3 gpm, pumping continuously into a 27,000 gallon storage tank, would have sufficient yield for all of the park needs.

MAY 09 1989

A third potential water supply source could be a low yielding well for potable use and an infiltration gallery for irrigation use. The infiltration gallery should be located below low reservoir level with the pump, or access to the pump, located above maximum reservoir level. This arrangement would place the pump where it is convenient for servicing and allow for pumping an unlimited irrigation water supply from the reservoir.

If the present water system is updated, it is suggested that a well be drilled first in hopes of getting enough groundwater for both potable and irrigation needs. An attempt should be made to locate the well where it can intercept a portion of the spring flows. The existing active springs appear to flow from beneath the rhyolite deposits which are mostly located north of the park. Therefore, the drill site should be located as far north as possible within the park area. A 6-inch-diameter well should be adequate for less than 100 gpm yield; however, for a yield greater than 100 gpm, an 8-inch well will be required. The depth of the well may require drilling up to about 350 feet. The potable water should be pumped into the present potable storage tank located above the west side of the park to avoid frequent cycling of the pump. Cost for drilling and completing the well would probably be from about \$20.00 to \$30.00 per foot drilled, with the total cost being from about \$7,000 to \$10,000.

If the well is inadequate for both potable and irrigation needs, then the infiltration gallery should be considered. The infiltration gallery should be sized for anticipated future demand. Construction of the infiltration gallery could include a short length of well screen that is laid parallel to the reservoir shore line. A 5-foot length of 6-inch, 80 slot screen should yield about 180 gpm of water. The screen would then be attached to a horizontal pipe laid normal to the reservoir shore line, which is then attached to a vertical pipe extending to the land surface. The vertical pipe would form the pump chamber into which the pump could be installed (see enclosed sketch). PVC plastic casing and screen can be used in this facility to help reduce total costs. Total cost of this facility would probably be several thousand dollars because of the extensive trenching that would be required to install the screen, pipe, and filter. This facility would provide a secure and reliable irrigation water supply.

Another type of infiltration gallery could be a well casing and screen assembly installed normal to the reservoir shore line, in an inclined position that is parallel to the dip of the reservoir bottom. This facility would be placed in a shallow trench that is then backfilled. The screen would be gravel packed as in the above installation and the casing would daylight at maximum reservoir level. The pump would be installed in an inclined position, but could be easily removed for servicing. Installing the pump in an inclined position will cause wear problems on the pump bearings, but this type of installation has worked well in other areas, such as a recreation park at Palisades, Idaho. Despite the potential increased maintenance costs, this facility may still be better than the existing irrigation system. This facility would be considerably less expensive to construct than the above facility because of less trenching required for installation.

The infiltration gallery will not furnish bacteria-free water and therefore it cannot be used for a potable supply.

MAY 09 1989

RECOMMENDATIONS

It is recommended that a well be drilled first and then, if the well is not adequate for both potable and irrigation needs, that an infiltration gallery be constructed for the irrigation supply. It is also recommended that the inclined pipe infiltration gallery be selected because it would be the least expensive, simplest, and easiest to construct.

If needed, Groundwater Geologist Gary King is available for assistance with drill site selection, well completion, and pump testing.

For the Regional Director




Regional Engineer

Enclosures

cc: Field Station Facility Manager
RO 410

Memorandum

MAY 09 1989



● INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1978
438000m.E.

ROAD CLASSIFICATION

Heavy-duty	4 LANE 6 LANE	Light-duty
Medium-duty	4 LANE 6 LANE	Unimproved dirt
U. S. Route		State Route



QUADRANGLE LOCATION


MAY 09 1989

RIGBY SE, IDAHO

SE/4 RIGBY 15' QUADRANGLE
N4330—W11145/7.5

Revisions shown in purple and woodland compiled from
aerial photographs taken 1976 and other source data
This information not field checked. Map edited 1979

1950
PHOTOREVISED 1979
DMA 3671 III SE—SERIES V893





MAY 00 1989

From AMS map
Driggs, Idaho; Wyoming
1955



COMPUTATION SHEET

BY <i>G King</i>	DATE <i>4/87</i>	PROJECT <i>Blacktail Park</i>	SHEET ____ OF ____
CHKD BY	DATE	FEATURE <i>Infiltration Gallery for Irrigation</i>	
DETAILS <i>Water Supply</i>			



COMPUTATION SHEET

BY <i>G King</i>	DATE <i>4/87</i>	PROJECT <i>Blacktail Park</i>	SHEET <i> </i> OF <i> </i>
CHKD BY	DATE	FEATURE <i>Infiltration Gallery for Irrigation</i>	
DETAILS <i>Water Supply</i>			



MAY 09 1989

March 24, 1988

U.S. DEPT. OF INTERIOR
BUREAU OF RECLAMATION
ATTN: 424 BOX 043
550 W. FORT ST.
BOISE, ID 83724

RE: Permit No. 25-7135

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

MAY 09 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

25-7135

Permit No.

ECV

RECEIVED

NOV 09 1987

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index KW 27 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index KW 27 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 8/5/87 Carol Slaughterbeck (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SB 10-19-87 (Initial and date)

Exam Reviewed by Manager of Regional Office SM 10-20-87 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 25-7135

1. Owner: Bureau of Reclamation/Ririe Dam Project Phone No. 538-7871 (Ririe Dam)

Current Address: Federal Building, Box 043 550 W. Fort St. Boise, Id

2. Accompanied by: Clarence Hickman EXAM. DATE: 8/5/87

Address: Rt 2 Box 278 Rigby, Id Phone No. -

Relationship to Permit Holder: employee of Bureau of Reclamation (Ririe Dam)

3. Source: spring tributary to ~~Ririe Reservoir~~
Ririe Reservoir

B. OVERLAP REVIEW

1. Other water rights with same place of use: water pumped out of reservoir
to irrigate grass at park ☐ Copies Attached

2. Other water rights with same point of diversion: no
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

system is entirely underground except for 2
drinking fountains; see pictures and written
description of system

RECORDED & FILMED

Scale: 1" = _____

MAY 09 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

spring is collected in buried perforated pipe and pipes to underground 2000 gallon storage tank which gravity feeds two drinking fountain / faucets in Blacktail Park
park usually open from April or May through October
max people ~ 300

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	17	ZN	40 E	Bonneville	USGS (difficult to determine since system is underground)

6. **Place(s) of Use:**

Indicate Method of Determination USGS

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
ZN	40 E	16																	

MICROFILMED

MAY 09 1983

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

no measurements were taken
Allow 0.01 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)
 Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1000 gal/day x 214 days / 43,560 = 4.91 AFA.

(3 gal/visitor/DAY) Max. Use.

(0.01 cfs)(214)(1.9835) = 4.24 LIMITED BY FLOW.

NOT RECORDED

MAY 09 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Volume is based on 1000 gallons per week; there is no overnight camping allowed in the park

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	4/1	12/31	.01	4.24 afa
Totals:			.01 cfs	4.24 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Carol Slaughterbeck
Signature Carol Slaughterbeck
Certification Date 10-20-1987
Field Report Preparation Date 8/5/87


Stan McCloud
CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAY 09 1989

25-7135



T 2 N

INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1978
438000m.E

R 40 E
ROAD CLASSIFICATION

Heavy-duty... 4 LANE 6 LANE Light-duty...
Medium-duty... 4 LANE 16 LANE Unimproved dirt...
U. S. Route State Route

(HELL CREEK 1:62 500)
3670'

25-7135
IDAH
QUADRANGLE LOCATION

RGINIA 22092
UEST

Revisions shown in purple and woodland compiled from
aerial photographs taken 1976 and other source data
This information not field checked. Map edited 1979

RIGBY SE, IDAHO
SE/4 RIGBY 15' QUADRA
N4330-W11145/7.5

MICROFILMED

1950
PHOTOREVISED 1979
DMA 3671 III SE-SERIES V893

MAY 09 1989

X-94

25-7135

underground
spring and tank



ALMED

1989

drinking fountain

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

Initials	Date	Item
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
		Key punched by State Office
RC	9-7-82	Assignment coded & entered G G FEB 2 1984 VERIFIED

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NPWRE

AN EQUAL OPPORTUNITY EMPLOYER



POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD-314



State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720



September 15, 1982

Bureau of Reclamation
Federal Building, Box 043
550 W. Fort St.
Boise, ID 83724

Gentlemen:

Re: Permit No. 25-7135

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also this office acknowledges receipt of the statement of beneficial use submitted for the permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding the field examination, please contact our Eastern Regional office at 525-7161.

Sincerely,

RITA L. FLECK
Sr. Secretary

Enclosures

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 25-7135

Name(s) of Permit Holder: U.S. ARMY CORPS OF ENGINEERS

Post Office Address: Bldg. 602, City-County Airport

Walla Walla, WA 99362

Tel. No. (509) 525-5500

Source of Water: Spring

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☒ Other

Water for two drinking fountains

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

ALLEN L. BAIM

7-6-82

Date

Chief, Real Estate Division

Walla Walla District, Corps of Engineers

Allen L. Baim

Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

JUL 19 1982

Department of Water Resources

August 13, 1982

RE: Water Right Permit No. 25-7135

U.S. Army Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, WA 99362

Dear Sirs:

We received your letter of July 10, 1982. In that letter you stated that the above referenced permit was transferred to the Bureau of Reclamation. Therefore, I have enclosed an assignment form for your convenience. Please complete the form and return it to our office.

If you have any questions, please contact me at 334-4123.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosure



REPLY TO
ATTENTION OF:

NPWRE

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BUILDING 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

R 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30
JUL 19 1982
Department of Water Resources

16 July 1982

State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:

Inclosed is Proof of Appropriation card for the Spring Collection System at Blacktail Park, Ririe, Idaho, Permit No. 25-7135.

This file has been transferred to the Bureau of Reclamation, Pacific Northwest Regional Office, Federal Building, Box 043, 550 West Fort Street, Boise, ID 83724, and further correspondence should be addressed to them.

Sincerely,

ALLEN L. BAIM
Chief, Real Estate Division

1 Incl
As stated

Copy furnished w/incl:
Bureau of Reclamation, Boise, ID

DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NPWRE

AN EQUAL OPPORTUNITY EMPLOYER

State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD-314



November 9, 1977

Re: Permit No. 25-7135

U.S. Army Corps of Engineers, Walla Walla Dist.
Bldg. 602
City-County Airport
Walla Walla, Washington 99362

Gentlemen:

Enclosed is a copy of your approved Application for Permit No 25-7135 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

October 3, 1977

RE: Application for Permit No. 25-7135

U. S. Army Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Gentlemen:

Attached herewith is departmental receipt No. 9031 in the amount of \$10.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Attachment

U.S. GOVERNMENT

PURCHASE ORDER—INVOICE—VOUCHER

DATE

16 Sep 77

ORDER NO.

DACW68-77-M-0360

PRINT NAME AND ADDRESS OF SELLER (Number, Street, City, and State) *

Idaho Department of Water Resources
Northern District Office
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814

FURNISH SUPPLIES OR SERVICES TO (Name and address) *

U.S. Dept. of Army, Corps of Engineers
City-County Airport, Walla Walla, WA 99362
ATTN: Real Estate Division

SUPPLIES OR SERVICES	QUANTITY	UNIT PRICE	AMOUNT
1 JOB: Payment of Statutory Examination Fee for appropriation of Public Waters, Ririe Protect, Blacktail Park, Spring.	1	\$10.00	\$10.00

RECEIVED

OCT 8 1977

Department of Water Resources
Eastern District Office

AGENCY NAME AND BILLING ADDRESS *

U.S. Dept. of Army, Corps of
Engrs, City-County Airport,
Walla Walla, WA 99362
ATTN: Real Estate Division

TOTAL \$10.00

DISCOUNT TERMS

Net % DAYS

DATE INVOICE RECEIVED

21 Sep 77

ORDERED BY (Signature and title)

Darlene M. Stewart

DARLENE M. STEWART
Ordering Officer

PURPOSE AND ACCOUNTING DATA

96x3122 Const Gen
BERLR304P2B0000

PURCHASER—To sign below for over-the-counter delivery of items

RECEIVED BY

Darlene M. Stewart DARLENE M. STEWART

TITLE

Realty Clerk

DATE

22 Sep 77

SELLER—Please read instructions on Copy 2

☐ PAYMENT
RECEIVED \$☐ PAYMENT
REQUESTED \$ 10

NO FURTHER INVOICE NEED BE SUBMITTED

SELLER

IDAHO DEPT. OF WATER RESOURCES

DATE

BY

(Signature)

9-19-77

REMARKS

DIFFERENCES

ACCOUNT VERIFIED
CORRECT FOR

BY

FORWARD TO PAYEE

3. RECEIVING REPORT—ACCOUNTING COPY

* PLEASE INCLUDE ZIP CODE

1976-214-976



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Ririe Project
Blacktail Park
Permit No. 25-7135


22 September 1977

State of Idaho
Department of Water Resources
1515 Lincoln Road
Idaho Falls, ID 83401

Gentlemen:

In accordance with your letter of 19 September 1977, inclosed is signed
Application for Permit No. 25-7135.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

1 Incl
As stated



Identification No. 25 7135

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant U.S. Army Corps of Engineers, Walla Walla District.
post office address Bldg. 602, City-County Airport, Walla Walla, Washington 99362
2. Source of water supply spring which is a tributary of N/A - River Res.
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 2N
Range 40E B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into ditch at a point in NE $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 17 Township 2N Range 40E B.M. Bonneville
4. Water will be used for the following purposes:
Amount .00078 for domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.00078 cubic feet per second and/or
b. 1.0 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. The spring water is collected in a trench and piped to a 2,000-gallon tank which will feed two drinkig fountains in the park by gravity.

b. Height of storage dam N/A feet, active reservoir capacity N/A acre feet; total reservoir capacity N/A acre feet, materials used in storage dam: N/A
Period of year during which storage will occur N/A to N/A inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2-1/2 years.
b. Estimated construction cost is \$ 28,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation: SE 1/4 of NE 1/4
and
(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 16 Township 2N
Range 40E B.M.
(2) Amount of power to be generated: N/A hp under N/A feet of head.
(3) List number of each kind of livestock to be watered N/A

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water N/A.
(5) If water is to be used for other purposes describe: Drinking water in the park area.

RECEIVED
JAN 10 1968

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated None.

c. Describe any other water rights used for the same purposes as described above. None.

9. a. Who owns the property at the point of diversion U.S. Government.

b. Who owns the land to be irrigated or place of use U. S. Government.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A.

10. Remarks Blacktail Park - A spring developed to produce water for domestic use.

If examination of water system is necessary, please contact the following person:

Marvin Shollenberger, Operations Division, Recreation and Reservoir Management

Branch, Bldg. 605, City-County Airport, or telephone (509) 525-5500, Ext. 632.

He will make arrangements for having a Corps' representative at the site.

A 60-foot collector trench at the spring, the westerly end lays S 13° 51' 08.4" W,
a distance of 414.04 feet from the east quarter corner of Section 17. Mercator,
Idaho, east zone, coordinates for 1/4 Cor. 17-16, N669,777.00, E606,607.13, W.
end collector trench N669,375.0, E606,508.0; E. end collector trench N669,373.0,
E606,568.0.

A blank sheet of graph paper featuring a uniform grid of small squares. The grid consists of 20 columns and 20 rows, creating a total of 400 square units. The lines are thin and black, set against a white background. There are no margins, text, or other markings on the page.


(Applicant)
HAROLD BUERSTATTE
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

Received by *W* Date *9-15-77* Time *10:30 AM*
Preliminary check by *W* Fee \$ *12.15*
Receipted by *W* Date *9-13-77*
Publication prepared by *W* Date *9-08-77*
Published in *no fee but for school*
Publication dates *8-31-77*
Publication approved *noon* Date *12-15-77*
Priority reduced to *no* Reason *no*

Protests filed by: *no*

Copies of protests forwarded by *no*
Hearing held by *no* Date *no*
Recommended for approval denial by *no*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

U.S. GOVERNMENT
PURCHASE ORDER—INVOICE—VOUCHER

DATE OF ORDER

ORDER NO.

DACW68-77-M-0360

PRINT NAME AND ADDRESS OF SELLER (Number, Street, City, and State) *

Idaho Department of Water Resources
Northern District Office
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814

FURNISH SUPPLIES OR SERVICES TO (Name and address) *

U.S. Dept. of Army, Corps of Engineers
City-County Airport, Walla Walla, WA 99362
ATTN: Real Estate Division

SUPPLIES OR SERVICES	QUANTITY	UNIT PRICE	AMOUNT
1 JOB: Payment of Statutory Examination Fees for appropriation of Public Waters, Ririe Project, Blacktail Park, Spring.	1	\$10.00	\$10.00

AGENCY NAME AND BILLING ADDRESS *

U.S. Dept. of Army, Corps of
Engrs, City-County Airport,
Walla Walla, WA 99362
ATTN: Real Estate Division

TOTAL \$10.00

DISCOUNT TERMS

Net % _____ DAYS
DATE INVOICE RECEIVED

ORDERED BY (Signature and title)

Darlene M. Stewart

DARLENE M. STEWART
Ordering Officer

PURPOSE AND ACCOUNTING DATA

96x3122 Const Gen
BERLR304P2B0000

PURCHASER—To sign below for over-the-counter delivery of items

RECEIVED BY

DARLENE M. STEWART

TITLE

Realty Clerk

DATE

SELLER—Please read instructions on Copy 2☐ PAYMENT
RECEIVED \$☐ PAYMENT
REQUESTED \$ 10.00

NO FURTHER INVOICE NEED BE SUBMITTED

SELLER **IDaho DEPT. OF WATER RESOURCES** DATE
BY *[Signature]* (Signature)

INSTRUCTIONS TO SELLER

After satisfactory identification of the Government representative presenting this purchase order, verify the itemization, including quantity, unit price, amount, total and discount sections.

This form is so designed that Copy 1 may be used as a cash payment receipt or as your invoice by completing, as appropriate, either the Payment Received or Payment Request blocks and signing the Seller Section.

If you would rather submit your own invoice, DO NOT SIGN COPY 1, but attach it unsigned to your invoice to expedite verification and processing for payment.

* PLEASE INCLUDE ZIP CODE 2. SELLER'S COPY OF ORDER

1976-214-976

September 19, 1977

RE: Application for Permit No. 25-7135

Mr. Harold Buerstatte
Chief, Real Estate Division
Department of the Army,
Corps of Engineer
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Dear Mr. Buerstatte:

This Department is currently processing the above referenced application. However, during our review for advertising we find your application was submitted on an out-dated form. For your convenience, we have taken the liberty of retyping your application and are returning it for signature. Please sign and return to this office on or before October 10, 1977, which is the final date of protest.

We have also enclosed the signed voucher for payment. Please note, any further correspondence on this application should be submitted to our office in Idaho Falls, 1515 Lincoln Road, 83401.

Should you have further questions concerning this matter, please feel free to contact this office.

Very truly yours,

ERNEST M. CARLSEN
Water Resource Agent

EMC:CW

Enclosures: Application (retyped)
Voucher # DACW68-77-M-0360

September 16, 1977

RE: Application for Permit No. 23-7026 JENSEN
35-7747 INTERSTATE TRUCK & EQUIPMENT CO.
25-7135 CORPS OF ENGINEERS

The Post Register
P. . . Box 1800
Idaho Falls, ID 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

Bill submitted 10-03-77 by CD

RDC:CD

Enclosures (3)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that U. S. Army Corps of Engineers,
Walla Walla, WA

has on 9-15-77 submitted Application No. 25-7135
for a permit to appropriate 0.00078 cubic feet per second XXXXXXXXXXXXXXXXXXXX acre feet per annum
of water from a spring tributary to Ririe Reservoir
by means of a trench and holding tank
within the NE 1/4, Sec. 17, T. 2N, R. 40E, B.M., Bonneville County;

to be used from Jan. 1 to Dec. 31
for domestic purposes

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T. 2N, R. 40E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before October 10, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINSON

Director

Published in the Post Register, Idaho Falls, Idaho
on September 22 and September 29, 1977

me - A.
me - D
called
7-21-97
me - G.

September 16, 1977

RE: Application for Permit No. 25-7135

Bureau of Reclamation
P. . . Box 549
Burley, ID 83318

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, submit them to our Department as soon as soon as possible. The last date of protest is October 10, 1977, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:CD

Enclosure

MICROFILMED

September 16, 1977

RE: Application for Permit No. 25-7135

Mr. Arthur L. Larson, Watermaster
Water District No. 01
P.O. Box 1099
Idaho Falls, Idaho 83401

Dear Art:

We are enclosing a copy of an application that may be of interest to your water district. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is October 10, 1977, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:CD

Enclosure

RECEIVED

September 6, 1977

Mr. Harold Buerstatte
Chief, Real Estate Division
Department of the Army,
Corps of Engineers
Bldg. 602, City-County Airport
Walla Walla, Washington 99362

Dear Mr. Buerstatte:

Enclosed please find the three applications for permit that you submitted to appropriate water for your Ririe and Blacktail Park projects. As I discussed with Jim Cherry, the irrigation specified in these two applications probably could be included under the application submitted by the Bureau of Reclamation. This would require no action other than to have the point of diversion and place of use included on the Bureau's application. If, for some reason, you feel it would be advantageous to have separate permits for the uses you have proposed, we would still have to have a letter from the Bureau of Reclamation granting you permission to appropriate water from their facility, even though it was constructed by the Corps of Engineers.

We are returning the third application in which you show a spring as your source of water supply primarily because the purchase order needs to be modified because of our returning the other two applications. This application otherwise appears to be in acceptable form for us to process.

If you have additional questions relating to these applications, please feel free to contact me.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:me

bc: Bob Fleenor

RECEIVED
SEP 11 1977
ENGINEERING



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Ririe Dam and Reservoir
Blacktail Park
Spring and Windmill

30 August 1977

Idaho Department of Water Resources
Northern District Office
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814

RECEIVED
AUG 31 1977
Department of Water Resources
Northern District Office

Gentlemen:

It is requested that permits be issued for appropriation of water in the quantity and for the purposes indicated on the attached applications.

Inclosed is a Standard Form 44 in the amount of \$20.00 to be signed by you and returned to this office for payment of the fees.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

- 3 Incl
1. Application (windmill)
2. Application (spring)
3. SF 44 (77-M-0359)

RECEIVED
AUG 31 1977
Department of Water Resources
Northern District Office



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Ririe Dam and Reservoir
Creekside Park
Intake Structure

30 August 1977

Idaho Department of Water Resources
Northern District Office
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814


RECEIVED
AUG 31 1977
Department of Water Resources
Marlboro District Office
Marlboro District Office

Gentlemen:

It is requested that a permit be issued for appropriation of water in the quantity and for the purpose indicated on the attached application.

Inclosed is a Standard Form 44 in the amount of \$25.00 to be signed by you and returned to this office for payment of the fee.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

- 2 Incl
1. Application
2. SF 44 (77-M-0358)



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS

BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WASHINGTON 99362

NPWRE-AQ
Ririe Dam and Reservoir
Blacktail Park
Spring

12 September 1977

RECEIVED
SEP 16 1977
Department of Water Resources
Northern District Office


Idaho Department of Water Resources
Northern District Office
4055 Government Way - Suite #1
Coeur d'Alene, ID 83814

Gentlemen:

In accordance with your letter of 6 September 1977, inclosed is Application for Permit for spring water.

Also inclosed is a Standard Form 44 in the amount of \$10.00 to be signed by you and returned to this office for payment of the fee.

Sincerely yours,


HAROLD BUERSTATTE
Chief, Real Estate Division

- 2 Incl
1. Application
2. SF 44 (77-M-0360)

PROJECT BIRIE LAKE, WILLOW CREEK IDAHO, UPPER RESERVOIR RECREATION

Information: SUBJECT BLACKTAIL PARK, Location of Spring for domestic use

Office Produced BY W. W. W.

DATE 7-5-77

CHECKED

PART

PAGE

OF

For additional information,
consult the project and branch files.


SECTION 17 TOWNSHIP 2 N. RANGE 40 E., BOISE MERIDIAN
BONNEVILLE COUNTY, IDAHO

Mercator, Idaho East Zone, Coordinates

$\frac{1}{4}$ cor 17-16 N. 669,777.00 E. 606,607.13

W. End Collector Trench N. 669,375.0 E. 606,508.0

E. End Collector Trench N. 669,373.0 E. 606,568.0



Scale 1"=1000'

DESCRIPTION: Spring is located in the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of section 17, T.2N., R.40E., Boise Meridian, Bonneville County, Idaho. A 60

NPD Form
June 1962 7A O/P-1

Clearprint

RP

Translucent Grid

ft. collector trench at the spring; the westerly end, lays S.13 51°08'41" W. a distance of 414.04 feet from the East Quarter Corner of section 17.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Corps of Engineers

spring Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
10.00 Fee

(1) EMC 9-16-77

In form to receipt EMC.

(2) EMC 9-16-77

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) EMC 9-16-77

** - Bureau of Reclamation & Art Larson.
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) EMC 9-16-77

In form for advertising YES.

(5) EMC 9-16-77

Platted on Map No. X-24 June 1961

(6) EMC 9-16-77

Located within Water District No. 01

(7) EMC 9-16-77

Critical groundwater area: yes ☐ no X

(8) EMC 9-16-77

Groundwater levels:

☐ Declining, ☒ Stable, ☐ Increasing

(comment) _____

(9) EMC 9-16-77

Other rights on the same place of use None

(10) EMC 9-16-77

Comments: None

(11) CW 10-03-77

Affidavit of Publication received (date) Oct. 3-1977

(12) CW 10-11-77

Final date for protests October 10-1977

Protests received: yes ☐ no ☒

(13) EMC 10-11-77

All requested information received from agencies or applicant: yes ☐ no ☒

(14) EMC 10-11-77

Action recommended:

☒ Approve

☐ Deny

9-13-77 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Eastern

By Ernest Carlson Date 10-11-77

9-28-77 Copy
Sent

RECEIVED

OCT 12 1977

Department of Water Resources

MICROFILMED