


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark W. Buttkopf
(Applicant)

Proof of Publication
The Post-Register

RECEIVED

JUL 13 1977

Department of Water Resources
Eastern District Office

State of Idaho,
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 23rd day of June, 1977, last publication
having been made on the 30th day of June, 1977, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 1st day of July, 1977.

Karey Hale
Notary Public

My commission expires April 5, 1979.

B10, 1M

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Merle W. Butikofer, Idaho Falls, Idaho has on 6-13-77 submitted Application No. 25-7117 for a permit to appropriate 3.84 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M., Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 16 families within E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M., and from Apr. 1 to Nov. 1 for the irrigation of 160 acres within the E $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before July 11, 1977.

C. STEPHEN ALLRED
Director
Pub.: June 23 & 30, 1977.

MICROFILMED

MICROFILMED

MICROFILMED

R38E


POINT OF
DIVERSION

T
3
N

PLACE OF USE
17

A hand-drawn map on a grid. A shaded area with diagonal lines is located in the center. A point is marked with a circle and a cross, labeled 'POINT OF DIVERSION' with an arrow. To the left of the shaded area is 'T 3 N' and to the right is 'PLACE OF USE 17'. A red arrow points from the shaded area towards the right. A red stamp 'MICROFILMED' is in the top right corner.

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NW 1/4 Sec 17 T3N R38E


Place(s) of Use *✓ less acreage*

[illegible]

8-6-84

T
3
N R38E

25-7117



✓
MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well.

36L-213

RECEIVED

AUG 30 1977

1. WELL OWNER

Name MERLE BUTIKOFFERAddress Rt. 6 Box 314 Idaho Falls, ID 83401Owner's Permit No. 25-7117

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or
Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 187 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>16</u> inches	<u>+ 2</u> feet	<u>66</u> feet
<u>.250</u> inches	<u>12</u> inches	<u>2</u> feet	<u>132</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/4 inches by 2 inches

Number	From	To
<u>54</u> perforations	<u>105</u> feet	<u>132</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 18 Material used in seal ☐ Cement grout
☒ Puddling clay ☐ Well cuttingsSealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location. (25)



Subdivision Name _____
Lot No. _____ Block No. _____
County Bonnaville
SE 1/4 NW 1/4 Sec. 17 T. 3 N 1/2 R. 38 E 1/4

7. WATER LEVEL

Static water level 105 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Other No Test

Discharge G.P.M.	Draw Down	Hours Pumped
_____	_____	_____
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	5	Brown Clay		
	5	36	Large Gravel		
	36	53	Brown Clay		X
	53	66	Brown Clay		X
	66	73	Black Lava Rock		X
	73	78	Red Lava Rock		X
	78	107	Firm Black Lava Rock	X	
	107	110	Red Broken Rock	X	
	110	120	Soft Red Rock	X	
	120	130	Brown Clay		X
	130	134	Gravel & Black Cinders	X	
	134	181	Black Hard Rock	X	
	181	187	Broken Rock & Cinders	X	

10.

Work started 7/6/77 finished 7/27/77

11. DRILLERS CERTIFICATION

Firm Name DOUG CUSHMAN DRILLING CO. Firm No. 72Address 945 S. Broadway Blkft., ID Date 8/1/77Signed by (Firm Official) Doug Cushmanand
(Operator) Flayel Christensen

893

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 25-7117 Priority June 13, 1977 Amount 3.0 cfs

THIS IS TO CERTIFY, that Merle W. Butikofer
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 25-7117 issued pursuant to Application for Permit dated June 13, 1977,
and has submitted proof to the Department of Water Resources on July 21, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.79 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>3.0</u> cfs and	<u>525.0</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 3.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
525.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 17,
Twp. 3N, Rge. 38E in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	38E	17					36				39	39	36						150

Total number of acres irrigated 150

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 3.5 afa per acre for the lands above.

RECORDED

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10TH day of
September, 19 84.

Acting for the Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 25-7117

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. 25 7117

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Merle W. Butikofer Phone: 523-3569
post office address Rt. #6, Box 314, Idaho Falls, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 17 Township 3N
Range 38E B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.20 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.64 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.84 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system;
plus system for culinary water

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
c. Proposed well diameter is 16 inches; proposed depth of well is 275 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 10,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: E $\frac{1}{2}$ ~~XX~~ of NW $\frac{1}{4}$ of Section 17 Township 3N
Range 38E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 16.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	38E	17					X 40			X 40	40	40							160


Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.
Irrigation water thru Burgess Canal

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant & W. H. Butikofer
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing 80 acres in SW¼ are owned by applicant's father; applicant is presently leasing land.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark W. Buttkopf
(Applicant)

Proposed Priority 6/13/77

Received by CW Date 6-13-77 Time 1:40p

Preliminary check by EMC Fee \$ 55.00

Received by CW Date 6-13-77 # 2322

Publication prepared by CW Date 6-17-77

Published in Post Register

Publication dates June 23-30-1977

Publication approved me Date July 13, 1977

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC g

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7117, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 22 day of August 19 77.


Deputy Director

Proof of Publication
The Post-Register

RECEIVED

JUL 13 1977

Department of Water Resources
Eastern District Office

State of Idaho,

County of Bonneville

ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the

Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 23rd day of June, 19 77, last publication having been made on the 30th day of June, 19 77, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

E. F. McDermott
Subscribed and sworn to before me, this 1st day of July, 19 77

Karey Hale
Notary Public

My commission expires April 5, 19 79

B10, 1M



MICROFILMED

WATER RIGHT NUMBER 25-7117

OWNER LAST NAME - BUTIKOFER
ADDRESS LINE 1 - RT. 6 BOX 314
ADDRESS LINE 3 -FIRST NAME - MERLE W.
ADDRESS LINE 2 -
CITY - IDAHO FALLS

ORIG OWNER -

SOURCE - GROUNDWATER

TRIBUTARY OF -

STATE - ID ZIP CODE - 83401

STAGE - LICENSE STATUS - PRIORITY - 06-13-1977 COUNTY - BONNEVILLE TOTAL DIV. RATE - 3.0000 CFS
TOTAL DIV. VOLUME - 525.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SENW 17 03N 38E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 04-01 TO - 11-01 USE - IRRIGATION USE DIV. RATE - 3.0000 CFS USE DIV. VOLUME - 525.00 AFA
USE - IRRIGATION PLACE OF USE - TWN 03N RNG 38E SEC 17 TRACT NENW LOT AC 36 TRACT SENW LOT AC 39
TRACT NESH LOT AC 39 TRACT NWSW LOT AC 36

DECREE NAME -

DATE -

TOTAL ACRES 150

REMARKS -

NDN IRRIG USE -

OTHER RIGHTS FOR SAME USE - BURGESS CANAL IRR. WTR.

PROOF DUE - 08-01-1932 PERMIT/DENIED - 08-22-1977 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - F COND. OF APPROVAL - R30

DIVERSION MEANS - WELL, PUMP & SPRINKLERS.

September 12, 1984

RE: Permit No. 25-7117

Merle W. Butikofer
Rt. 6, Box 314
Idaho Falls, ID 83401

Dear Mr. Butikofer:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

August 21, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 25-7117

Merle W. Butikofer
Rt. 6, Box 314
Idaho Falls, ID 83401

Dear Mr. Butikofer:

A representative of this Department has made an examination of the works covered by your Permit No. 25-7117, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 3.0 cfs Source: groundwater

The maximum quantity diverted shall not exceed 525.0 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp 3N, Rge 38E

Beneficial Use: Irrigation of 150 acres within E $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17,
Twp 3N, Rge 38E

Priority date established: June 13, 1977

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

RECORDED

NO DOMESTIC USE ✓

UNCLASSIFIED

MAP FILMED

R38E

POINT OF
DIVERSION

T
3
N

PLACE OF USE

17

A hand-drawn map on a grid. A shaded rectangular area is located in the center. An arrow points from the text 'POINT OF DIVERSION' to a point on the left side of the shaded area. To the left of the shaded area, the text 'T 3 N' is written vertically. To the right of the shaded area, the text 'PLACE OF USE' is written, with an arrow pointing to a point on the right side of the shaded area. Below 'PLACE OF USE' is the number '17'. In the top right corner, there is a stamp that reads 'MAP FILMED'.

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 NW 1/4 Sec 17 T3N R38E

Place(s) of Use ☒ less acreage

[illegible]


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Keith Carlson
Checked by RW
Approved by Kay Walker

Date 13 Dec 1983
Date 12-22-83
Date 8-6-84

T
3
N R38E

25-7117



Overlap Review for 25-7117

per examiner: Winkler Canal
per permit: Burgess Canal

per micro-fische 8/6/84:
p/d - none
p/u - none

Recommend R16(3.5) for
limit on use in conjunction
w/canal waters.
kw

RECEIVED

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

May 31, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MAILED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

August 11, 1981

RE: Permit No. 25-7117

Merle W. Butikofer
Rt. #6, Box 314
Idaho Falls, Idaho 83401

Dear Mr. Butikofer:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

11/11/81

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit 25-7117.

Name(s) of Permit Holder: Merle W. Buttkofsky

Post Office Address: Rte #6, Box 314
Idaho Falls Tel. No. 623-3569

Source of Water:
 Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 160 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Point: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/21/81
 Date

Merle W. Buttkofsky
 Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUL 21 1981

Department of Water Resources
Eastern District Office

September 19, 1977

85 7117

Mr. Merle Butikofer
Rt. #6, Box 314
Idaho Falls, ID 83401

Dear Mr. Butikofer:

We have received a well driller's report indicating that a well was drilled for you in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M., Bonneville County. In reviewing the application for permit No. 25-7117 filed by you, we find a discrepancy in the location. The permit shows the point of diversion to be located within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M.

Would you please recheck the description to see which location is correct and notify this office? Your cooperation in this matter will be greatly appreciated.

Very truly yours,

LOY H. JOHNSON
Senior Water Resource Agent

LHJ:ME

cc: IDWR - State Office

RECEIVED
SEP 21 1977

Sent filed 12-29-77

August 24, 1977

Re: Permit No. 25-7117

Merle W. Butikofer
Route #6, Box 314
Idaho Falls, ID 83401

Dear Mr. Butikofer:

Enclosed is a copy of your approved Application for Permit No. 25-7117 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

RECEIVED

July 12, 1977

RE: Application for Permit No. 25-7117 BUTIKOFER

Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on June 23 and June 30, 1977.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

cc: IDWR - State Office

MICROFILMED

July 12, 1977

RE: Application for Permit No. 25-7117 BUTIKOFER

Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on June 23 and June 30, 1977.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

cc: IDWR - State Office

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

RECEIVED

JUN 28 1977

Water Resources
Eastern District Office

DIVISION OF ENVIRONMENT
636 Pershing
Pocatello, Idaho
83201

27 June 1977

Merle W. Butikofer
Route #6, Box 314
Idaho Falls, Idaho 83401

Re: Application #25-7117 (Bonneville
County)

Dear Mr. Butikofer:

We have reviewed the subject application for a permit to appropriate the public waters of the State of Idaho in order to provide domestic water to sixteen families.

Public water systems have been defined as systems serving ten or more individuals. Title 39-118 of the Idaho Code provides that plans and specifications for new water facilities must be reviewed and approved by our Department prior to construction. A copy of Idaho Drinking Water Standards are enclosed for your information.

If we may be of further assistance, please do not hesitate to contact our office.

Yours very truly,

Henry L. Moran, P.E.
Rgnl. Environmental Supervisor

HLM/md
Enc.

CC: Ron Carlson ✓
Dennis Walker

RECEIVED

June 23, 1977

RE: Application for Permit No. 25-7117

Mr. Henry L. Moran
Regional Supervisor
Department of Health & Welfare
636 Pershing
Pocatello, Idaho 83201

Dear Mr. Moran:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is July 11, 1977, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:TH

Enclosure

MICROFILMED

June 23, 1977

RE: Application for Permit No. 25-7117

Mountain Bell
Engineering Department
1915 North Boulevard
Idaho Falls, Idaho 83401

Gentlemen:

The information enclosed on the application for permit indicates the location of a well that has been requested in conjunction with the proposed housing project.

Since we have no information on the present status of this project, it may very well be one that has already been completed. You may need to check with the county if further information is required.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:TH

Enclosure

REPRODUCTION

June 23, 1977

RE: Application for Permit No. 25-7117

Mr. Art Tackett
Regional Director
Idaho State Planning & Community Affairs Agency
699 East Oak, Suite 1
Pocatello, Idaho 83201

Dear Mr. Tackett:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is July 11, 1977, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:TH

Enclosure

MICROFILMED

June 17, 1977

RE: Application for Permit No. 25-7117 BUTIKOFER

Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 7-13-77 by CW

RDC:CW

Enc: 1

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Merle W. Butikofer,
Idaho Falls, Idaho

has on 6-13-77 submitted Application No. 25-7117
for a permit to appropriate 3.84 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M., Bonneville County;

to be used from Jan. 1 to Dec. 31 for domestic purposes for 16 families within
/// E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M., and from Apr. 1 to Nov. 1 for the
irrigation of 160 acres
within the E $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before July 11, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINSON

Director

Post Register, Idaho Falls, Idaho

Published in the June 23
on June 23 and June 30, 1977

MICROFILMED

me. J.
me. A.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Buitkofer

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ARK 6/13/77

In form to receipt yes

(2) ARK 6/13/77

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) ARK 6/13/77

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant
Request Dam Safety Information

(4) ARK 6/13/77

In form for advertising yes

(5) ARK 6/13/77

Platted on Map No. 3N 38E

(6) ARK 6/13/77

Located within Water District No. Basin 25

(7) ARK 6/13/77

Critical groundwater area: yes no X

(8) ARK 6/13/77

Groundwater levels:

Declining, X Stable, Increasing

(comment) 22 babl

(9) ARK 6/13/77 RMS.

Other rights on the same place of use none

(10) ARK 6/13/77

Comments: none

(11) CW 7-13-77

Affidavit of Publication received (date) July 13-1977

(12) CW 7-13-77

Final date for protests July 11-1977

Protests received: yes no X

(13) EMC 7-20-77

All requested information received from agencies or applicant: yes no X

(14) EMC 7-20-77

Action recommended:

Approve Deny

6-13-77 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E.

By Ernest Carlson Date 7-20-77

MICROFILMED

Supplemental

Copy Sent