


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grace H. Thornton
(Applicant)

R 39E

1/2 SW 1/4 Sec 16;
T4N R39EBM

NOT TO SCALE

R 39E

1/2 SW 1/4 Sec 16;
T4N R39EBM

NOT TO SCALE

R 39E

1/2 SW 1/4 Sec 16;
T4N R39EBM

NOT TO SCALE

RECEIVED

Affidavit of Publication

DEC 17 1975

THE RIGBY STAR

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grace H. Thornton, Rigby, Idaho has on 11-04-75 submitted Application No. 25-7077 for a permit to appropriate 1.60 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M., Jefferson County; to be used from April 1 to November 1 for the irrigation of 80 acres within the N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 1, 1975.

R. Keith Higginson
Director

Published November 13, 20, 1975.

STATE OF IDAHO, } ss.
County of Jefferson

I, Grace Peterson ^{secretary} ~~Hope B. Jones~~, do solemnly swear that I am the printer of THE RIGBY STAR, a weekly newspaper as defined by Idaho Codes Annotated Section 58-106 as amended, and that said newspaper is a weekly newspaper, printed and published at Rigby, Jefferson County, Idaho, having a general circulation in said county, and that said newspaper has been printed and published as a weekly newspaper, in said county for more than 78 consecutive weeks prior to the first publication of the attached notice.

And affiant further says that at the times herein mentioned said newspaper as per clipping attached, was published in said newspaper in the regular and entire issue thereof, and not in any supplement issue thereof, for

2 Consecutive issues thereof; first publication having been made on the thirteenth day of November, 1975

and the last publication on the

twenty day of November, 1975

And affiant further says that at the times herein mentioned said newspaper was made up of at least four pages of at least five columns each printed from type matter of at least seventeen and three-fourths inches depth; and that there are at least two hundred bonafide subscribers in Jefferson County.

Grace Peterson
secretary

Subscribed in my presence and sworn to before me this 17th

day of December, 1975.
(SEAL)

Loren O'Halloran


Notary Public for the State of Idaho,
Residence and P. O. Address, Rigby, Idaho.

My commission expires Mar 21, 1979

Publication Fee: \$_____


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 SW 1/4 Sec 16, T, 4N, R 39E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	39E	16									40	39.5							79.5

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature R. C. Wilson


Checked by [Signature]

Approved by [Signature]

Date 6-22-81

Date 10-22-81

Date 11/10/81



State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 25-7077 Priority November 4, 1975 Amount 1.39 cfs

THIS IS TO CERTIFY, that Grace H. Thornton
of Rigby, Idaho, has complied with the terms and conditions of Permit
No. 25-7077 issued pursuant to Application for Permit dated November 4, 1975,
and has submitted proof to the Department of Water Resources on November 17, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.39 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>1.39</u> cfs and	<u>280.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.39 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
280.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 16, Twp.
4N, Rge. 39E in the County of Jefferson

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	39E	16									40	40							80

Total number of acres irrigated 80

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 3.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
August, 19 82.

Director

UNITED STATES DEPARTMENT OF AGRICULTURE
FARMERS HOME ADMINISTRATION
Rigby, Idaho
Box 126

RECEIVED

JAN 14 1977

Department of Water Resources
January 12, 1977
Eastern District Office


Department of Water Resources
Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Dear Sirs:

On April 26, 1976 Grace H. Thornton gave us a mortgage on Water Permit #25-7077.

Please let us know if and when any changes are proposed in regard to this permit.

Sincerely yours,



R. Craig Thurgood
County Supervisor

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 25-7077

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. _____

APPROVED

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Grace H. Thornton Phone: 745-6483
post office address Box 35, Route #2, Rigby, Idaho 83442
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 16 Township 4N
Range 39E B.M. Jefferson County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.60 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.60 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and sprinkler system

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 20,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

RECEIVED
JAN 10 1960

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	39E	16									40	40							80


Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above.
 Burgess Canal

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Applicant is selling Burgess Canal water because of the fact she is on the end of the ditch and has problems getting water when she needs it.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grace H. Thorntom
(Applicant)

Received by me Date 11-04-75 Time 10:16 a.

Preliminary check by LDJ Fee \$35.00

Received by me Date 11-04-75 # 15473

Publication prepared by me Date 11-05-1975

Published in The Sigley Star

Publication dates Nov. 13 & Dec. 20, 1975

Publication approved aw Date 12-17-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ROC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7077, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 80.


c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 day of December 19 75.


Director

R 39E



RECEIVED

Affidavit of Publication

DEC 17 1975

THE RIGBY STAR

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Grace H. Thornton, Rigby, Idaho has on 11-04-75 submitted Application No. 25-7077 for a permit to appropriate 1.60 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M., Jefferson County; to be used from April 1 to November 1 for the irrigation of 80 acres within the N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 1, 1975.
R. Keith Higginson
Director
Published November 13, 20, 1975.

STATE OF IDAHO, }
County of Jefferson } ss.

Larrie Peterson ^{secretary}
I, ~~Hope B. Jones~~, do solemnly swear that I am the printer of THE RIGBY STAR, a weekly newspaper as defined by Idaho Codes Annotated Section 58-106 as amended, and that said newspaper is a weekly newspaper, printed and published at Rigby, Jefferson County, Idaho, having a general circulation in said county, and that said newspaper has been printed and published as a weekly newspaper, in said county for more than 78 consecutive weeks prior to the first publication of the attached notice.

And affiant further says that at the times herein mentioned said newspaper as per clipping attached, was published in said newspaper in the regular and entire issue thereof, and not in any supplement issue thereof, for

2 Consecutive issues thereof; first publication having been made on the

thirteenth day of November, 1975

and the last publication on the

twenty day of November, 1975

And affiant further says that at the times herein mentioned said newspaper was made up of at least four pages of at least five columns each printed from type matter of at least seventeen and three-fourths inches depth; and that there are at least two hundred bonafide subscribers in Jefferson County.

Larrie Peterson
secretary


Subscribed in my presence and sworn to before me this 17th

day of December, 1975.
(SEAL)

Loren O'Halloran
Notary Public for the State of Idaho,
Residence and P. O. Address, Rigby, Idaho.

My commission expires Mar 21, 1979

Publication Fee: \$_____



RECEIVED

OK WATER RIGHT NUMBER 25-7077

OWNER LAST NAME - THORNTON FIRST NAME - GRACE H. ORIG OWNER -
ADDRESS LINE 1 - RT. 2 BOX 35 ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - RIGBY STATE - ID ZIP CODE - 83442
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENSE STATUS - PRIORITY - 11-04-1975 COUNTY - JEFFERSON TOTAL DIV. RATE - 1.3900 -CFS
TOTAL DIV. VOLUME - 280.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - NWSW 16 04N 39E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 04-01 TO - 11-01 USE - IRRIGATION USE DIV. RATE - 1.3900 CFS USE DIV. VOLUME - 280.00 AFA
USE - IRRIGATION PLACE OF USE - TWN 04N RNG 39E SEC 16 TRACT NESW LOT AC 40 TRACT NWSW LOT AC 40
DECREE NAME - DATE - TOTAL ACRES 80
REMARKS - THIS RT. WHEN COMBINED WITH ALL OTHER RTS. SHALL PROVIDE NO MORE
THAN .02 CFS/AC NOR MORE THAN 3.5 AFA/AC FOR THE LANDS ABOVE.
NON IRRIG USE -
OTHER RIGHTS FOR SAME USE - BURGESS CANAL.
PROOF DUE - 12-01-1980 PERMIT/DENIED - 12-23-1975 PROTESTED - HEARING - OLD NO. -
PROOF MADE - P FLD EXAM - COND. OF APPROVAL -
DIVERSION MEANS -

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

<u>Initials</u>	<u>Date</u>	<u>Item</u>
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
		Key punched by State Office
D.W.	9/23/82	License update
		G G FEB 27 1984 VERIFIED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 22, 1982

RE: Permit No. 25-7077

Grace H. Thornton
Box 35, Route #2
Rigby, ID 83442

Dear Ms. Thornton:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

cc: U.S. Dept. of Agri.
Farmers Home Administration
Box 126
Rigby, ID 83442

RECEIVED
SEP 27 1982
DEPT. OF WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 18, 1982

RE: Permit No. 25-7077

Grace H. Thornton
Box 35, Route #2
Rigby, ID 83442

Dear Ms. Thornton:

A representative of this Department has made an examination of the works covered by your Permit No. 25-7077, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.39 cfs Source: groundwater

The maximum quantity diverted shall not exceed 280.0 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, Twp. 4N, Rge. 39E, Jefferson
County

Beneficial use: Irrigation of 80 acres within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, Twp.
4N, Rge. 39E

Priority date established: November 4, 1975

Conditions (if any): This right when combined with all other rights shall
provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre for
the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

cc: U.S. Dept. of Agri., Farmers Home Admin.
Rigby, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

November 10, 1981

RE: Permit No. 25-7077

Grace H. Thornton
Box 35, Route #2
Bigby, ID 83442

Dear Ms. Thornton:

A representative of this Department has made an examination of the works covered by your Permit No. 25-7077, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.39 cfs Source: groundwater

The maximum quantity diverted shall not exceed 280.0 acre feet per year.

Point(s) of diversion: NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, Twp. 4N, Rge. 39E, Jefferson County

Beneficial use: Irrigation of 80 acres within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, Twp. 4N,
Rge. 39E

Priority date established: November 4, 1975

Conditions (if any): This right when combined with all other rights shall
provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre for the
lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

25-7077

Permit No.

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

- ☐ Appointment letter mailed:
- ☐ Telephone call made:
(List Telephone No. used)
- ☐ Appointment scheduled for
(Date, time, location)

EXAMINATION

Date 6-22-81 Accompanied by N/A Total Q measured 1.39 cfs ✓

If source is surface water, estimate total flow of source

Methods of measurement Pitot tube Meets Permit requirements? Yes

Measurement calculations:

Line #1 $(4.73 \text{ gpm})(36) \div 445.8 \text{ gpm/cfs} = 0.379 \text{ cfs}$

$$V = 3.5 \text{ af} \times 79.5 \text{ ac} \\ = 278.25 \text{ af} \checkmark$$
$$\begin{aligned} \#2 \quad (4.85)(31) &= 448.8 = 0.335 \\ \#3 \quad (4.88)(31) &= 448.8 = 0.337 \\ \#4 \quad (4.93)(31) &= 448.8 = 0.340 \end{aligned}$$
$$V = (1.4 \text{ cfs}) (1.983 \text{ s}) (214 \text{ days}) =$$

594.26 ofc

$$3.5 \times 80 = 280.0 \checkmark$$
[illegible]

System Description Well, pump to 12", 10' long mainline with check valve

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation

Irrigation requirement = 3.5 AFA/Acre

Q (cfs)

139

V (afa)

~~278-25~~

780.0

FROM

for 1

TO


Nov 1

Total

Remarks Point of Diversion almost on section line


No Overlapping rights

MAP (Attach Aerial Photo)



SCHMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 SW 1/4 Sec 16, T. 4N, R 39E

Place(s) of Use


TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	39E	16									40	39.5							79.5

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature K. C. Wilson
 Checked by [Signature]
 Approved by [Signature]

Date 6-22-81
 Date 10-22-81
 Date 11/10/81





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

December 19, 1980

RE: Permit No. 25-7077

Grace H. Thornton
Rt. #2, Box 35
Rigby, Idaho 83442

Dear Mrs. Thornton:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

HAROLD W. JONES
Water Resource Agent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 25-7077

Name(s) of Permit Holder:

Grace H. Thornton

Post Office Address:

R2, Box 35, Rigby, Idaho

Tel. No.

945-6483

Source of Water:

Well

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

86

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


Nov. 14, 1980

Date

Grace H. Thornton

Signature of Permit Holder

Mrs. Harry Thornton
R. 2, Box 35
Rigby, ID 83442



RECEIVED



NOV 17 1980

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

THORNTON, GRACE H.
RT. 2 BOX 35
RIGBY, ID 83442

138511

SEPTEMBER 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 25-7077 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resource

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 19, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MICROFILMED

December 24, 1975

Re: Permit No. 25-7077

Grace H. Thornton
Box 35, Route 2
Rigby, ID 83442

Dear Ms. Thornton:

Enclosed is a copy of your approved Application for Permit No. 25-7077 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

RECEIVED
DEC 25 1975

November 5, 1975

RE: Application for Permit No. 25-7077

The Rigby Star
P.O. Box 37
Rigby, Idaho 83442

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARESON
District Engineer

Bill submitted _____ by _____

RDC:ME

Legal Notice (1)

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Grace H. Thornton, Rigby, Idaho has on 11-04-75 submitted Application No. 25-7077 for a permit to appropriate 1.60 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M., Jefferson County; to be used from April 1 to November 1 for the irrigation of 80 acres within the N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before December 1, 1975.

R. Keith Higginson
Director

Pub: November 13, 20,
1975.

RECEIVED
NOV 13 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grace H. Thornton,

Rigby, Idaho

has on 11-04-75 submitted Application No. 25-7077

for a permit to appropriate 1.60 cubic feet per second ~~above right per annum~~
of water from a ground-water source

by means of well and pump

within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, T. 39E, B.M., Jefferson County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 80 acres

within the N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 16, T. 4N, R. 39E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____

December 1, 1975

R. KEITH HIGGINSON

Director

Published in the Rigby Star, Rigby, Idaho

on November 13, and November 20, 1975.

RECEIVED

AW-2
AW-1
AW-A

called
12-01-75

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Grace N. Thoma

Application No. _____

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

(1) JAG 4/4/75

In form to receipt yes

(2) " "

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

NA Bureau of Land Management

NA Request Special Use Permit from U.S.F.S.

NA Request Easement from B.L.M.

Request Information from Applicant

(3) " "

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. YN 396

(6) " "

Located within Water District No. 01

(7) " "

Critical groundwater area: yes no ☒

(8) " "

Groundwater levels: ?

Declining, Stable, Increasing

(comment) No Obs Wells in area Bulletin #27

(9) " "

Other rights on the same place of use yes

(10) " "

Comments: Has Burgess Canal water which is being sold

(11) 12-17-75 me

Affidavit of Publication received (date) 12-17-75

(12) me 12-17-75

Final date for protests December 1 1975

Protests received: yes no ☒

(13) RDC 12/17/75

All requested information received from agencies or applicant: yes no

(14) 11 11

Action recommended:

☒ Approve

11/4/75 Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

RECEIVED

DEC

Department of Water Resources

(15) District E

By RDC

Date 12/17/75

RECEIVED