


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CRAIGSON BUILDERS INC.
R.D. Estut Vice President
(Applicant)

RECEIVED

JUL 28 1975

Department of Water Resources
Eastern District Office

Proof of Publication The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 17th day of July, 1975, last publication having been made on the 24th day of July, 1975, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 25th day of July, 1975

Karl Stale
Notary Public

My commission expires April 5, 1979

B10, 1M

MB NOTICE OF APPLICATION
FOR WATER PERMIT
Notice is hereby given that Grayson Builders, Inc., Idaho Falls, Idaho has on 7-11-75 submitted Application No. 25-7070 for a permit to appropriate 0.64 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 3N, R. 38E, B.M., Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 16 families in the North Side Estates within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 3N, R. 38E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.
R. KEITH HIGGINSON
Director
Pub: July 17, 24, 1975

RECORDED

MAP (Attach Aerial Photo)

R 38 E

PO

POH

Subdivision

T


32

3
2

$4'' \approx 1 \text{ mile}$

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 of NE 1/4 SECT 32 T3N R38E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date 3-10-81

te 3-11-81

ate



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 25-7070 Priority July 11, 1975 Amount .21 cfs

THIS IS TO CERTIFY, that GRAYSON BUILDERS, INC.
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 25-7070 issued pursuant to Application for Permit dated July 11, 1975,
and has submitted proof to the Department of Water Resources on June 9, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .21 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (16 units)	from <u>January 1</u> to <u>December 31</u>	at <u>.21</u> cfs and	<u>19.2</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than .21 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
19.2 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 3N,
Rge. 38E, B.M. in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.													Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	38E	32													

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
April, 19 81.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 25-7070 }

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED

25 7070

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Grayson Builders Inc.
 post office address Box 2511 Idaho Falls, Idaho 83401
2. Source of water supply under ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 3N
Range 38E B.M. Bonneville County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 0.64 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 0.64 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Well, 10 Hp. pump, pressure
system

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
 capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 140' 6" inches; proposed depth of well is 180 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
 is 5 years.
 b. Estimated construction cost is \$ \$18,000.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township 3N
Range 38E B.M.
 (2) Amount of power to be generated: 50 hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served North Side Estates, or number of families to be
 supplied with domestic water 16.
 (5) If water is to be used for other purposes describe: _____


MICROFILMED

[illegible]

c. Describe any other water rights used for the same purposes as described above. None

- [illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CRAYSON BUILDERS INC.
FRANK FOSTER Vice President
(Applicant)

Proposed Priority 7-11-1975

Received by CW Date 7-11-75 Time 10:35A
Preliminary check by JW Fee \$ 25.00
Receipted by CW Date 7-11-75 # 4328
Publication prepared by CW Date 7-11-75
Published in Post Register
Publication dates 7/17 & 7/24/75
Publication approved RDC Date 8/19/75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SC NYX

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7070, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1980.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 6 day of August, 1975.


Director

RECEIVED

JUL 28 1975

Department of Water Resources
Eastern District Office

Proof of Publication The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 17th day of July, 1975, last publication having been made on the 24th day of July, 1975, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 25th day of July, 1975

Karl S. Hale
Notary Public

My commission expires April 5, 1979

B10, 1M

MB NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grayson Builders, Inc., Idaho Falls, Idaho has on 7-11-75 submitted Application No. 25-7070 for a permit to appropriate 0.64 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 3N, R. 38E, B.M., Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 16 families in the North Side Estates within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.

R. KEITH HIGGINSON
Director
Pub: July 17, 24, 1975

DATE 4/24

FROM Dave

TO Jim

SUBJECT 25-7070

We need to limit use of the domestic use requirement chart to 4 new applications. We can't use it for licensing for the following reasons:

- 1) The chart presumes only in-house use. In the case of 25-7070 the term "Domestic" applies to both in-house use and yard watering. The way the license is now prepared we are allowing only enough water for in-house use.

over

SIGNATURE

- 2) If we have allowed a reasonable rate of flow on a permit, and the permit holder develops that rate of flow, I think that oftentimes it is unreasonable to reduce the rate that we initially allowed. Certainly there are exceptions to this case, but in general we should try to follow in licensing the guidelines that were initially established for the permit holder.

Dave



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~STEPHEN ALLEN~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 4, 1981

Grayson Builders Inc.
P.O. Box 2511
Idaho Falls, Idaho 83401

Dear Sirs,

RE: License No. 25-7070

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

ENCLOSURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 10, 1981

Grayson Builders Inc.
P.O. Box 2511
Idaho Falls, Idaho 83401

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. **25-7070**, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: **.18 cfs** Source: **groundwater**
.21

The maximum quantity diverted shall not exceed **19.2** acre feet per year.

Point(s) of diversion: **NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 3N, Rge. 38E, B.M.**

Beneficial use: **Domestic use for 16 units within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, Twp. 3N, Rge. 38E.**

Priority date established: **July 11, 1975**

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

APR 1 1981

Department of Water Resources

Permit No. 1

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

- ☐ Appointment letter mailed: _____
- ☐ Telephone call made: _____
(List Telephone No. used) _____
- ☐ Appointment scheduled for: _____
(Date, time, location) _____

EXAMINATION

Date 7-31-80 Accompanied by N.A. Total Q measured Theoretical

If source is surface water, estimate total flow of source _____

Methods of measurement Theoretical Meets Permit requirements? _____

Measurement calculations: V^2 $0.04 \text{ cfs} \approx 1.2 \text{ af}$ therefore * see note below $\frac{0.16}{0.04} = \frac{1.2}{1.2}$	Theoretical Calc. $(7.5)(8.814)(.70)$ $155 + (35 \times 2.308)$ 46.27 215.78 <u>0.21 cfs</u> capacity	16 homes confirmed in subdivision. This calculates to <u>0.21 cfs</u> required in chart. ~~See attached chart~~ ALLOW CAPACITY for Q on lic. <u>June</u>
--	--	--

* $V = 16 \text{ units} \times 1.2 = 19.2$ or $.18 \times 1.9835 \times 365 = 130.3$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	7.5	NA	NA	NA	NA			

System Description From well to 7 1/2 Hp pump into 2000 gal pressure tank then into two (2) 3" lines to 16 homes.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE

Domestic

Q (cfs)

0.16
0.21

V (afa)

4.8
19.2 ok

FROM

Jan 1

TO

Dec. 31

Total

0.21
2.16 cfs

4.8
19.2 ok

Remarks

* * * Talked w/ Skip on his volume calculations. He explained that he thought that it had to be satisfied due to 1.2 being assigned to .04 cfs as a basic calculation. He explained .04 is for domestic w/ yard & 1.2 AF whereas .02 & .6 AF is for domestic w/o yard (trailer courts etc). Also told him what he had done to correct this exam. He said th. subdivision was lse lots.

RAH
4/19/81

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

The diagram illustrates a well system layout. A circular well is connected to a pressure tank. A 3-inch line runs horizontally from the well house. Lateral lines are shown along the street, connected to the main 3-inch line. The diagram is labeled with 'pressure tank', 'well house', '3" Line', and 'lateral lines along street'.

Place(s) of Use

[illegible]

☐ Change R.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

~~☐ None~~

☐ Other


Checked by

Approved by

Date 3-10-81

te 3-11-81

Late



WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources within 10 days after the completion or abandonment of the well.

NOV 26 1975

WELL OWNER

Name Northside Estates
Address 458 Lomax Idaho Falls, Idaho 83401
Owner's Permit No. _____

7. WATER LEVEL

Static water level 135 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	4	Topsoil		
	4	20	Sand and Gravel		
6	20	25	Broken Gray Basalt		
	25	95	Firm Gray Basalt		
	95	100	Broken Gray Basalt		
	100	125	Firm Gray Basalt		
	125	140	Broken Gray Basalt		
	140	165	Gravel and Sand		x
	165	170	Broken Gray Basalt		x
	170	180	Firm Gray Basalt		
	180	185	Broken Gray Basalt		x
	185	190	Cinders		x

METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 190 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	8 inches	+ 1 feet	20 feet
.250 inches	6 inches	1 feet	165 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No


Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout
☒ Bentonite ☒ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

10. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name Northside Estates
Lot No. _____ Block No. _____

County Bonneville

NW 1/4 NE 1/4 Sec. 32 T. 3 R. 38 E. W

10.

Work started August 6, 1975 finished August 8, 1975

11. DRILLERS CERTIFICATION

Firm Name Andrew Well Drilling Contr Firm No. 5
Address 1268 East 17th Street Date 10-9-75
Idaho Falls, Idaho 83401
Signed by (Firm Official) Andrew Well Drilling
and
(Operator) Alfred Wright



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7185

June 23, 1980

RE: Permit No. 25-7070

Grayson Builders Inc.
P.O. Box 2511
Idaho Falls, Idaho 83401

Dear Sirs:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

Bobbie R. Stephens
Senior Clerk

cc: IDWR - State Office

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 25 70 70.

Name(s) of Permit Holder: GRAYSON BUILDERS INC

Post Office Address: P.O. Box 2511

Idaho Falls, Idaho Tel. No. 522-4584

Source of Water: Well

Extent of Use: ☒ Domestic 10 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/3/80
Date

Em Grayson
Signature of Permit Holder

GRAYSON REAL ESTATE
P.O. Box 2511
Idaho Falls, Idaho 83401

PLACE
TEN CENT
STAMP
HERE

RECEIVED

JUN 9 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JUN 9 1980

BEFORE THE DEPARTMENT OF WATER RESOURCES

Department of Water Resources

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 25-7070 }

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28 th day of August, 1978.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

WIPRO-1000


GRAYSON

REAL ESTATE

Home Building Specialists

458 Lomax - P.O. Box 2511

Idaho Falls, Idaho 83401



*Department of Water Resources
Statehouse
Boise, Idaho 83720*

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

GRAYSON BUILDERS INC.
P.O. BOX 2511
IDAHO FALLS, ID 83401

138114

MAY 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 25-7070 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 15, 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more quickly conducted by the Department's field examiner. You will also derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

RECEIVED
NOV 16 1979
WATER RESOURCES

August 11, 1975

Re: Permit No. 25-7070

Grayson Builders Inc.
Box 2511
Idaho Falls, ID 83401

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 25-7070. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

STATE OF IDAHO
Cecil D. Andrus, governor

RECEIVED
JUL 29 1975

Department of Water Resources
Eastern District Office

James A. Bax, director

DIVISION OF ENVIRONMENT
636 Pershing
Pocatello, Idaho
83201

28 July 1975

Ronald D. Carlson, District Engineer
Department of Water Resources
1515 Lincoln
Idaho Falls, Idaho 83401


Re: Permit Application #25-7070

Dear Mr. Carlson:

We have received and reviewed the application for the appropriation of public water by Grayson Builders, Inc., Idaho Falls, for a domestic water supply to serve Northside Estates.

We have no comments at this time.

Yours very truly,


Henry Moran

Environmental Regional Supervisor

HM/md

CC: Bill Cole - Idaho Falls
Kirby Vickers

department of health and welfare

RECEIVED
JUL 29 1975

July 11, 1975

RE: Application for Permit No. 25-7070

Mr. Shirl C. Boyce, Jr.
Idaho State Planning & Community Affairs Agency
Regional Office, Idaho State University
Box 73
Pocatello, Idaho 83201

Dear Mr. Boyce:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is August 4, 1975, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel to contact us.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Enclosure

July 11, 1975

RE: Application for Permit No. 25-7070

Mr. Howard Burkhardt
Regional Environmental Supervisor
Idaho Department of Health & Welfare
316 North 7th Street
Pocatello, Idaho 83201

Dear Mr. Burkhardt:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is August 4, 1975, and we are required to take final action shortly thereafter.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC: CW

Enclosure

RECEIVED
JUL 15 1975
IDH

July 11, 1975

RE: Application for Permit No. 25-7070 GRAYSON BUILDERS

The Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Enc: Legal Notice

Bill submitted 7-28-75 by MB

RECEIVED
JUL 15 1975
FBI - IDAHO FALLS

**AB NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Grayson Builders, Inc., Idaho Falls, Idaho has on 7-11-75 submitted Application No. 25-7070 for a permit to appropriate 0.64 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 3N, R. 38E, B.M., Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 16 families in the North Side Estates within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.

R. KEITH HIGGINSON
Director

Pub: July 17, 24, 1975

Called 7-18-75 AB

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grayson Builders, Inc.,

Idaho Falls, Idaho

has on 7-11-75 submitted Application No. 25-7070

for a permit to appropriate 0.64 cubic feet per second ~~acre feet per annum~~

of water from a ground-water source

by means of well and pump

within the NW 1/4, Sec. 32, T. 3N, R. 38E, B.M., Bonneville County;

to be used from Jan. 1 to Dec. 31

for domestic purposes for 16 families in the North Side Estates

within the NW 1/4, Sec. 32, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____

August 4, 1975

R. KEITH HIGGINSON

Director

Published in the Post Register, Idaho Falls, Idaho

on July 17 and July 24, 1975

RECEIVED
JUL 17 1975

247
MB-P collected
MB-Dy 7-18-75
W-A

Item	Initial	Date
------	---------	------

Application No. _____

LA 7-11-75

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

In form to receipt *yes*

Send Copies to:

- ✓ Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management
✓ *Shirley Boyce*
Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

In form for advertising *yes*

Platted on Map No. _____

~~Not~~ Located within Water District No.

Critical groundwater area: yes no ☒

Groundwater levels:

Declining, Stable, ☒ Increasing

(comment) Ref obs well 2N38E 16 ADD

Other rights on the same place of use *No*

Comments: No other G.W. rights on plot

Affidavit of Publication received(date) *July 28, 1975*

Final date for protests August 4, 1975

Protests received: yes no x

All requested information received from agencies or applicant: yes no .

Action recommended:

☒ Approve Deny

3/14/75 Proposed Priority

Reason for Reduction

✓ Measuring device required

 See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 8/9/75

RECEIVED