


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 3N R 38E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald W. Stokes
(Applicant)

RECEIVED

MAR 25 1974

Department of Water Administration
Eastern District Office

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, Wm. P. Beard, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 14th day of March, 1974, last publication having been made on the 21st day of March, 1974, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Wm P Beard

Subscribed and sworn to before me, this 22nd day of March, 1974

Karl Schuler
Notary Public

My commission expires April 5, 1975

B10, 1M

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Gerald W. Staker, 577 "D" Street, Idaho Falls, Idaho has on 3/8/74 submitted Application No. 25-7046 for a permit to appropriate 1.0 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T. 3N, R. 38E, B.M. Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 25 families within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 1, 1974.

R. KEITH HIGGINSON
Director
Pub: Mar 14, 21, 1974

eb

25 7046



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161



SYSTEM # 1
Lot 1 Block 2
Country Life Estates




25-7033

25-7046

MICROFILMED

JUL 01 1987



Point of Diversion #1
well lot has No
Domestic use

Point of Diversion #2
well lot has No
Domestic use

COUNTRY LIFE ESTATES

DIVISION NO. 1


BONNEVILLE COUNTY, IDAHO
Part of the NW 1/4 of the SW 1/4 Sec. 15, T.3N, R.38 E.B.M.

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a reference to Idaho Title & Trust Co. Idaho Falls, Idaho

REPROFILMED

JUL 01 1987

25-7033/25-7046



COUNTRY LIFE ESTATES

DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO

Part of the NW 1/4 of the SW 1/4 Sec. 15, T.3N., R.38E., B.M.
DAVID E. BENTON & ASSOCIATES — CONSULTING ENGINEERS
IDAHO FALLS, IDAHO




Lots without homes.

WELL LOT HAS NO DOMESTIC USE

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho




Place of Use

MICROFILMED

JUL 01 1987

25-7033/25-7046



1/4 Cor. Sec. 15.
T.3 N., R.38 E. B.M.

Note: An easement, 10 feet
in width, adjacent to
oil shafts is reserved
for power, telephone,
and television cable.

COUNTRY LIFE ESTATES

DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO

Part of the NW 1/4 of the SW 1/4 Sec. 15, T.3 N., R.38 E. B.M.
DAVID E. BENTON & ASSOCIATES — CONSULTING ENGINEERS
IDAHO FALLS, IDAHO

Area Not Irrigated

DIVISION NO. 1

Area Not
Irrigated

MICROFILMED

JUL 10 1961

25-7033/25-7046


While this is a photographic repro-
duction of the recorded plat, the
Company assumes no liability for
variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho



Place of Use
Irrigation

Place of Use
for IRRIGATION

Section Line



BONNEVILLE COUNTY, IDAHO
Part of the NW 1/4 of the SW 1/4 Sec. 15, T.3N., R.38 E.B.M.

DIVISION NO. 1

COUNTRY LIFE
ESTATES


MICROFILMED

JUL 01 1987

While this is a photographic reproduction of the recorded plat, the County assumes no liability for variations, if any, with a preliminary. IDAHO TITLE & TRUST CO. Idaho Falls, Idaho



25-
25-7033/7046



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-7046

Priority: March 8, 1974 Amount: .73 CFS 30.0 AFA

This is to certify, that GERALD W. STAKER

P.O. BOX 338

IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 8, 1974, and has submitted proof to the Department of Water Resources on May 4, 1979, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .93 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.73 cfs	30.0 afa

LOCATION OF POINT OF DIVERSION(S): NWSW , Sec. 15, Township 3N, Range 38E
Bonneville County

PLACE OF USE: Domestic

TWN RGE SEC

3N 38E 15 NWSW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 25 homes within Country Life Estates.
5. 2 points of diversion located in NWSW, S15, T3N, R38E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of MAY, 1987.

MICROFILMED

Acting for the Director

Norman C. Young

JUL 01 1987

25 7046

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant GERALD W. STAKER
 post office address 577 "D" Street, Idaho Falls, Idaho PH: 523-0280
2. Source of water supply ground water which is a tributary of - - - -
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 3N
 Range 38E B.M. Bonneville County; additional points of diversion if any: _____

 b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 1.0 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 1.0 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Two wells tied into a common distribution system.

 b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
 c. Proposed well diameter is 8 inches; proposed depth of well is 170 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
 b. Estimated construction cost is \$ 15,000.00.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 3N
 Range 38E B.M. _____
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 25.
 (5) If water is to be used for other purposes describe: Water will be used to supply about 25 units in proposed development.

25 7046

7048

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

Permit No. 25-7033

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald W. Stokes
(Applicant)

Received by MB Date 3-8-74 Time 10:45A
Preliminary check by RC Fee \$ 25.00
Receipted by MB Date 3-8-74 # 12771
Publication prepared by MB Date 3-8-74
Published in The Post Register
Publication dates March 14 + 21, 1974
Publication approved CB Date 3/25/74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDCW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7046, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of April 19 74.

L. Keith Higin
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>UNK</u>	<u>MAR 27</u>	Application No. _____ <u>Staker</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>UNK</u>	<u>MAR 27</u>	In form to receipt
	<u>UNK</u>	<u>" "</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management ☒ <u>SHIRL C. Boyce</u>
(4)	<u>UNK</u>	<u>" "</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>UNK</u>	<u>" "</u>	In form for advertising
(6)	<u>UNK</u>	<u>" "</u>	Located within Water District No. <u>N.A.</u>
(7)	<u>UNK</u>	<u>" "</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>UNK</u>	<u>" "</u>	Groundwater levels: ____ Decline (comment) _____ ☒ Stable (comment) <u>Bull 27</u> ____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>MB</u>	<u>3/25/74</u>	Affidavit of Publication received (date) <u>March 25, 1974</u>
(11)	<u>MB</u>	<u>4/1/74</u>	Final date for protests <u>April 1, 1974</u> Protests received: yes _____ no ☒
(12)	<u>"</u>	<u>"</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(13)	<u>RDC</u>	<u>4/1/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>"</u>	<u>"</u>	Action recommended: ☒ Approve Priority <u>3/8/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>E</u>	By <u>RDC</u>	Date <u>4/1/74</u>

25 7046

Department of Water Administration
APR 2 1974
RECEIVED

RECEIVED

MAR 25 1974

Department of Water Administration
Eastern District Office

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, Wm. P. Beard, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 14th day of March, 1974, last publication having been made on the 21st day of March, 1974, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Wm. P. Beard

Subscribed and sworn to before me, this 22nd day of March, 1974

Karl Schuler
Notary Public

My commission expires April 5, 1975

B10, 1M

**NOTICE OF APPLICATION
FOR WATER PERMIT**
Notice is hereby given that Gerald W. Staker, 577 "D" Street, Idaho Falls, Idaho has on 3/8/74 submitted Application No. 25-7046 for a permit to appropriate 1.0 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T. 3N, R. 38E, B.M. Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 25 families within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T. 3N, R. 38E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 1, 1974.
R. KEITH HIGGINSON
Director
Pub: Mar 14, 1974



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 28, 1987

RE: Permit No. 25-7046

Gerald W. Staker
Box 338
Idaho Falls, ID 83401

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 01 1987

April 17, 1987

GERALD W. STAKER
P.O. BOX 338
IDAHO FALLS, ID 83401

RE: Permit No. 25-7046

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED


JUL 01 1987

Phone No. _____

- | Well/Diversion*
No. | Motor
Make | HP | Motor
Serial No. | Pump
Make | Pump Serial No. or
Discharge Size |
|------------------------|---------------|------|---------------------|--------------|--------------------------------------|
| # 1 | Unknown | 15hp | SUBMERSABLE | SYSTEM | |
| # 2 | FURNAS | 20HP | SUBMERSABLE | System | |
| | | | | | |

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. 25-7033 / 25-7046
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached System #1 ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks Plu aka Lots 1 & 2 Block 1; Lots 2 thru 14 Block 2; Lot 1 Block 3 Country Life Estates Division No. 1 and Lots 3 thru 11 Block 1; Lots 15 thru 22 & Lot 25 Block 2; Lots 2 thru 5 & Lots 7 thru 13 Block 3 Country Life Estates Division No. 2.
25-7033 & 25-7046 appear to include irrigation as each home was allowed 0.04 cfs
Approximately 15 ac currently irrigated (21 acres possible less 1/3 of area for houses & driveways)
System #2 originally only one well under 25-7033 without measuring device requirement.
15. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other
16. Examiner's/Consultant's Signature Keith C Wilson Date 29 Aug 1984
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date

CONSULTANT SEAL
MICROFILMED

JUL 01 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

APR 1 1986

25-7046

Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

System # 1 0.002 af in 248.9 sec ≈ 0.350 cfs

System # 2 hp = 20 psi = 50 Pumping depth 150' eff assume = 87%

$$Q = \frac{hp(8.814)eff}{head + (psi \times 2.308)} = \frac{20(8.814)(0.87)}{150 + (50 \times 2.308)} = \frac{153.4}{265.4} = 0.578 \text{ cfs}$$

$$Q_{TOTAL} = 0.350 \text{ cfs} + 0.578 \text{ cfs} = 0.928 \text{ cfs}$$

$$Q_{LIMITED BY CAPACITY} = 0.93 \text{ cfs}$$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

c) Volume Calculations for Other Uses:

$$V_{Dom} = 25 \text{ homes} \times 1.2 \text{ afa} = 30 \text{ afa}$$

2. Overlap Review

a) Other water rights with same place of use:

b) Other water rights with same point of diversion: 25-7033

c) Analysis: 25-7033 for 5 domestic homes = 0.20 cfs
25-7046 for 25 domestic homes

25-7046 & 25-7033 thru a common system serve a total of 45 domestic homes at the time of the exam with a possibility of 48 lots in the subdivision.

Therefore: $R17(25-7033)(0.93 \text{ cfs})$

Amnt for 25-7046 :

$$0.93 - 0.20 = 0.73$$

(Amnt already
licensed under
25-7033)

MICROFILMED

JUL 01 1987

RECOMMENDED AMOUNTS

- | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|------------|----------|--------|-----------|----------------------|-----------------|
| 25-7046 | | | | 11/1/2025 | 0.93 cfs |

4. Permit Holder: _____

Address: _____

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Domestic (25 Units)	1/1	12/31	0.43 cfs	30.0

Allowable Maximums:	$\frac{.73}{0.43 \text{ cf}}$	30.0
---------------------	-------------------------------	------

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use COUNTRY LIFE ESTATES

[illegible]

9. Recommended Conditions/Remarks: P/O #1, Lot 1, Block 2 Country Life Estates; ^{Division #1} P/O #2, Lot 6W Block 2 Country Life Estates, System #2 originally under 25-7033 which does not require a measuring device. 25-7033 & 25-7046 are a common system. 25-7033 & 25-7046 appear to include irrigation as each home was allowed 0.04cfs. Approximately 15ac currently irrigated (21ac possible less 1/3 of area for houses & driveways)

R17(25-7033)(0.93 cfs)

MicroFILMED

JUL 01 1987

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Keith C. Wilson

Date 26 Mar 1986

Checked in Regional Office by Dany Packman

Date 3-26-86

Approved in State Office by Jim

Date 4-5-87



John V. Evans
Governor

A. Kenneth Dunn
Director

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161



SYSTEM # 1
Lot 1 Block 2
Country Life Estates




25-7033

25-7046

MICROFILMED

JUL 01 1987



Point of Diversion #1
well let has no
domestic use

Point of Diversion #2
well let has no
domestic use


COUNTRY LIFE
ESTATES
DIVISION NO. 1
BONNEVILLE COUNTY, IDAHO
Part of the NW 1/4 of the SW 1/4 Sec. 15, T.3N, R.38 E.B.M.

While this is a photographic reproduction of the original map, the Company assumes no liability for variations, if any, with a resurvey. IDAHO TITLE & TRUST CO. Idaho Falls, Idaho

REPROFILMED

JUL 01 1987

25-7033/25-7046




COUNTRY LIFE ESTATES

DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO
Part of the NW 1/4 of the SW 1/4 Sec. 15, T. 3N., R. 38E., B.M.
DAVID E. BENTON & ASSOCIATES — CONSULTING ENGINEERS
IDAHO FALLS, IDAHO

Let's without homes.
WELL LOT HAS NO DOMESTIC USE


While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho



Place of Use

JUL 01 1981

25-7033 / 25-7046



DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO

SW 1/4 of the SW 1/4 Sec. 15, T.3N., R.38 E.B.M.

DAVID E. BENTON & ASSOCIATES -- CONSULTING ENGINEERS
IDAHO

IDAHO FALLS.

Area Not Irrigated

DIVISION NO. 1

Note: An easement, 10 feet in width, adjacent to all streets is reserved for power, telephone, and television cable.

Place of Use, Irrigation

Area Not
Investigated

111.64
MICROFILMED

JUL 6 1961


~~25-7033~~/25-7046

While this is a photographic reproduction of the recorded plot, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
 Idaho Falls, Idaho

Place of Use
for IRRIGATION

Section Line



Point of Diversion #1

Point of Diversion #2

Part of the NW 1/4 of the SW 1/4 Sec. 15, T.3N., R.38 E.B.M.

COUNTRY LIFE
ESTATES
DIVISION NO. 1

BONNEVILLE COUNTY, IDAHO


While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a resurvey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

NOT RECORDED

JUL 01 1987



25-
25-7033/7046



MICROFILMED

JUL 01 1987

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 11, 1979

Gerald W. Staker
577 D Street
Idaho Falls, ID 83401

Dear Mr. Staker:

Re: Permit No. 25-7046

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in

Idaho Falls.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of permit holder Gerald W. Staker

b) Post office address 577 D Street, Idaho Falls, Idaho 83401

2. Permit number 25-7046

3. Date of priority that you are prepared to establish

4. a) Source from which water was appropriated Groundwater

b) Location of the point of diversion: NW 1/4 SW 1/4, Section 15

Township 3N, Range 38 Boise Meridian. Other points of diversion:

Bonneville County, Idaho

5. a) The amount of water and use to which the water has been applied:

Amount 1.0 for domestic purposes from 1-1 to 12-31 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

Amount for purposes from to incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

Amount for purposes from to incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

b) Total amount appropriated 1.0 cfs and/or acre-feet per annum.

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

Meter device installed

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

N/A

b) Describe the agreement of understanding by which you take water from the works:

N/A

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

20 H.P. pump, 6" well casing, 210 feet deep

MICROFILMED

JUL 01 1987

b) Describe the provision for making a measurement which you have at your point of diversion (i.e., installed measuring device, access port, other)

5/11/79

c) Give well driller's name and address and the date the well was completed: _____

Andrew Well Drilling, 1268 E. 17th Street, Idaho Falls, Idaho 83401,

Completion Date: December 31, 1974

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

N/A

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

N/A

[illegible]

Total number of acres irrigated

10. Remarks:

N/A

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-3-79

(Date)

Gerald W Staker

(Signature)

State of

Idaho

County of

Bonneville

SS.

On this 3rd day of May, 19 79, personally appeared before me the

signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

David E. Benton

Notary Public
Residing at _____

Idaho Falls

My commission expires _____

MICROFILMED

JUL 01 1981



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 384-2245

April 17, 1979

Gerald W. Staker
577 "D" Street
Idaho Falls, ID 83401

Dear Mr. Staker:

Re: Permit No. 25-7046

Enclosed is the proof of beneficial use form submitted on your behalf. Since the permit is personal property and our records show no power of attorney for Christine L. Whittaker, please have the proof form signed before a notary and return it to this office within 20 days to keep your permit in good standing.

If you have any questions concerning this matter, please contact us.


Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

ALLRED

Benton Engineering
550 Linden Drive
Idaho Falls, Idaho 83401



RECEIVED MAY 3 1979

Department of Water Resources
Statehouse
Boise, Idaho 83720

April 17, 1979

Gerald W. Staker
577 "D" Street
Idaho Falls, ID 83401

Dear Mr. Staker:

Re: Permit No. 25-7046

Enclosed is the proof of beneficial use form submitted on your behalf. Since the permit is personal property and our records show no power of attorney for Christine L. Whittaker, please have the proof form signed before a notary and return it to this office within 20 days to keep your permit in good standing.

If you have any questions concerning this matter, please contact us.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

BENTON ENGINEERING

Consulting Engineers

DAVID E. BENTON, P.E.
RES. PH. 522-5046

LLOYD J. BENTON
RES. PH. 522-8314

1400 BENTON ST.
IDAHO FALLS, IDAHO
PH. 522-8033

March 22, 1979
File No. 1135

State of Idaho Dept. of Water Resources
Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401


ATTN: Steve McCormick

Dear Steve:

Enclosed herewith is the Beneficial Use Affidavit, for
Gerald W. Staker's well, permit 25-7046

If you have any questions or need further information,
please, contact our office.

Sincerely,



Chritine L. Whittaker

ENCLOSURES

CLW/cr

RECEIVED

MAR 23 1979

Department of Water Resources
Eastern District Office

APR 1 1979



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

January 30, 1979

Re: Permit No.

25-7046

100612

Gerald W. Staker
577 D Street
Idaho Falls, ID 83401

Dear Mr. Staker:

One of the conditions of approval of your water Permit No. 25-7046 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK
Water Rights

Encl: Proof affidavit

RECEIVED
JAN 31 1979
D



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Nov. 20, 1978

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 25-7046

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

NOV 26 1975

1. WELL OWNER

Name Jerry Staker

Address Box 338 Idaho Falls, Idaho 83401

Owner's Permit No. 25-7044

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE *Please clarify -*

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 210 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>10</u> inches	<u>1</u> feet	<u>57</u> feet
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>145</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 145 Material used in seal ☒ Cement grout


☐ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Shurry pit ☐ Temporary surface casing

☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bonneville

NW 1/4 SW 1/4 Sec. 15 T. 3 N/S. R. 36 E/W

7. WATER LEVEL

Department of Water Resources

Static water level 110 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality Good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	1	Topsoil		
	1	52	Sand and Gravel		
10	52	94	Brown Gummy Clay		
8	94	135	Broken Gray Basalt		
	135	147	Firm Gray Basalt		
	147	150	Broken Gray Basalt	x	
	150	170	Firm Gray Basalt		
	170	174	Broken Gray Basalt	x	
	174	180	Firm Gray Basalt		
	180	183	Broken Gray Basalt	x	
	183	206	Firm Gray Basalt		
8	206	210	Broken Gray Basalt	x	

10.

Work started Dec. 9, 1974 finished Dec. 31, 1974

11. DRILLERS CERTIFICATION

Firm Name Andrew Well Drilling Contr Firm No. 5

Address 1268 East 17th Street Date 4-10-75

Idaho Falls, Idaho 83401

Signed by (Firm Official) Howard H. Hildner

and

(Operator) Howard H. Hildner

April 8, 1974

Re: Permit No. 25-7046

Gerald W. Staker
577 "D" Street
Idaho Falls, Idaho

Dear Mr. Staker:

Enclosed is a copy of your approved Application for Permit No. 25-7046. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosure

25 7046

March 13, 1974

C Re: Application for Permit No. 25-7046 Staker
" " No. 35-7387 Hammond

O Mr. Howard Burkhardt
Sr. Public Health Engineer
Idaho Dept. of Health
316 North 7th Street
Pocatello, ID 83201

P Dear Mr. Burkhardt:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our Department as soon as possible. The last date of protest is April 1, 1974, and we are required to take final action shortly thereafter.

Y If we may be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Asst.  the District Engineer

RDC:MB

Enclosures

25 7046

March 13, 1974

Re: Application for Permit No. 25-7046 Staker
" " No. 29-7179 Wiedholz
" " No. 35-7387 Hammond

Mr. Shirl C. Boyce, Jr.
Idaho State Planning & Community Affairs Agency
Regional Office, Idaho State University
Box 73
Pocatello, Idaho 83201

Dear Mr. Boyce:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit to our Department as soon as possible. The last date of protest is April 1, 1974, and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Asst. to the District Engineer

RDC:MB

Enclosures

25 7046

XXXXXXXXXXXXXXXXXXXX 1515 Lincoln Road

March 8, 1974

Re: Application for Permit No. 25-7046 STAKER

The Post Register
P. O. Box 1800
Idaho Falls, ID 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NORMAN C. YOUNG
District Engineer

Bill submitted 3-25-74 by MB

NCY:MB
Enc: Legal Notice (1)

25 7046

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Gerald W. Staker,
577 "D" Street, Idaho Falls, Idaho
has on 3/8/74 submitted Application No. 25-7046
for a permit to appropriate 1.0 cubic feet per second ~~acres feet per annum~~
of water from a ground-water source
by means of well and pump
within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T. 3N, R. 38E, B.M. Bonneville County;

to be used from Jan. 1 to Dec. 31
for domestic purposes for 25 families

within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T. 3N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 1, 1974.

R. KEITH HIGGINSON
Director

Published in the Post Register, Idaho Falls, Idaho
on March 14 and March 21, 1974.

25 7046

OK'd.
PR Called 3/12/74 MB
CB-A.