


Complete the following map by showing land and point of diversion as proposed by this amendment.
 Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 27 day of December, 1982.
Donald F. Lloyd
 (Signature)
 Director Public Works

FOR DEPARTMENT USE ONLY

Preliminary check by HWT Fee = \$20.00 Received by BP Date 1-4-83 #23279
 Publication prepared by HWT Date _____ Published in _____
 Publication dates _____


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby
 APPROVE the above Application for Amendment of Permit No. 25-7044.

Witness my hand this 17th day of January, 1983.
L. Glen Saxton
 Chief, Operations Bureau

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CITY OF IDAHO FALLS

By: S. Eddie Pedersen
(Applicant) S. Eddie Pedersen - Mayor

RECEIVED

FEB 14 1974

Department of Water Administration
Eastern District Office

Proof of Publication The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 31st day of January, 1974, last publication having been made on the 7th day of February, 1974, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 11th day of February, 1974

Karlshoe
Notary Public


My commission expires April 5, 1975

B10, 1M

**NOTICE OF APPLICATION
FOR WATER PERMIT**
Notice is hereby given that City of Idaho Falls, Box 220, Idaho Falls, Idaho has on 1/23/74 submitted Application No. 25-7044 for a permit to appropriate 0.20 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 1N, R. 38E, B.M. Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for the City of Idaho Falls Golf Course within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 1N, R. 38E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before February 19, 1974.
R. KEITH HIGGINSON
Director
Pub.: Jan. 31 and Feb. 7, 1974

25 7044

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Submersible System

MICROFILMED

MAY 07 1987

Point(s) of diversion: (Lot 1) NE 1/4 NE 1/4 Sec 4 T1N R38E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	38E	4	D																
			L1																

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date 6 July 1982

Date 1/8/86

Date 3/12/87

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-7044

Priority: January 23, 1974 Amount: .14 CFS 1.2 AFA

This is to certify, that CITY OF IDAHO FALLS
P.O. BOX 220

IDAHO FALLS, ID 83401 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 23, 1974, and has submitted proof to the Department of Water Resources on January 28, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .14 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.14 cfs	1.2 afa

LOCATION OF POINT OF DIVERSION(S): LOT 1(NENE), Sec. 4, Township 1N, Range 38E
Bonneville County

PLACE OF USE: Domestic

TWN RGE SEC

1N 38E 4 LOT 1(NENE)

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for Sand Creek Golf Course clubhouse & cafe.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of April, 1982.

MICROFILMED

Acting for the Director

MAY 07 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

APPROVED

Comes now CITY OF IDAHO FALLS

of (address) P. O. BOX 220, IDAHO FALLS, IDAHO 83402 0220 , and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 25-7044 , and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE ¼ NE ¼, Section 4 , Township 1N , Range 38E , B.M.,
County of BONNEVILLE . Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.20 cfs for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:


TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	38E	4	X																

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? APPLICANT
b. Who owns the land to be irrigated or the place of use? APPLICANT
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 27 day of December, 1982.
Donald F. Lloyd
(Signature)
Director Public Works

FOR DEPARTMENT USE ONLY

Preliminary check by HWT/jir Fee = \$20.00

Received by BP Date 1-4-83 #23279

Publication prepared by [Signature] Date _____

Published in _____

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

APPROVE the above Application for Amendment of Permit No. 25-7044.

Witness my hand this 17th day of

January 19 83

L. Glen Saxton
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE
DATE IN CONNECTION WITH PERMIT NO. 25-7044
IN THE NAME OF THE CITY OF IDAHO FALLS

ORDER

WHEREAS, on January 23, 1974, the City of Idaho Falls filed with the Department of Water Resources (formerly the Department of Water Administration) an application for permit to appropriate 0.20 cubic feet per second of groundwater to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, Twp. 1N, Rge. 38E, B.M., Bonneville County, to be used for domestic purposes; and,


WHEREAS, on February 26, 1974, the Department approved said application and issued Permit No. 25-7044 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1977; and,

WHEREAS, on February 4, 1977, the permit holder submitted a request for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 25-7044 be extended to March 1, 1982.

Dated this 9 day of February, 1977.


A. KENNETH DUNN
Administration, Operations Division

RECEIVED
FEB 10 1977
IDAHO DEPT. OF WATER RESOURCES

Identification No. 25 7044
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CITY OF IDAHO FALLS
post office address Box 220, Idaho Falls, Idaho 83401
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4 Township 1N
Range 38 E.B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Sand Creek at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 4 Township 1N Range 38 E.B.M. Bonneville County
4. Water will be used for the following purposes:
Amount .20 cfs for domestic purpose from Jan. 1st to Dec. 31st. (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Submersible pump and series of
pipng to supply culinary water to country club house and attendant facilities.

b. Height of storage dam NA feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 6 inches; proposed depth of well is 140 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years.
b. Estimated construction cost is \$ 10,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4 Township 1N
Range 38 E. B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served City of Idaho Falls Golf Course number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: Possible watering of shrubs or lawn
in the immediate vicinity of the club house.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	


Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion City of Idaho Falls
 b. Who owns the land to be irrigated or place of use City of Idaho Falls
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This well is for the dulatory use of the Sandy Downs Golf Course club house owned by the City of Idaho Falls. Other existing permits and licenses include:
- | | | |
|--------------------------|-----------|---------------------------------|
| License #16689 | 5.2 cfs | 2/25/27 |
| License #3304 | | 12/3/07 (Snake River-Power) |
| License #16799 | | 10/28/27 (Snake River - Power) |
| License #445 | | 12/29/09 (Snake River - Power) |
| Decree (Rexburg) | 140.0 cfs | 4/20/1900 (Snake River - Power) |
| Decree (Rexburg) | 48.0 cfs | 10/22/04 (Snake River - Power) |
| License #35-7001 | 8.9 cfs | 4/3/70 |
| License #G-31587/26-2143 | 17.1 cfs | 11/22/63 |
| License #G-31141/25-2142 | 50.2 cfs | 4/8/63 |
| Permit #35-7207 | 7.35 cfs | 3/28/72 |

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CITY OF IDAHO FALLS

By: S. Eddie Pedersen
(Applicant) S. Eddie Pedersen - Mayor

Proposed Priority 1-23-1974

25 7044

Received by MB Date 1-17-74 Time 10:15 A
Preliminary check by WR Fee \$ 10.00
Receipted by MB Date 1-23-74 # 12700
Publication prepared by MB Date 1-25-74
Published in The First Register
Publication dates Jan. 31 & Feb. 7, 1974
Publication approved CB Date 2/14/74
Priority reduced to _____ Reason _____

Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by NCY N ID

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7044, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 77.
 - c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 26 day of February 19 74.

R. Kirk Higin
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>RDC</u>	<u>1/29/74</u>	Application No. <u>25 7044</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>"</u>	<u>"</u>	In form to receipt <u>YES</u>
	<u>"</u>	<u>"</u>	Send Copies to: ☒ Idaho State Health Department ☒ Idaho Fish and Game Department ☒ Bureau of Land Management ☒ <u>PLANNING & COMMUNITY AFFAIRS</u>
(4)	<u>"</u>	<u>"</u>	☐ Request Special Use Permit from U.S. F.S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>7c</u>	<u>"</u>	In form for advertising <u>YES</u>
(6)	<u>"</u>	<u>"</u>	Located within Water District No. _____
(7)	<u>"</u>	<u>"</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>"</u>	<u>"</u>	Groundwater levels: ____ Decline (comment) _____ ☒ Stable (comment) <u>NO OBS WELL CLOSE</u> ____ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>MB</u>	<u>2/14/74</u>	Affidavit of Publication received (date) <u>February 14, 1974</u>
(11)	<u>"</u>	<u>2/19/74</u>	Final date for protests <u>February 19, 1974</u> Protests received: yes _____ no ☒
(12)	<u>"</u>	<u>"</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(13)	<u>NCY</u>	<u>2/19/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>"</u>	<u>"</u>	Action recommended: ☒ Approve Priority <u>1/23/74</u> ☐ Deny Reason for Reduction <u>Request of applic.</u> <u>NO</u> Measuring device required <u>to return form.</u> ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>E</u>	By <u>NCY</u>	Date <u>2/19/74</u>

FEB 20 1974

25 7044

Department of Water Administration

RECEIVED

FEB 14 1974

Department of Water Administration
Eastern District Office

Proof of Publication The Post-Register

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 31st day of January, 1974, last publication having been made on the 7th day of February, 1974, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 11th day of February, 1974

Karl S. Hale
Notary Public

My commission expires April 5, 1975

B10, 1M

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that City of Idaho Falls, Box 220, Idaho Falls, Idaho has on 1/23/74 submitted Application No. 25-7044 for a permit to appropriate 0.20 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 1N, R. 38E, B.M. Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for the City of Idaho Falls Golf Course within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 1N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before February 19, 1974.

R. KEITH HIGGINSON
Director
Pub.: Jan. 31 and Feb. 7, 1974

25 7044

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 25 7044
Name(s) of Permit Holder(s): City of Idaho Falls Public Works
Post Office Address: P.O. Box 220
Idaho Falls, Idaho 83402 Tel. No. 529-1250

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 1978 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit. Yes completed 1979 CLUB HOUSE
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7-2-82
Date

Thomas Campbell
Signature of Permit Holder

City of Idaho Falls


Engineering Department

P. O. Box 220

Idaho Falls, Idaho 83401



POCA TELLO ID
CENTENNIAL
1882 - 1982



Department of Water Resources

JUL 8 1982



MICROFILMED

JUN 16 1988

DECEMBER 1982

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

April 23, 1987

CITY OF IDAHO FALLS
P.O. BOX 220
IDAHO FALLS, ID 83401

RE: Permit No. 25-7044

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 07 1987

March 16, 1987

CITY OF IDAHO FALLS
P.O. BOX 220
IDAHO FALLS, ID 83401

RE: Permit No. 25-7044

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 07 1987

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

25-7044
Permit No.

JAN 12 1987

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			Department of Water Resources
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6 July 1982 Accompanied by N/A Total Q measured Theoretical
 If source is surface water, estimate total flow of source _____
 Methods of measurement Theoretical Meets Permit requirements? _____

Measurement calculations: Static H₂O level 90' assume pump setting; Pumping depth at 140'
OPERATING Pressure 50psi Assume Volume same as
Single family domestic = 1.2 cfs

$$Q = \frac{hp (8.814) (.8)}{\text{head} + (50 \times 2.308)} = \frac{5 (8.814) (.8)}{140' + (50 \times 2.308)} = 0.138 = 0.14 \text{ cfs}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	5	Red Jacket	-	-	-	-	-	

System Description Well pump mainline to Sand Creek Golf Course Club House for
restrooms & cafe. Period of use generally 3/1 to 12/1

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>0.14</u>	<u>1.2</u>	<u>3/1</u>	<u>12/1</u>
Total	<u>0.14</u>			

Remarks Information supplied indicated usage from March 1 to December 1

MICROFILMED

MAY 07 1987

[illegible]

(Include distance from pump to measuring device, if applicable.)

Submersible System

MICROFILMED

(Lot 1)

~~MAY 07 1987~~

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Keith Carlson

Checked by Eric Kerner

Approved by S. Curtis

Date 6 July 1982

Date 1/8/86

Date 1 3/12/87

[illegible]

January 18, 1983

RE: Permit No. 25-7044

City of Idaho Falls
P.O. Box 220
Idaho Falls, ID 83402 0220

Gentlemen:

Enclosed is a copy of your approved application for amendment submitted in connection with the above referenced permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

March 30, 1982

RE: Permit No.

25-7044

City of Idaho Falls
P.O. Box 220
Idaho Falls, Id. 83401

Gentlemen:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 25-7044

Name(s) of Permit Holder: CITY OF IDAHO FALLS

Post Office Address: P.O. Box 220

IDAHO FALLS, IDAHO 83401 Tel. No. _____

Source of Water: WELL

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other GOLF COURSE ADM. BLDG.

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

JAN-25-82

Date

CITY OF IDAHO FALLS

Signature of Permit Holder

P.O. Box 2
Idaho Falls ID



RECEIVED

RECEIVED

JAN 28 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CITY OF IDAHO FALLS
P.O. BOX 220
IDAHO FALLS, ID 83401

138960

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 25-7044 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED

February 10, 1977

Re: Permit No. 25-7044

A. H. Evans, Adminis. Asst.
City of Idaho Falls
Box 220
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to March 1, 1982.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

RECEIVED

CITY OF IDAHO FALLS

P.O. BOX 220

IDAHO FALLS, IDAHO 83401

OFFICE OF: A. H. Evans

February 1, 1977

RECEIVED

FEB 4 1977

Department of Water Resources

R. Keith Higginson, Director
State of Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Higginson:

Your letter of December 31, 1976 is acknowledged regarding proof of application of water to beneficial use on Permits No. 25-7022, and 25-7044.

We are enclosing herewith the completed Proof of Application form on Permit No. 25-7022. This permit covers our designated Well No. 12.

We are also requesting an extension of 5 years time in which to prove beneficial use of the permit No. 25-7044. This well was drilled in anticipation of building a clubhouse at the new golf course in the Sandy Downs Recreational area. However, plans for the construction of the clubhouse have not jelled to the point when we can forecast the exact time we will be using the well. It could possibly be within two years, but we feel it is better to make our one request for extension to cover 5 years in order to be sure of completion by that time.

Should you have any questions regarding the above please contact this office.

Sincerely,

Donald F. Lloyd, P.E.
Director of Public Works



A. H. Evans
Administrative Assistant

Encl.
AHE:cs

RECEIVED

December 31, 1976

CERTIFIED MAIL

138149

Re: Permit No. 25-7022 and 25-7044


City of Idaho Falls
Box 220
Idaho Falls, Idaho 83401

Gentlemen:

One of the conditions of approval of your water Permit No. 25,7022,25-7044 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg

Enc: Proof affidavit

February 27, 1974

Re: Permit No. 25-7044

City of Idaho Falls
Box 220
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 25-7044 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosure

25 7044

XXXXXXXXXXXXXXXXXXXX

1515 Lincoln Road

January 29, 1974

C Re: Application for Permit No. 29-7170 & 25-7044

C Mr. Howard Burkhardt
Sr. Public Health Engineer
Idaho Dept. of Health
316 North 7th Street
Pocatello, Idaho 83201

Dear Mr. Burkhardt:

P We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 3-week period and we are required to take final action shortly thereafter.

Y If we may be of further assistance, please contact us.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:MB

Enclosures

25 7044

XXXXXXXXXXXXXXXXXXXX

1515 Lincoln Road

January 29, 1974

Re: Application for Permit No. 25-7044

Mr. Shirl C. Boyce, Jr.
Idaho State Planning & Community Affairs Agency
Regional Office
Box 73
Idaho State University
Pocatello, Idaho 83201

Dear Mr. Boyce:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 3-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:MB

Enclosure

25 7044

XXXXXXXXXXXXXXXXXXXX 1515 Lincoln Road

January 25, 1974

Re: Application for Permit No. 25-7044 City of Idaho Falls
No. 35-7376 Sundown Corp.

The Post Register
P. O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NORMAN C. YOUNG
District Engineer

Bill submitted 2-14-74 by MB

NCY:MB
Enc: Legal Notice (2)

25 7044

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Idaho Falls,
Box 220, Idaho Falls, Idaho
has on 1/23/74 submitted Application No. 25-7044
for a permit to appropriate 0.20 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 1N, R. 38E, B.M. Bonneville County;

to be used from Jan. 1 to Dec. 31
for domestic purposes for the City of Idaho Falls Golf Course

within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 1N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before February 19, 1974.

R. KEITH HIGGINSON

Director

Published in the Post Register, Idaho Falls, Idaho
on January 31 and February 7, 1974.

25 7044

CB-7.
CB-A

1515 Lincoln Road

January 23, 1974

C
Mr. A. H. Evans
Adm. Assistant
City of Idaho Falls
P. O. Box 220
Idaho Falls, Idaho 83401

Dear Mr. Evans:

Attached herewith is departmental receipt No. 12700 in the amount of \$45.00 for the application for permit which was received in this office under the above date.

P
Very truly yours,

NORMAN C. YOUNG
District Engineer

Y
NCY:MB

Attachment

25 7044

CITY OF IDAHO FALLS

P.O. BOX 220

IDAHO FALLS, IDAHO 83401

OFFICE OF: Donald F. Lloyd, P. E.

January 21, 1974

RECEIVED

JAN 23 1974

Department of Water Administration
Eastern District Office

Mr. Norman Young
Idaho Dept. of Water Administration
Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Dear Mr. Young:

We are enclosing herewith an Application for Permit to appropriate the public waters of the State of Idaho and check in the amount of \$10.00 for the fee. We are requesting .20 cfs in line with your recommendation.

This Application covers the well drilled at the Sandy Downs Recreation area for use by the clubhouse at the proposed new golf course.

Should there be any question regarding the information submitted, please contact this office.

Sincerely,

Donald F. Lloyd, P. E.
Director of Public Works


A. H. Evans
Adm. Assistant

AHE:bp

Enclosures

25 7044

1515 Lincoln Road

January 17, 1974

Mr. A. H. Evans
Adm. Assistant
City of Idaho Falls
P. O. Box 220
Idaho Falls, Idaho 83401

Dear Mr. Evans:

Please find enclosed your application for permit and check No. 54558 in the amount of \$45.00, which you requested we return. Under Section 42-103 & 42-104, Idaho Code, you may apply to the Department to appropriate any amount of water that you can put to beneficial use. The Department has established various guide lines that it uses in determining if a quantity for a given application is reasonable and can be justified. For a certain application such as irrigation, these quantities are specifically designated in the Idaho Code. If an appropriator wishes to divert a quantity in excess of these designated amounts, he may do so by submitting information to justify the increase.

On your application the 2.2 c.f.s. would appear excessive for the uses you have designated. If you feel that 3 years from now you will be using this amount of water, please include information delineating these uses. To help you determine the quantity that you will need 3 years from now, you can estimate the domestic use by multiplying the number of people on a peak day by .000464. If you intend to irrigate more than $\frac{1}{2}$ acre, you can ask for a diversion rate of .02 c.f.s. per acre. Any other probable use should also be indicated. The Department will accept any quantity on an application as long as the quantity can be justified. If excessive quantities are not justified on an application, they will be considered speculative and are reduced to the maximum allowable rate.

If you need further assistance, please do not hesitate to contact this office.

Very truly yours,

RONALD D. CARLSON
Asst. to the District Engineer

RDC:mb
Enclosure: Water Users Handbook

25 7044

CITY OF IDAHO FALLS

P.O. BOX 220

IDAHO FALLS, IDAHO 83401

OFFICE OF: Donald F. Lloyd, P. E.

January 16, 1974

Mr. Norman Young
Idaho Department of Water Administration
Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Dear Mr. Young:

We are enclosing herewith an Application for Permit to appropriate the public waters of the State of Idaho and check in the amount of \$45.00 for the fee.

This Application covers the well drilled at the Sandy Downs Recreation area for use by the clubhouse at the proposed new golf course.

Should there be any question regarding the information submitted, please contact this office.

Sincerely,

Donald F. Lloyd, P. E.
Director of Public Works


A. H. Evans
Adm. Assistant

AHE:bp

Enclosures

25 7014