


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. SW & NW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 12 T 2N, R 38 EBM. Well #1



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JACK M. FLYNN LANDS, INC.

Mrs. Ksren K. Flynn

(Applicant)

Corporate Secretary

RECEIVED
APR 26 1973
Department of Water Administration
Eastern District Office

Proof of Publication The Post-Register

State of Idaho, {
County of Bonneville { ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 12th day of April, 1973, last publication having been made on the 19th day of April, 1973, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.


E. F. McDermott

Subscribed and sworn to before me, this 20th day of April, 1973


Karl S. Hale
Notary Public

My commission expires April 5, 1975

B10, 1M



25 7035



located
switch box
& Control box

12'-0"
13'-0"
Cone Lid with lifting handle

24" Conc. Pipe

System to be equipped with:
1. Press switch, 2. Press gauge.

Elect. Conduit

Water-tight seal

Sump equipped with an automatic sump-pump
discharging through a 1" Galv. line to surface a min.

(6 each) Well - X-Trols WX-204 or equal

Vol per tank = 44.4 gal.
(Max draw down = 14.0 gal) @ 20 to 40 p.s.i.

PLAN VIEW

11 casing
to 10
standards

F approved
94-155
Adaptor

MILWAUKEE

R 38 E





Diagram of System



83720

RECEIVED

State of Idaho
Department of Water Resources

MAR 20 1981

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Jack M. Flynn, hereby assign to Nur Water Company
of Idaho Falls, Idaho c/o Linda Anderson, 2780 N.4500 E., Idaho Falls, Idaho 83401
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 25-7035
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)


Made this 13th day of March, 19 81.

Jack M. Flynn
Permit Holder Jack M. Flynn

Karen K. Flynn
Spouse of Permit Holder Karen K. Flynn

State of Idaho)
County of Bonneville) ss.

On this 17 day of March, 19 81, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.



My commission expires:
Perpetual

MICROFILMED

Carolyn B. French
Notary Public residing at
158 N. Lloyd Circle, Idaho Falls

State of Idaho
Department of Water Resources



WATER RIGHT LICENSE

License No. 25-7035 Priority 06/13/1973 Amount .62 CFS 26.40 AF

THIS IS TO CERTIFY, that JACK M. FLYNN LANDS INC.

of IDAHO FALLS, IDAHO 83401, has complied with the terms and conditions of Permit No. 25-7035 issued pursuant to Application for Permit dated 06/13/1973, and has submitted proof to the Department of Water Resources on 07/10/1978, that he has applied water to a beneficial use; and examination by the Department indicates that the works have a capacity for the DIVERSION OF .62 CFS of water from GROUNDWATER tributary to, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
.62 CFS	26.4 ACRE FEET	DOMESTIC (22 units)	01/01 - 12/31

Location of point of diversion: TRACT. SW1/4 SEC. 12 TWP. 02N RGE. 38E
TRACT. NW1/4 SEC. 12 TWP. 02N RGE. 38E

Location of place of use:

TWP.	RGE.	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
02N	38E	12						D	D										

Total number of acres irrigated _____

PLACE OF USE KNOWN AS NUR SUBDIVISION.

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 27 day of FEBRUARY, 1981.


Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-7035)
)
in the name of JACK M. FLYNN LANDS, INC.)
)
(FOR NUR WATER CORPORATION))
_____)

ORDER OF REINSTATEMENT

WHEREAS, on April 4, 1973, Jack M. Flynn Lands, Inc. (for Nur Water Corporation) applied to the Department of Water Resources for a permit to appropriate 0.88 cubic feet per second of water from a groundwater source within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, Twp. 2N, Rge. 38E, B.M., Bonneville County, to be used for domestic purposes; and,

WHEREAS, on May 4, 1973, the Department approved said application and issued Permit No. 25-7035 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1978; and,


WHEREAS, on May 15, 1978, the Department notified the permit holder that Permit No. 25-7035 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on July 10, 1978;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-7035 be REINSTATED and the priority advanced to June 13, 1973.

Dated this 8th day of August, 1978.


L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG

RECEIVED
AUG 10 1978
WATER RESOURCES
DIVISION

25 7035

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

- Inc.
1. Name of applicant Jack M. Flynn Lands, (for Nur Water Corporation)
post office address 1363 E. 25th. Idaho Falls, Idaho 83401
 2. Source of water supply ground water which is a tributary of x x
 3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 12 Township 2N
Range 38 E B.M. Bonneville County; additional points of diversion if any: _____
Well # 2: NW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 12, T 2N, R 38 EBM.
 - b. If water is not consumed, it will be discharged into n/a at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
 4. Water will be used for the following purposes:
Amount 0.88 for domestic purpose from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 5. Total quantity to be appropriated:
a. 0.88 cubic feet per second and/or
b. x x acre feet per annum.
 6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. (Pump: Advanced Pump Co. model 6SL-7,
7 stages, 7 $\frac{1}{2}$ H.P.)
ELECTRIC MOTOR PUMP
 - b. Height of storage dam xx feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
 - c. Proposed well diameter is 8 inches; proposed depth of well is 149 feet.
 7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is five years.
b. Estimated construction cost is \$ 5,000.00.
 8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW&NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 12 Township 2N
Range 38 E B.M.
(2) Amount of power to be generated: xx hp under _____ feet of head.
(3) List number of each kind of livestock to be watered n/a
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 22
(5) If water is to be used for other purposes describe: n/a

25 7035

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

Well #1

9. a. Who owns the property at the point of diversion Greg Anderson & Martha Mathieson (Nur easement)


Well #2 Kenneth Longmore & Roger Killian (Nur easement)

- b. Who owns the land to be irrigated or place of use All families in Nur Addition.

- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. ~~As developer and contractor we are responsible to provide domestic water as agreed in purchase agreement with buyers.~~


10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. SW & NW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 12 T 2N, R 38 EBM. Well #1



Scale: 2 inches equal 1 mile

4500 East (Crowley Rd)



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

JACK M. FLYNN LANDS, INC.

Mrs. Karen K. Flynn

(Applicant)

Corporate Secretary

25 7035

Received by ha Date 3-30-73 Time 10:00 APreliminary check by NCY Fee \$ 25.00Receipted by ha Date 4-4-73 Receipt # 7145Publication prepared by ha Date 4-6-73Published in Past Register, Idaho FallsPublication dates 4-13+19-73Publication approved NCY Date 4/30/73Priority reduced to 4/4/73 Reason fee

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by NCYW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7035, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 78.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4th day of May 19 73.

R. Keith Higin
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	JF	4/5/73	Application No. <u>25-7035</u> Name <u>J.M. Flynn Corp.</u>
(2)	JF	4/5/73	Check: ☒ Signature ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use ☒ Map ☒ Fee ☒ COUNTY Send copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management ☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M.
(3)	JF	4/5/73	
(4)			
(5)	JF	4/5/73	In form for advertising <u>Yes</u>
(6)	BA	4-30-73	Affidavit of Publication received <u>4-26-73</u>
(7)	"	"	Final date for protests <u>4-30-73</u> Protests received: yes <u>no</u> ☒
(8)	"	"	Date and Place of hearing <u>NA</u> Decision reached at hearing <u>NA</u>
(9)	JF	4/5/73	Located within Water District No. <u>N/A</u>
(10)	JF	4/5/73	Critical groundwater area: yes <u>no</u> ☒
(11)	JF	4/5/73	Groundwater levels: ☒ Decline (comment) <u>1' decline in obs. well @ 2N38E16dd1 between Spring '70 & Spring '71</u> ☐ Stable (comment) ☐ Increasing (comment)
(12)	JF	4/5/73	Comments:
(13)	NCY	4/30/73	Action recommended: ☒ Approve ☐ Deny Priority <u>4/4/73</u> Reason for Reduction <u>Fee</u> <u>See attached sheet for conditions of approval</u> <u>measuring device</u> No conditions for approval
(14)			District <u>EASTERN</u> By <u>Norman C. Young</u> Date <u>4/30/73</u> Title <u>D. RECEIVED</u>

Bob -
The map
confuses me!

25 7035

APR 8 1973
Department of Water Administration

RECEIVED

APR 26 1973

Department of Water Administration
Eastern District Office

Proof of Publication The Post-Register

State of Idaho,
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 12th day of April, 1973, last publication having been made on the 19th day of April, 1973, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 20th day of April, 1973

Karl O. Hale
Notary Public

My commission expires April 5, 1975

B10, 1M

**NOTICE OF APPLICATION
FOR WATER PERMIT**
Notice is hereby given that Jack M. Flynn Lands, Inc., 1363 E. 25th, Idaho Falls, Idaho has on 4/4/73 submitted Application No. 25-7035 for a permit to appropriate 0.88 cubic feet per second of water from a ground-water source by means of wells and pumps within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 2N, R. 38E, B.M., Bonneville County; to be used from Jan. 1 to Dec. 31 for domestic purposes for 22 families within the W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 12, T. 2N, R. 38E, B.M.
If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before April 30, 1973.
R. KEITH HIGGINSON
Director
Pub.: April 12 & April 19, 1973.

25 7035

IDA DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

OK WATER RIGHT NUMBER 25-7035

OWNER LAST NAME - JACK M. FLYNN LANDS INC.

ADDRESS LINE 1 - C/O LINDA ANDERSON

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

TOTAL DIV. VOLUME - 26.40 AFA TRFR/AMEND -

DIVERSION POINT - SWNW 12 02N 38E LOT REDIV -

NWNW 12 02N 38E LOT REDIV -

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE - DOMESTIC

DECREE NAME -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 05-01-1978 PERMIT/DENIED - 05-04-1973 PROTESTED -

PROOF MADE - P FLD EXAM - F COND. OF APPROVAL -

DIVERSION MEANS - WELL & PUMP.

FIRST NAME -

ADDRESS LINE 2 - 2780 N. 4500 E.

CITY - IDAHO FALLS

TRIBUTARY OF -

ORIG OWNER -

STATE - ID ZIP CODE - 83401

PRIORITY - 06-13-1973 COUNTY - BONNEVILLE TOTAL DIV. RATE - .6200 -CFS

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

USE DIV. RATE - .6200 CFS USE DIV. VOLUME - 26.40 AFA

PLACE OF USE - TWN 02N RNG 38E SEC 12 TRACT NWNW LOT AC TRACT SWNW LOT AC

DATE - TOTAL ACRES 0

HEARING -

OLD NO. -

<u>Initials</u>	<u>Date</u>	<u>Item</u>
		Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Signed
		Transfer Approved
		Key punched by State Office
D.W.	7-21-82 7/16/82	License update entered
		G G JAN 23 1984 VERIFIED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

March 27, 1981

Mur Water Company
% Linda Anderson 2780 N. 4500 E.
Idaho Falls, Idaho 83401

Dear Ms. Anderson,

RE: License No. 25-7035

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

RECEIVED
MARCH 31 1981
DEPT. OF WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 6, 1981

Jack M. Flynn Lands, Inc.
2280 S. Blvd.
Idaho Falls, ID 83401

Dear Sirs,

RE: License No. 25-7035

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MULTIPLE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 5, 1981

Jack M Elynn Lands, Inc.
2280 S. Blvd.
Idaho Falls, Idaho 83401

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 25-7035, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .62 cfs Source: groundwater

The maximum quantity diverted shall not exceed 26.4 acre feet per year.

Point(s) of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, Twp. 2N, Rge. 38E, B.M.

Beneficial use: Domestic use for 22 units within the W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 12, Twp. 2N, Rge. 38E.

Priority date established: June 13, 1973

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

State of Idaho
Department of Water Administration

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

R 38 E

T. 2 N.





Diagram of System



DATE OF EXAM 1/29/79

ACREAGE
Found N/A
Recommended N/A

Irrigation Requirement N/A Ac Ft/Ac

USE
Irrigation Q = c.f.s. V = AF/Ann. from to
Domestic Q = .62 c.f.s. V = 26.40 AF/Ann. from JAN 1 to DEC 31
Livestock Q = c.f.s. V = AF/Ann. from to

Is water co-mingled? yes no No

Name source: N/A
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Exchange? yes N/A no

Name source exchanged with: N/A
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection: N/A
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange: N/A
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured CALCULATED Method of measurement THEORETICAL

Total Q recommended .62 Meter No. N/A Type Condition

Total V recommended 26.40 AF/YR

Recommended Amendments:

P.D.
Place of Use
Other
None

MEASUREMENT CALCULATION: $\frac{(7.5)(8.814)(.80)}{96 + 20(2.31)} = \frac{52.884}{142.2} = .37 \text{ CFS}$
Theoretical (1) Q =
 $\frac{(5)(8.814)(.80)}{96 + 20(2.31)} = \frac{35.256}{142.2} = .25 \text{ CFS}$
(2) Q = TOTAL CFS = .62
V = 1.20 AF/YR X 22 HOMES = 26.40 AF/YR

SYSTEM DESCRIPTION:

This system description also includes copies of the well log & system diagram. There are (2) wells, each well having (6) well-X-Trol MODEL 204 Pressure tanks working on a 20"-40" on-off cycle. Water supplied from P.D. via a 3" main Plast. line with 1" lines serving each homestead.

REMARKS:

NO Conflicting rights

Examiner's Signature Rodney A Parker Date 2/9/79

Checked by Anthony R. Kozlowski Date 2/16/79

Approved by R. Lynn Date 2/4/81

August 10, 1978

Re: Permit No. 25-7035

Jack M. Flynn Lands, Inc.
2280 S. Blvd.
Idaho Falls, ID 83401

Dear Mr. Flynn:

Enclosed is a copy of the Order reinstating your permit and advancing your priority date to June 13, 1973.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Idaho Falls.

Sincerely,

JANICE RENK
Water Rights

MAILED
AUG 14 1978
FBI - IDAHO

Identification No. _____

Permit No. _____

RECEIVED

JUL 10 1978

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder Jack M. Flynn Lands, Inc.

b) Post Office Address 2280 So. Blvd. Idaho Falls, Idaho 83401

2. Permit Number 25-7035

3. Date of Priority that you are prepared to establish June 1973

4. a) Source from which water was appropriated underground well

b) Location of the point of diversion: SW 1/4 NW 1/4, Section 12

Township 2N, Range 38EBM Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 1.76 for domestic purposes from June 1973 to indefinite incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 1.76 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Propeller type water meter by Denning well drilling Idaho Falls. 2,000 Gals. water storage is being used.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A

b) Describe the agreement or understanding by which you take water from the works: N/A

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2 - 5 HP motors & Pumps, 2" drop pipes, 8" well 149' deep

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

Propeller type water meter 2" ea. well

c) Give well driller's name and address and the date the well was completed: _____

Duane Denning Well Drilling 251 No. Mkt. Ucon, Idaho

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Domestic use for residential subdivision

Exam typed 8/10/78 by [signature]

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: N/A

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 3, 1978
(Date)


(Signature)

State of Idaho)
) ss.
County of Bonneville)

On this 3, day of July, 19 78, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



Carson B. French
Notary Public residing at Idaho Falls,
Idaho



My commission expires life-term

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

MICROFILMED

PRESORTED
FIRST-CLASS

Jack M. Flynn Lands, Inc.
1363 E. 25th
Idaho Falls, ID 83401



WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

}



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

May 9, 1978

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

Re: Permit No. 25-7038⁵ (J. & K Water Corp. #1)

Jack M. Flynn Lands, Inc.
1363 E. 25th
Idaho Falls, Idaho 83401

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 25-7038⁵ has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated February 28, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

cc: 2280 So. Blvd.
Idaho Falls, ID 83401

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
House
Idaho 83720

*Recd 3/14/78
2280 S. Blvd.
Pocatello Falls*

- ☒ Moved, left no address
- ☐ No such number
- ☐ Moved, not forwarding
- ☐ Address unknown




Jack M. Flynn Lands, Inc.
1363 E. 25th
Idaho Falls, ID 83401



NOT DELIVERABLE AS ADDRESSED
NO FORWARDING ORDER ON FILE

*529-100
1015-3401
522-625*

MICROFILMED





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

February 28, 1978

CERTIFIED MAIL

138501

Re: Permit No. 25-7035, Nur Water Corporation
25-7036, J & K Water Corporation #1

Jack M. Flynn Lands, Inc.
1363 E. 25th
Idaho Falls, Idaho 83401

Gentlemen:

One of the conditions of approval of your water Permit No. 25-7035, 25-7036 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

Norman C. Young
NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

RECEIVED
MAY 1 1978
IDAHO DEPT. OF WATER RESOURCES

RECEIVED

MAY 10 1973

Department of Water Administration
Eastern District Office



ENVIRONMENTAL SERVICES
7th and Lander Streets
Pocatello, Idaho
83201

9 May 1973

Mrs. Karen K. Flynn, Secretary
Jack M. Flynn Lands, Inc.
1 363 East 25th
Idaho Falls, Idaho 83401

Re: Application for Permit #25-7035
and #25-7036 (Bonneville County)

Dear Mrs. Flynn:

I have received copies of your applications for Permit to Appropriate the Public Water of the State of Idaho for the Nur Water Corporation and the J & K Water Corporation #1.

Due to the size of the service, both proposed water systems constitute a public water supply, and all public water supplies must be approved by this Department. If construction has not already started on the proposed systems, approval must be gained prior to commencing construction. In order that approval for the systems may be given, this office must receive plans and specifications for the systems, bearing the signature and stamp of a professional engineer registered in the State of Idaho.

As public water supplies, they must be checked continually for bacterial contamination. This is for the protection of the purveyor as well as the consumer. Please contact the District Seven Health Department, 520 Legion Drive, Idaho Falls, (phone #523-5382) toward this end. The laboratory analysis will be performed free of charge.

If you have any questions, or if we can be of further assistance, please do not hesitate to call or write.

Yours very truly,

Jerry L. O'Neal
Environmental Engineering Specialist

JLO/md

CC: Dept of Water Admn - Idaho Falls ✓
District Seven Health Dept - Idaho Falls

25 7035

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

May 8, 1973

Re: Permit Nos. 25-7035 & 25-7036

Jack M. Flynn Lands, Inc.
1363 E. 25th
Idaho Falls, ID 83401

Gentlemen:

Enclosed is a copy of your approved Application for Permit Nos. 25-7035 and 25-7036. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosures

25 7035

April 9, 1973

Mr. Jerry O'Neal
Environmental Protection & Health
316 N 7th
Pocatello, ID 83201

Dear Mr. O'Neal:

We are enclosing copies of applications that may be of interest to your agency. Please review the applications and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 3-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BA

Enclosures

25 7035

April 6, 1973

Re: Application No. 25-7034 - Alton P. Maughan
25-7035 - Jack M. Flynn Lands, Inc.
25-7036 - " " " " "
Claim No. 35-4023 - Ivan L. Ashment

Post Register
P.O. Box 1800
Idaho Falls, ID 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NORMAN C. YOUNG
District Engineer

Bill submitted 4-26-73 by BA

NCY:BA
Enc: Legal notices (4)

25 7035

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Jack M. Flynn Lands, Inc., 1363 E. 25th, Idaho Falls, Idaho
has on 4/4/73 submitted Application No. 25-7035
for a permit to appropriate 0.88 cubic feet per second ~~1000 cubic feet per second~~
of water from a ground-water source
by means of wells and pumps
within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12, T. 2N, R. 38E, B.M., Bonneville County;

to be used from Jan. 1 to Dec. 31
for domestic purposes for 22 families

within the W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 12, T. 2N, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401 on or before April 30, 1973.

R. KEITH HIGGINSON
Director

Published in the Post Register, Idaho Falls, Idaho
on April 12 and April 19, 1973

25 7035

March 30, 1973

Mrs. Karen K. Flynn
Corporate Secretary
Jack M. Flynn Lands, Inc.
1363 E 25th Street
Idaho Falls, ID 83401

Dear Mrs. Flynn:

We are in receipt of your application to appropriate 0.88 cubic feet per second of water and everything appears to be in order. There is, however, a statutory filing fee of \$25 for an application with this flow. We will hold the application and, upon receipt of the fee, process it further.

If you have any questions, please feel free to contact us.

Very truly yours,

RICHARD M. TURNIPSEED
Water Resource Administrator

RMT:ba

25 7025

RECEIVED
MAR 30 1973
Department of Water Administration
Eastern District Office

Jack M. Flynn Lands, Inc.
1363 E. 25th.
Idaho Falls, Idaho 83401

Department of Water Administration
Eastern District Office
Mr. Loy H. Johnson
Water Resource Supervisor
240 So. Holmes
Idaho Falls, Idaho 83401


Dear Mr. Johnson;

Enclosed herewith are the completed applications for permits on wells to service the subdivisions we are developing.

To the best of my knowledge the applications are complete and the information correct. If you require other facts please let me know.

Thank you for your past assistance.

Sincerely,
Jack M. Flynn Lands, Inc.


Mrs. Karen K. Flynn
Corporate Secretary

enc. 2

25 7035

25 7035

Permit No. 25-7035 or
25-7036
aw.

November 30, 1972

Homes Incorporated
Mr. Jack Flynn
1363 East 25th Street
Idaho Falls, Idaho 83401

Gentlemen:

Through a cooperative arrangement with the well drillers licensed in Idaho, notice is supplied to this agency prior to the construction of wells drilled in connection with exploration for groundwater.

We were notified that you are constructing a well located in Twp. 2N, Rge. 38E, B.M., Sec. 16, W $\frac{1}{2}$ NW $\frac{1}{2}$. We have reviewed our records, and the preliminary check has failed to indicate that you have filed an application with this agency. If we have overlooked your permit, please advise us of the number by return mail. If you have indeed not filed an application for permit, and your diversion is other than a single family domestic unit and producing less than 13,000 gallons/day, then you are required to file an application before construction starts and receive a valid permit from this agency before groundwater may be diverted.

Idaho has been under a mandatory permit system for groundwater since March 25, 1963: Reference: Carl Tappin, State Reclamation Engineer, v.s. Clyde Smith and Bonny Smith, Idaho Supreme Court, 1967. Therefore, it is held by this agency as an illegal act to divert groundwater without the aid of a valid permit or a license on appropriations with a priority junior to March 25, 1963 for other than excluded above.

We will supply you with an application for permit and instructions if you so request. Please contact us for forms or if we can be of any service.

Very truly yours,

LOY H. JOHNSON
Water Resource Supervisor

LHJ:cw

25 7035