

25 7003

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

R 40E

T Section 15

3N X Point of diversion

40	40	40	30
35	40	40	
7			

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Pinie, this 19 day of Dec, 1972.

Amie Landon
(signature)

ACTION OF STATE RECLAMATION ENGINEER

Dept. of Water Admin.

R. KEITH HIGGINSON, Director


hereby approve the above application for amendment for Permit No. 25-7003.

Witness my hand this 22ND day of December, 19 72.


Director ~~State Rock Mountain Engineer~~

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
240 S. HOLMES
IDAHO FALLS, IDAHO 83401

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Circle Landon
(Applicant)

25-7003

1

1

RECEIVED
MAY 12 1969
Department of Reclamation

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.


I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 30th day of April, 1969, last publication having been made on the 7th day of May, 1969, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 8th day of May, 1969

Karl S. Dale
Notary Public

My commission expires April 5th, 1971



25-7003





Diagram of System



highway

B-125

240.3

9 10
16 15

10 11
13 14

73.8

120.8

UPP



61.5

136.2 B-366

~~No permit~~
~~but~~
~~trial~~

out

L.W. Brown

40

40

128.6

40

30

B-370
PA

15 14
22 23

U.S. Govt.

500' NEH

35

40

40

25 7003

CFL209

20-2-D

20-3-A

1001

CX0-2GG-2

R-40-E

B.370

B.375

77.8

5 1/4
22 23

B.186

269.9

78C

3.7

5.5

11.9


21 22
28 27

149.5

B.352
110.0

23
27 26

25 7003



25 7003

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

The image shows a grid map of Section 15. The grid is composed of solid black lines forming a larger rectangle, which is further divided by dashed lines into smaller squares. Key features include:

- Section 15**: Labeled in the upper right quadrant.
- X Point of diversion**: Located near the center of the section.
- T 3N**: Located on the left side of the section.
- R 40E**: Located at the top edge of the section.
- Data Points**: A small table-like structure contains numerical values:

40	40	40	30
	35	40	40
(7)			

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

X Signed at Rine Holbo, this 30th day of November, 1972

Paul Lander
(signature)

ACTION OF STATE RECLAMATION ENGINEER

I, _____, State Reclamation Engineer of the State of Idaho,
hereby _____

Witness my hand this _____ day of _____, 19_____

State Reclamation Engineer

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
240 S. HOLMES
IDAHO FALLS, IDAHO 83401

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 25-7003 Priority April 4, 1969 Amount 1.75 cfs

THIS IS TO CERTIFY, that AMLE LONDON
of Rigby, Idaho, has complied with the terms and conditions of Permit
No. 25-7003 issued pursuant to Application for Permit dated April 4, 1969,
and has submitted proof to the Department of Water Administration on May 11, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 1.75 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source

tributary of _____, is hereby confirmed in the following amounts:

Amount 1.75 cfs for Irrigation from April 1 to Oct. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 1.75 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15, Twp. 3 N, Rge. 40 E, B.M.

in the county of Bonneville; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 740 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	40 E	14											30						30
		15											40			40	40		120
		22	40	35	7														82
		23						40											40

Total number of acres irrigated 272

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12 day of
January, 19 73.


Director

25 7003

Department of Water Administration
Eastern District Office

Permit No. 25-7003

25 7003

Director

$$\begin{array}{r} 19 \\ \hline 72 \end{array}$$

_____ hereby approve the above application for amendment for Permit No. 25-7003.

R. KEITH HIGGINSON, Director

Dept. of Water Admin.

ACTION OF STATE RECLAMATION ENGINEER

David Jordan
(signature)

1972

That no one will be injured by such change, and that such change will be made at permit holder's own

Scale: 2 inches equal 1 mile

31

Section 15

X Point of diversion

2

07

07

30

07

07

٧٤٥

R

Complete the following map by showing land and point of diversion as proposed by this amendment. Show

RECEIVED

MAR 17 1959

AMLE LONDON
Star Route
Ririe, IdahoAMLE LONDON
Star Route
Ririe, Idaho

Identification No.

25-7003

Application No.

Department of Reclamation

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

LICENSE ISSUED FOR 1.75 SEC. FT.
LICENSE PAGE NO.1. Name of applicant AMLE LONDON
post office address RIRIE, IDAHO2. Source of water supply underground water which is a tributary of _____3. a. Location of point of diversion is See Remarks SW 1/4 of S.W. 1/4 of Section 15 Township 3N
Range 40 E.B.M. BOANVILLE County; additional points of diversion if any: _____b. If water is not consumed; it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M.

4. Quantity to be appropriated:

a. 5.6 cubic feet per second and/or

b. _____ acre feet per annum will be stored.

5. Water will be used for the following purposes:

Irrigation purpose from April 1 to Oct. 31 each year (both dates inclusive)
purpose from _____ to _____ (both dates inclusive)
purpose from _____ to _____ (both dates inclusive)

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Sprinkler systemb. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____c. Proposed well diameter is 20 inches; proposed depth of well is 381 Ft. feet.7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.b. Estimated construction cost is \$ 50,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

25-7003

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated.

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion
L. W. Brown

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

~~See remarks-Basement right recorded in Bonn. Co., Idaho~~

10. Remarks	Well is drilled 100' East and 50 Ft. South of West $\frac{1}{4}$ Corner
-------------	---

Well is drilled 100' East and 50 Ft. South of

West $\frac{1}{4}$ Corner

~~of section 15; Township 3 No. Range 40 E. and water is transported~~

~~thence SE thru $W\frac{1}{2}$ of SW $\frac{1}{4}$ to SE $\frac{1}{4}$ SW $\frac{1}{4}$ and SE $\frac{1}{4}$ SW $\frac{1}{4}$ of section 15; Twp. 3N.;~~


[illegible]

Range 40 E. The property where the well is drilled and the water

transferred across to the property of L. W. Brown and we have an

~~easment right recorded to same in Bonneville County, Idaho.~~

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Amie L. London
(Applicant)

5
250
25-7003

Received by Dr Date 9-9-69 Time 10:00am

Preliminary check by WMC Fee \$ 45.00 4-7-69

Received by Dr Date 4-8-69

Publication prepared by Dr Date 4-24-69

Published in Food & Nutrition

Publication dates 5-8 + 5-95-69

Publication approved to Date 4-10-69

Priority reduced to _____ Reason _____

Protests filed by: None 5-29-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by off R.H. 4-6

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7003, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

before June 1, 19 74.

c. Other: The applicant shall permanently install and maintain a measuring device of a

type approved by the department as part of the diverting works. Maximum rate of

diversion shall not exceed 5.6 c.f.s.

2. Denial of said application is for the following reasons:

Witness my hand this 16th day of June, 19 69.

State Reclamation Engineer

I

Proof of Publication

The Post-Register

RECEIVED
MAY 12 1969
Department of Reclamation

State of Idaho,
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 30th day of April, 1969, last publication having been made on the 7th day of May, 1969, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 8th day of May, 1969

E. F. McDermott
Karl S. Dale
Notary Public

My commission expires April 5th, 1971

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that Amle Landon, Ririe, Idaho, has on April 4, 1969 applied for permit under application No. 85-1006 to divert 5.6 cubic feet per second of water from a groundwater source. Water will be diverted by well and sprinkler system within the NW1/4SW1/4 Sec. 16, T. 3 N., R. 40 E., B. M., Bonneville County and is to be used from April 1 to October 31 for irrigation in the SW1/4SW1/4, Sec. 14; SE1/4SW1/4, S1/2SE1/4, Sec. 15; N1/2NE1/4, Sec. 22; NW1/4NW1/4, Sec. 26, T. 3 N., R. 40 E., B. M.
Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.
State Reclamation Engineer
R. KEITH HIGGINSON
Pub: April 30-May 7, 1969

25-7003

WATER RIGHT NUMBER 25-7003

OWNER LAST NAME - LONDON

FIRST NAME - AMLE

ORIG OWNER -

ADDRESS LINE 1 - RT. 2

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - RIGBY

STATE - ID ZIP CODE - 83442

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 04-04-1969 COUNTY - BONNEVILLE TOTAL DIV. RATE - 1.7500 -CFS

TOTAL DIV. VOLUME - 740.00 AFA TRFR/AMEND -

WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -

DIVERSION POINT - NWSW 15 03N 40E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 04-01 TO - 10-31 USE - IRRIGATION

USE DIV. RATE - 1.7500 CFS USE DIV. VOLUME - 740.00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 40E SEC 14 TRACT SWSW LOT AC 30

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 40E SEC 23 TRACT NWNW LOT AC 40

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 40E SEC 22 TRACT NENE LOT AC 40 TRACT NWNE LOT AC 35

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 40E SEC 15 TRACT SWNE LOT AC 07

TRACT SESW LOT AC 40 TRACT SWSE LOT AC 40

TRACT SESE LOT AC 40

DATE -

TOTAL ACRES 272

DECREE NAME -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PERMIT/DENIED -

PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS -

IDENT. NO. 25-7003

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

January 15, 1973

Re: Permit No. 25-7003

Mr. Amle Landon
Route # 2
Rigby, Idaho 83442

Dear Mr. Landon:

Enclosed is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

25 7003

December 26, 1972

Mr. Amle Landon
Route # 2
Rigby, Idaho 83442

Dear Mr. Landon:

A representative of this Department has made an examination of the works covered by your Permit No. 25-7003 and has found the following:

Quantity of water diverted: 1.75 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 1.75 cfs

The maximum quantity diverted shall not exceed 740 acre feet per year.

Beneficial use: Irrigation of 272 acres within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14; SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 15; N $\frac{1}{2}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22; NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23; Twp. 3N, Rge. 40E, B.M.

Point of diversion: NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, Twp. 3N, Rge. 40E, B.M.

The priority date established: April 4, 1969

If you do not concur with these findings, please advise us within 10 days; otherwise a water license will be issued as set forth above.

Enclosed please find a copy of the approved application for amendment in connection with this permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Copy of amendment

25 7003

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

Motor and pump installed

1. Name of permit holder Amle Landon
 Postoffice address Star Route, Ririe, Idaho Phone _____
 Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
 (name spring, stream, etc.)
 Tributary to _____

3. Water will be used for the following purposes:
 (Proof states 3.0 c.f.s.)
 Amount 5.6 c.f.s. for Irrigation
 _____ AF/Annum (nature of use)

Period of Use: from April 1 to October 31
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
 (mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 25-7003
 Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion 5.6 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 N/S, Range 40 E/W, B.M., Section 15, Subdivision NW $\frac{1}{4}$ SW $\frac{1}{4}$, _____
 County _____
 Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
 County _____
 Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
 County _____

Other Points of Diversions: _____

Description of diverting works: Pumping with a 250 h.p. motor, casing - 18", well depth - 380'

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	40E	15											✓ 40				✓ 40	✓ 40	120
		14											40						40
		22	40	40	X														80
		23						40											40

25 7003

TOTAL ACREAGE _____

280





Diagram of System



DATE OF EXAM July 25, 1972

ACREAGE
Found ~~265~~ 272
Recommended ~~265~~ 265

Irrigation Requirement ~~30~~ 3.5 Ac Ft/Ac

USE
Irrigation Q = 1.75 c.f.s. V = 896 ~~750~~ AF/Ann. from April 1 to Oct 31
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge N.A. E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge N.A. E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1.75 cfs. Method of measurement Pitot Tube

Total Q recommended 1.75 cfs. Meter No. _____ Type _____ Condition _____

Total V recommended ~~896~~ 740 A-F/Ann

Recommended Amendments:

P.D. _____
Place of Use X See Amend. Letter sent retro/22
Other _____ Keep to include SW 1/4 Sec 15 + SW NE 22
None _____ 24 Acres Needs New permit. ncy

MEASUREMENT CALCULATION:

31.5 Avg psi/Line = 3.94 gpm/Noz (199 Noz) = 784.06 gpm = 1.75 cfs
448.8 gpm
cfs

(1.75)(29835)(214) = 740 A-F/Ann

SYSTEM DESCRIPTION:

Pump Layne & Bowler 1400 gpm Ser # D20 305 GE 250 HP
Mod # SK6 286 XH 33A Ser # EDJ 508143 Rain Cat sprinkler System

Shown by owner.

REMARKS:

(A) Found $\approx$ 1% Leakage for system

(B) Found 7 Ac. in NE 1/4 SW 1/4 NE 1/4 Sec 22 Not included in permit, but The total Acreage was less than he asked for so we included it. ALSO 24 acres SW 1/4 SW 1/4 15

Examiner's Signature William R. Rhoads Date July 26, 1972

Checked by Norman C. Young, P.E. Date 11-9-72

Approved by _____ Date _____

B-125

240.3

9 10
16 15

10 11
13 14

73.8

120.8

WPR

61.5

136.2

8.368

128.6

40

40

40

30

35

40

40

25 7003

CFL209

30-2-D

20-3-A

1001

GAO-2GG-2

R-40E

B.370

B.375

~~214~~
214.25

E.102

2699

7ac

11.9

21 23
28 27

B.352

1495

21 25
27 26

25 7003

December 8, 1972

Mr. Amle Landon
Rt. #2
Rigby, Idaho 83442

Dear Mr. Landon:

Enclosed please find a copy of the letter sent to you on October 10, 1972, and a new amendment form properly filled out. All that is necessary is your signature on the form so that the amendment can be processed and your license issued.

Unfortunately, there was a typographical error on the first form that you filled out. The necessary corrections have been made.

There will be no fee as that has already been taken care of prior to the issuance of this amendment form. We are sorry for the inconvenience.

Very truly yours,

WILLIAM R. RHOADS
Water Resource Examiner

WRR:cw

Enclosure

1
INTER-DEPARTMENT MEMO — 1

FROM Bob Fleenor

TO Norm Young

SUBJECT Permit # 25-7003 -- Amle Landon

DATE 12/5/72

There appears to be a discrepancy between the acreage shown on the license draft and the amendment submitted. The acres irrigated in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 15 should be "40" on the amendment according to the examiner's report. If this is correct, then the total acres irrigated would be 272 acres.

Please make the necessary changes and return the attached documents to us.

BDF:DR

Attachments

SIGNATURE

25 7003

INTER-DEPARTMENT MEMO — 1

DATE December 1, 1972

FROM Norm Young

TO Bob Fleenor

SUBJECT Permit No. 25-7003


RECEIVED
12-1-72
Department of Water Administration

The field exam on the above referenced permit has been forwarded to your office.

Attached is a signed amendment from the permit holder reflecting the changes the field examiner felt to be necessary.

I recommend that this amendment be approved without advertising.

NOTE: This was sent to Mr. Landon prior to the time you asked that we not do this at our office.


SIGNATURE

25 7003

December 1, 1972

Re: Permit No. 25-7003

Mr. Amle Landon
Star Route
Ririe, ID 83443

Dear Mr. Landon:

Attached herewith is departmental receipt No. 7040 in the amount of \$10 for the Application for Amendment you recently submitted to this office in connection with the above referenced permit.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:BA

Attachment

25 7003

DEC 1 1972
#10 #7040
Department of Water Administration
Eastern District Office

Permit No. 25-7003

of (address) _____

No. _____, and requests that the permit and permit map be changed as follows:

R. _____, B.M. Other points of diversion _____

mo. - day) mo. - day

For _____ purposes from _____ to _____ (both dates incl.)

3. Place of use or land to be irrigated:

[illegible]

Total number of acres to be irrigated .

U o d

25 7003

$$\begin{array}{r} \cancel{256} \\ \cancel{306} \text{ AC} \\ \hline 272 \text{ AC} \end{array}$$

Witness my hand this _____ day of _____

therapy

_____, State Reclamation Engineer of the State of Idaho,

(signature)

risk.

That no one will be injured by such change, and that such change will be made at permit holder's own

Scale: 2 inches equal 1 mile

[illegible]

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

7
There Has been no response to this notice
as of Nov 9, 1972 *wrr*

October 10, 1972

RE: Permit No. 25-7003

C
Mr. Amle Landon
Star Route
Ririe, Idaho 83443

Dear Mr. Landon:

O
On July 25, 1972, the Department of Water Administration conducted an examination of the ground and diverting works of Permit No. 25-7003. The examiner's findings indicate that seven acres in Sec. 22, SW1/4NE1/4, T 3N, R 40E, are being irrigated but are not listed under this permit.

P
It is a simple matter to include the extra seven acres under Permit No. 25-7003. The necessary application for amendment has already been filled out, requiring only your signature and the additional filing fee for amendment which is \$10.00.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

Y
WILLIAM R. RHOADS
Water Resource Examiner

WRR:cw

Enclosure

25 7003

October 6, 1971

Re: Permit No. 22-2035
25-7003

Mr. Norman C. Young
District Engineer
Department of Water Administration
240 South Holmes
Idaho Falls, Idaho 83401

Dear Norm:

Pursuant to your memo of October 4, 1971, I have checked our files and find that Fred E. has already sent you a field report for Permit No. 25-7003. In connection with Permit No. 22-7035, beneficial use has not been submitted to date, and is not due until July 1, 1975. As soon as it comes in, we will forward you a copy of the field report.

If you should have any further questions in reference to this matter, please do not hesitate to contact this Department.

Very truly yours,

Dorian C. Cady
Appropriation Examiner

DC:cs

25 7003

RECEIVED

OCT 4 1970

Department of Water Administration

TO: Bob Fleenor

FROM: Norm Young

SUBJECT: Status of Permits No. 25-7003 & No. 22-7035

DATE: September 29, 1971

Has proof of beneficial use been filed on the above two referenced permits?

If so, I would appreciate receiving examiners' reports.

Norm

NCY:bj

25 7003

September 1, 1971

Re: Permit No. 25-7003

Mr. Amle Landon
Route 2
Rigby, Idaho 83442

Dear Mr. Landon:

Pursuant to your letter of August 31, 1971, the Department hereby accepts your affidavit submitted as proof of beneficial use for Permit No. 25-7003.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

cc: John M. Corless
Federal Land Bank Assn. of Idaho Falls
P.O. Box 30
Idaho Falls, Idaho 83401

25 7003

RECEIVED

1936

1971

Department of Water Administration

Mr Donald M Eldowney

In your letter dated May 19, 1971 you mentioned that we had to get a water measuring device installed. I letter replied indicating that I had one ordered but had not received it at the time I wrote you the letter.

I now have the device installed.

A Metaplex Model no. 33 is the device installed. If there is anything further that I need to do to complete this permit no. 25-7003 would you please advise me.

Thank you

Archie Landon

Route 2

Rigby, Idaho 83442

25 7003

Mr. Stephen Allen

RECEIVED

BDF
7/25/71

In regards to your letter dated July 19
in inquiry as to installation of a water measuring
device on the well under Permit no 25-7003
we have ordered a Microlog measuring device
to install on this Pumping system.

I Called Mr. Byron Wood of Ames Irrigation
Co. this morning and he informed me that
this measuring device was not yet in, but he
expected it to be there now.

As soon as it gets in we will have it
installed and inform you of this installation.

If there is anything more I need to do
Please let me know?

Thank you

Amie Landon

25 7003

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

25 7003

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.



**RETURN
TO**

**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707.**

PCD Form 3811 Apr. 1969 c55-16-71548-11

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

22964

1

Amle London

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Mrs Amle London

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

3

7-7-64

25 7003 25-7102

July 19, 1971

Re: Permit No. 25-7003

Mr. Amle Landon
Route # 2
Rigby, Idaho 83442

Dear Mr. Landon:

Our letter to you dated May 19, 1971, indicated that the proof of beneficial use which you submitted in connection with Permit No. 25-7003 was unacceptable due to the fact that you had failed to indicate that you had installed a permanent water measurement device. Such device was required to be installed as a condition of the issuance of the permit pursuant to Sections 42-203, 42-701 and 42-237a of the Idaho Code.

You are, therefore, hereby ordered to show cause on or before August 19, 1971, why Permit No. 25-7003 should not be cancelled and held null and void for failure to comply with the terms and conditions of its issuance. This order is sent under the provisions of Section 42-311, Idaho Code.

You should be advised that in the event the permit is cancelled, due to your failure to show reasonable cause on or before the above date, continued diversion of water would be without permit and subject to legal action.

Very truly yours,


S: STEPHEN ALLRED
Deputy Director

CSA:DR

Certified Mail # 22964

25 7003

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

June 24, 1971

Re: Application for Permit Nos. 35-7176) - Brownings Inc.
35-7177)

Permit Nos. 31-2439 25-7003
32-2123 25-2137

Mr. John M. Corless, Manager
FEDERAL LAND BANK ASSOCIATION
of Idaho Falls
Idaho Falls, Idaho 83401

Dear Mr. Corless:

Pursuant to our telephone conversation of June 23, 1971, we wish to advise you of the status of the above referenced applications and permits:

The two applications for Brownings Inc. are at present being reviewed for advertising. The intent of the applications will be advertised in the local paper of the county in which the project will take place. This advertisement will appear once a week for two consecutive weeks. Ten days after the last date of publication the protest period for that application is ended. At that time, the application is subjected to a final analysis by our staff. If it has not been protested, it is usually approved at that time and a copy of the approved application, which then becomes a permit is sent to the applicant.

Permit No. 25-2137 - Amle Landon

Beneficial use has been submitted on this permit and it would appear to be complete insofar as the requirements of the permit holder are concerned. The field examination should be conducted on this permit some time during the 1971 irrigation season, so that it may be licensed.

Permit No. 25-7003 - Amle Landon

Beneficial use was submitted on this permit on May 11, 1971. At that time, we advised the applicant, Mr. Amle Landon, that the proof of beneficial use was inadequate, as he had failed to install a measuring device on his system, of a type approved by this Department. At that time, we also advised Mr. Landon that failure to install such a measuring device could result in the loss of his permit. As soon as we are in receipt of that information, Mr. Landon's beneficial use affidavits will be complete and the permit will be scheduled for a field examination so that it may also be licensed.

25 7003

John M. Corless

- 2 -

June 24, 1971

Permit No. 32-2123 - Lewis Lavar Newman

Beneficial use has been submitted on this permit and it would appear to be complete. It will be scheduled for a field examination some time during the 1971 irrigation season, so that it may be licensed.

Permit No. 32-2439 - Lewis Lavar Newman

Beneficial use has also been submitted on this permit and it would appear to be complete. The field examination for this permit should be conducted some time during the 1971 irrigation season, so that it may be licensed.

If you should have any questions in regard to any of these permits, please feel free to contact this Department.

Very truly yours,



Dorian Clay
Appropriation Examiner

DC:cm

25 7003

May 19, 1971

Re: Permit No. 25-7003

Mr. Amie Landon
Route 2
Rigby, Idaho 83442

Dear Mr. Landon:

We are in receipt of your affidavit submitted as proof of beneficial use for permit 25-7003. However, in reviewing that affidavit, it appears that you have failed to install the measuring device as required by the conditions of approval of your permit and by Section 42-701 of the Idaho Code.

We cannot accept your proof and issue a license unless you have installed a measuring device of a type approved by the Department. We will hold your affidavit until you can supply us with information as to the type of measuring device installed. You should be aware that failure to install the device and supply information as to the type of device installed may result in the loss of your permit.

We will withhold action regarding your permit until June 19, 1971. We are enclosing a list of the types of measuring devices approved by this office. If you have any questions, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enclosure

cc: John M. Corless
Federal Land Bank Assn. of Idaho Falls
P.O. Box 30
Idaho Falls, Idaho 83402

25-7003

Identification No. _____


Permit No. 25-7003

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

MAY 11 1971



Department of Water Administration

1. a) Name of Permit Holder AMEL Landon

b) Post Office Address ROUTE 2 RIGBY Idaho

2. Permit Number 25-7003

3. Date of Priority that you are prepared to establish May 31 1968

4. a) Source from which water was appropriated well

b) Location of the point of diversion: NW 1/4 SW 1/4 Section 15

Township 3N Range 40 E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount 3 ~~25~~ CFS for IRRIGATION purposes from April 1 to Oct 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated _____ cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: MEL Brown Co. made well test and measured flow of water

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) PUMPING with a 250 H.P. motor casing 18" well depth 380

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

c) Give well drillers name and address and date the well was completed Charles Cope
807 LINDSAY BLVD. IDAHO FALLS, IDAHO

25 7003

Hand Typed 9-27-71
impl

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	40E	15											40				40	40	
		14										40							
		22	40	40															
		23					40												

Total number of acres irrigated 280

10. Remarks: _____


The above information is a true statement of the extent to which the above numbered permit has been developed.

May 6, 1971
(Date)

Archie Landon
(Signature)

State of Idaho)
County of Bonneville) ss.

On this 6 day of May, 19 71, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



John M. Corless
Notary Public residing at Idaho Falls, Idaho

My commission expires April 11, 1972

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

May 14, 1971

Re: Permit No. 25-2137 - Amle Landon
" " 25-7003 - " "
License No. 25-2125 - " "

Mr. John M. Corless
FEDERAL LAND BANK ASSOCIATION OF IDAHO FALLS
683 North Capital
Idaho Falls, Idaho 83402

Dear Mr. Corless:

Pursuant to your letter of May 10, 1971, we wish to advise you of the status of the following permits.


We are in receipt of proof of beneficial use affidavit submitted in reference to permit no. 25-7003. This permit would appear to be complete in so far as to the requirements of the permit-holder.

We also wish to advise you that permit no. 25-2137 appears to be complete; however, the Department is awaiting a field examination that should be conducted during the 1971 irrigation season.

The application that you have submitted in reference to license no. 25-2125 for Amle Landon appears to be in order. However, you have neglected to submit the required \$20.00 filing fee.

As soon as we are in receipt of this fee, we shall begin processing the application. If you should have any question in reference to this matter, please contact us.

Very truly yours,


Dorian Clay
Appropriation Examiner

DC/bb

25 7003

FEDERAL LAND BANK ASSOCIATION OF IDAHO FALLS

P. O. BOX 30 683 NORTH CAPITAL IDAHO FALLS, IDAHO 83402

TELEPHONE: 523-1785



JOHN M. CORLESS, MANAGER

RECEIVED
MAY 11 1971
Department of Water Administration

May 10, 1971

Re: 143253 - Amle Landon

Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Attention: Donald W. McEldowney
Appropriation Supervisor

Gentlemen:

Enclosed is Proof of Application of Water to Beneficial Use on Permit No. 25-7003 prepared by Amle Landon.

If this is in order, please send us a letter acknowledging receipt and your intention to have it examined.

Also enclosed is an Application for a Permit to have the increased flow delivered by the well under license #25-2125.

In your letter acknowledging receipt, requested above, we would also like you to confirm the action being taken on Permit #25-2137. We understand that Mr. Landon has applied for license and this well, too, will be included in the field inspection to be made for Permit #25-7003.

Very truly yours,

A handwritten signature in cursive script that reads "John M. Corless".
John M. Corless
Manager

JMC/lj
Encs.



25 7003

April 22, 1971

Re: Permit No. 25-2125 - Amel Landon
25-2137 - " "
25-7003 - " "

Amel Landon
Birle,
Idaho 83443

Dear Mr. Landon:

In reference to your telephone call of April 21, 1971, please be advised that the following is the current status on the above referenced permits:

Permit No. 25-7003

You are required to submit proof of beneficial use on or before June 1, 1974. Please bare in mind the special conditions of approval under Item C of your permit. We are enclosing beneficial use form for your use in this matter.

Permit No. 25-2137

This permit appears to be complete in so far as requirements of the permit holder. At present, the Department is awaiting field examination to be conducted, hopefully during the 1971 irrigation season.

Permit No. 25-2125

The maximum acres that can be irrigated are 188, and the maximum rate of diversion is 2.64 cubic feet per second. You have indicated that you have installed additional pump and motor on this well and you are now diverting more water than covered by the license. Please be advised that it will be necessary for you to file a new application for permit in order for your to divert and irrigate for the additional quantity of water. We are enclosing application form for your use in this matter.

If we can be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:cr

Enclosures

cc: ATTN: John L. Corless
Federal Land Bank Association
Box 30
Idaho Falls, Idaho 83401

25 7003

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 15, 1971

Re: License No. 25-2125 - Amle Landon
" " 23-2060 - Eugene Byington
" " 25-2115 - Murray Byington and/or Douglas Byington
Permit No. 25-2137 - Amle Landon
" " 25-7003 - " "

Federal Land Bank Association
P. O. Box 30
Idaho Falls, Idaho 83401

ATTENTION: John M. Corless

Dear Mr. Corless:

Pursuant to your inquiries as to the water permits for Amle Landon, we have researched our files and find that Mr. Landon has two permits and one license. Permit No. 25-7003 is for a well located in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 15, Twp. 3N, Rge. 40E, and is used for the irrigation of 280 acres, located within Sec. 14, 15, 22 and 23 of Twp. 3N, Rge. 40E.

Permit No. 25-2137 is for a well located within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 10 and is used for the irrigation of 160 acres in the NE $\frac{1}{4}$ of Sec. 10, Twp. 3N, Rge. 40E.

License No. 25-2125 is for a well located within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 11, Twp. 3N, Rge. 40E and is used for the irrigation of 188 acres located within Sec. 11 and Sec. 14, Twp. 3N, Rge. 40E.

We also find two other licenses, one numbered 25-2115, in the name of Murray Byington and/or Douglas Byington and the other numbered 23-2060 in the name of Eugene Byington. These two licenses would appear to also cover a portion of the lands you are inquiring about. License 29-2115 was for a well located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 6, Twp. 3N, Rge. 41E and is for the irrigation of 234 acres, located within Sec. 5 and 6, Twp. 3N, Rge. 41E and license 23-2160 is for a well located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 7, Twp. 3N, Rge. 41E.

If you should have any projects of this nature in the future, please plat the place of use and point of diversion on a map to help expediate our research.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC/bb

25 7003

25-7003

April 9, 1969

Amle Landon
Ririe,
Idaho

Gentlemen:

It has been brought to our attention that on or about
April 23, 19 68, you had a well drilled.
The well is reported to be located at a point in the
NE1/4, Sec. 15, T. 3N, R.
40E, B.M. for irrigation use.

A search of our records has failed to find your application or approved permit. Under existing Idaho Statutes, Sections 42-226, 42-229, and 42-230 of the Idaho Code, you are required to file and obtain an approved permit before you divert waters from a subterranean source, with the exception of domestic wells which are defined under Section 42-111 of the Idaho Code.

If we have overlooked your permit, please advise the Department as to your permit number. However, if you have not yet filled out an application for permit, please use the instructions and the blank application form which we have enclosed.

We will be very happy to assist you with any questions you may have.

Very truly yours,

E.P.
W. noted on log

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: Application for Permit
Instructions

25-7003

June 19, 1969

Re: Permit No. 25-7003

Amle Landon
Ririe,
Idaho 83443

Dear Mrs. Landon:

We enclose a copy of your approved application for permit 25-7003
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 2890 for \$45.00
1 informational letter

25-7003

April 24, 1969

Re: Application for Permit No. 25-7003
Amle Landon

Post Register,
Idaho Falls, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:Pg
Enc: Legal notice (1)

25-7003

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Amle Landon, Ririe, Idaho

has on ~~1 Apr 17/11/1969~~ April 4, 1969

applied for permit under application No. 25-7003 to divert ~~stone~~
5.6 cubic feet per second ~~acre/feet~~ of water from a groundwater
source

source _____ . Water will be diverted by well _____
and sprinkler system _____ within the _____

NW¹/₄SW¹/₄, Sec. 15, T. 3 N, R. 40 E, B. M., Bonneville County

and is to be used from April 1 to October 31 for irrigation

in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14; SE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 15; N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 22; NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T. 3 N, R. 40 E, B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Post Register, 333-Northgate Mile, Idaho Falls, Idaho
on May 8 and May 15, 1969.

25-7003