



SCALE 1"=50'

NORTH



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Dean Van Winkle
(Applicant)

APR 13 1999

23-07135



PLACE OF USE
S



RAINEY CREEK →

POINT OF DIVERSION →

MICROFILMED
APR 13 1999

23-07135

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 23-07135

Priority: July 24, 1989

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.5 AF

This is to certify, that JOHN DEAN VAN WINKLE
JOLANE P VAN WINKLE

PO BOX 47

SWAN VALLEY ID 83449

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 24, 1989; and has submitted Proof of Beneficial Use on May 18, 1992. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

RAINEY CREEK

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	3.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 6, Township 01N, Range 44E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	44E	6	SWSE	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
2. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 01.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
5. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Snake River Rental Pool.

MICROFILMED

APR 13 1999

State of Idaho
Department of Water Resources

Water Right License


WATER RIGHT NO. 23-07135

CONDITIONS OF APPROVAL AND REMARKS

6. Point of diversion and place of use are located within Lot 4,
Martin Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
The water right confirmed by this license is subject to all prior water rights
and shall be administered in accordance with Idaho law and applicable rules of
the Department of Water Resources. Signed and sealed this 9TH day of

APRIL, 1999.

Acting for  KARL J. DREHER, Director

MICROFILMED

APR 13 1999

RECEIVED
MAY 11 1992
Department of Water Resources
Eastern District Office

RECEIVED
MAY 26 1992

OFFICE USE ONLY
Amt. of Fee \$ 0.00 50.00
Date 11 April 92 5/18/92
Receipt No. E017338
Receipt by RB

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 23-07135 Telephone No. 523-1426
2. Name(s) of Permit Holder(s): 2057 W 4250 S John Dean Van Winkle
3. Mailing Address: 2057 W 4250 S Roy UT 84067
4. Source of Water: Rainey Creek

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .03 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

lockable
Measuring device: Required? ☒ Yes _____ No Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Allen Marler 523-1426
Name Telephone No.

742 W. Hillier Idaho falls Id 83401
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUN 10 1992

11 May 92 Allen D. Marler
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 23-07135

Proposed Priority: July 24, 1989 Maximum Diversion Rate: 0.03 CFS

This is to certify, that JOHN DEAN VAN WINKLE
JOLANE P. VAN WINKLE
2057 W. 4250 S.
ROY, UT 84067

has applied for a permit to appropriate water from:

RAINEY CREEK

tributary of SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 6, Township 01N, Range 44E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	44E	6	SWSE	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Use of water under this permit is subject to control by the watermaster of State Water District No. 01.
7. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.

MICROFILMED

JUL 20 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 23-07135

CONDITIONS/REMARKS:

8. No water may be diverted under this permit until adequate supplemental water is obtained for the irrigation season when the natural flow is not available.
9. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
10. Prior to diverting water under this permit a screen device shall be placed on the intake of the pump to prevent entrainment of small trout.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28 day of June, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

JUL 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant VAN WINKLE, JOHN DEAN or JOANNE P. (801) Phone 731-4360
Post office address 2057 W. 4250 S., TROY, UTAH, 84067
2. Source of water supply RAINEY CREEK which is a tributary of SNAKE RIVER
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 6 Township 1N Range 44E B.M. BOONVILLE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.03 for IRRIGATION purposes from 04/01 to 11/01 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. DUMP IN CREEK TO SPRINKLER SYSTEM FOR IRRIGATION
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N/A
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

MICROFILMED

JUL 20 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	44E	6															1		1

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. _____

APPLICATION FOR PERMIT FOR IRRIGATION FROM HOUSE WELL

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: _____

RECORDED


JUL 20 1990

SCALE 1"=50'

NORTH



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Dean Van Winkle
(Applicant)

Received by JDM Date 7-24-89 Time 11:05 Preliminary check by JMD
Fee \$ 30.00 Received by JDM # E009566 Date 7-24-89
Publication prepared by RB Date 4-5-90 Published in Last-Register
Publication approved me Date 5-14-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



Proof of Publication

The Post-Register



State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene first being duly sworn, depose and say: That I am the
..... Foreman of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for 2 consecutive weeks, first publication having been made
on the 5th day of April 19.90., last publication
having been made on the 12th day of April 19.90., and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of April, 19.90
..... Ted Delezene
..... Cathy von Borstel
Notary Public
My commission expires March 5, 19.96

B10



payments and offsets, the unpaid principal
balance, plus accrued interest from Sep-
tember 1, 1989 to date hereof, due and
owing upon said obligation secured by said
Deed of Trust is \$20,000.00, plus costs and
expenses as provided by law.
DATED This 22nd day of February,
1990.
TITLE AND TRUST COMPANY,
By Timothy J. [Signature]
Published: March 13, 22, 29, April 5, 1990

RECEIVED
APR 10 1990

Department of Water Resources
Eastern District Office

MICROFILMED

JUL 20 1990

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
State of Idaho:

23-07126
BAKER, RUTH F.
3911 LEGEND CIR.
HUNTINGTON BEACH, CA 92649
Source: SNAKE RIVER, SOUTH FORK;
Tributary: SNAKE RIVER
Diversion Pt: SESWSW Sec 5 T 03N R
41E
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 6/30/1989
In: T03N R41E S05 SWSW
5.0 ACRES TOTAL

23-07135
VAN WINKLE, JOHN DEAN
VAN WINKLE, JOLANE P.
2057 W. 4250 S.
ROY, UT 84067
Source: RAINEY CREEK; Tributary:
SNAKE RIVER
Diversion Pt: SWSE Sec 6 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 7/24/1989
In: T01N R44E S06 SWSE
1.0 ACRES TOTAL

23-07136
ALEXANDER, LOREN C.
HC 34 BOX 10
SWAN VALLEY, ID 83449
Source: GROUNDWATER
Diversion Pt: SWNWSE Sec 17 T 01N R
44E
Use: IRRIGATION (.140 CFS)
COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.240 CFS)
Date Filed: 8/22/1989
In: T01N R44E S17 NWSE
7.0 ACRES TOTAL

23-07137
LOVELL, GEORGE L.
P.O. BOX 398
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SWSWNW Sec 14 T 02N R
42E
Use: IRRIGATION (.220 CFS)
STOCKWATER (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.300 CFS)
Date Filed: 8/29/1989
In: T02N R42E S14 SWNW
11.0 ACRES TOTAL

23-07138
FULLMER, ELAINE BUCKLAND
6281 E. HEISE RD.
RIRIE, ID 83443
Source: SPRINGS; Tributary: SINKS
Diversion Pt: SWSSENW Sec 11 T 03N R
42E
Use: IRRIGATION (.160 CFS)
Total Diversion: (.160 CFS)
Date Filed: 8/31/1989
In: T03N R42E S11 NESW
8.0 ACRES TOTAL

23-07139
HENKEN, RAYMOND N.
HENKEN, ELAINE L.
1307 E. 25TH ST.
IDAHO FALLS, ID 83404
Source: PALISADES CREEK; Tributary:
SNAKE RIVER, SOUTH FORK
Diversion Pt: SWSWSE Sec 26 T 01N R
44E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 10/04/1989
In: T01N R44E S35 NWNE
1.0 ACRES TOTAL

23-07140
TAYLOR, HARRY JOSEPH
TAYLOR, BEVERLY JOAN
870 E. 1400 N.
SHELLEY, ID 83274
Source: PALISADES CREEK; Tributary:
SNAKE RIVER, SOUTH FORK
Diversion Pt: SWSWSE Sec 26 T 01N R
44E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 9/27/1989
In: T01N R44E S35 NWNE
1.0 ACRES TOTAL

24-07172
HEINER, RALPH
P.O. BOX 323
BEDFORD, WY 83112
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWSE) Sec 34 T 04S
R 46E
Use: IRRIGATION (1.000 CFS)
Total Diversion: (1.000 CFS)
Date Filed: 8/09/1989
In: T04S R46E S34 Lot 3 (NWSE) Lot 4
(SWSE)
83.0 ACRES TOTAL

25-07494
JOHNSON, E. BUD
P.O. BOX 386
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: NWSW Sec 19 T 03N R 40E
SWNW Sec 20 T 03N R 40E
NESE Sec 20 T 03N R 40E
NWSE Sec 21 T 03N R 40E
Use: IRRIGATION (42.000 CFS)
Total Diversion: (42.000 CFS)
Date Filed: 4/05/1989
In: T03N R40E S16 NWSW SWSW SESW
SWSE
S17 SWSW SESW
S18 SWSW SESW SWSE SESE
S19 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NESE NWSE SWSE SESE
S20 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NESE NWSE SWSE SESE
S21 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NESE NWSE SWSE SESE
2285.0 ACRES TOTAL

25-07495
JOHNSON, E. BUD
P.O. BOX 386
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SWNE Sec 13 T 03N R 39E
NWSE Sec 14 T 03N R 39E
Use: IRRIGATION (18.000 CFS)
Total Diversion: (18.000 CFS)
Date Filed: 4/05/1989
In: T03N R39E S13 NENE NWNE SWNE
SENE SWNW SENW NESW NWSW
SWSW SESW NESE NWSE SWSE SESE
S14 SENE NESW NWSW SWSW SESW
NESE NWSE SWSE SESE
900.0 ACRES TOTAL

25-07499
EASTERN IDAHO REGIONAL MEDI-
CAL CENTER
3100 CHANNING WAY

P.O. BOX 2077
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: SESE Sec 28 T 02N R 38E
Use: IRRIGATION (.380 CFS)
Total Diversion: (.380 CFS)
Date Filed: 4/10/1989
In: T02N R38E S28 SESE
19.0 ACRES TOTAL

25-07511
KELSEY, DANNY
KELSEY, SHERRY
648 E. 97 S.
IDAHO FALLS, ID 83404
Source: SAND CREEK; Tributary: WIL-
LOW CREEK
Diversion Pt: NENWNW Sec 20 T 01N R
38E
Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)
Date Filed: 6/26/1989
In: T01N R38E S20 NWNW
2.0 ACRES TOTAL

25-07512
RHOADES, ARVIN
P.O. BOX 1422
IDAHO FALLS, ID 83403
Source: TWIN CREEK; Tributary: WIL-
LOW CREEK
Diversion Pt: NESWSW Sec 28 T 01S R
40E
SWSWSW Sec 28 T 01S R 40E
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 6/15/1989
In: T01S R40E S28 SWSW
20.0 ACRES TOTAL

25-07525
LINCOLN CEMETERY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 15 T 02N R
38E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 8/15/1989
In: T02N R38E S15 NWNW
4.5 ACRES TOTAL

25-07545
PARKER, JERRY L.
P.O. BOX 358
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SESW Sec 22 T 03N R 39E
Use: IRRIGATION (7.540 CFS)
Total Diversion: (7.540 CFS)
Date Filed: 11/02/1989
In: T03N R39E S22 SWSW SESW SWSE
SESE
S27 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
377.0 ACRES TOTAL

25-07547
SCHEUERMANN, KEITH W.
756 S. FOOTHILL RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SENE Sec 19 T 02N R 39E
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 8/25/1989
In: T02N R39E S19 SENE
15.0 ACRES TOTAL

25-07561
NEIBAUR, RYAN
2320 ROSS
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SENW Sec 17 T 01N R 38E
Use: IRRIGATION (4.000 CFS)
Total Diversion: (4.000 CFS)
Date Filed: 3/02/1990
In: T01N R38E S17 NENW NWNW
SWNW SENW NWSW SWSW
S18 NESE NWSE SWSE SESE
S19 NENE NWNE SWNE
383.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
APRIL 23, 1990.
R. Keith Higginson, Director
Published: April 5, 12, 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 12, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHN DEAN VAN WINKLE
JOLANE P VAN WINKLE
PO BOX 47
SWAN VALLEY ID 83449

RE: WATER RIGHTS 23-07133/23-07135

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of April, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below:

Water Rights 23-07133/23-07135

JOHN DEAN VAN WINKLE
JOLANE P VAN WINKLE
PO BOX 47
SWAN VALLEY ID 83449


Kari Lynn Townsend
Secretary

MICROFILMED
APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

TO: File 23-07135

FROM: Sharla

DATE: April 6, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 23-07135 are as follows:

H. RECOMMENDATIONS

Irrigation	4/15 – 10/15	0.03 cfs	3.5 afa
------------	--------------	----------	---------

The standard irrigation season for this area is 4/15 – 10/15.

Exam Date: May 18, 1998
Examiner: Keith Wilson

MICROFILMED

APR 13 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 23-07135 DATE 4/6/99 REVIEWER: SHARLA

NAME OK
 Address Idaho adds
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)

W36 (overlap)

W59 (subd. desc)

Lot 4, Martin Subd.

Overlaps: Right(s):
 File reviewed Profile reports printed

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)

W27 (ppu acre limit)

Lot 4, Martin Subd.

Overlaps: Right(s):
 File reviewed Profile reports printed

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .03 cfs

Fee limit .20 cfs \$50⁰⁰

Measured .03 cfs

Theoretical .09 cfs at 5' lift and 60 psi

Recommended Total Div Rate .03 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>W11</u>	<u>.03</u> cfs	<u>123.5</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
	cfs	af	supp. gw (WB7/065/079)
	cfs	af	overlap spec. combined rts (W35)
	cfs	af	<1acre (W31)
	cfs	af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.03</u> cfs	<u>3.5</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .03 cfs X 187 days X 1.98 = 10.9 af

REMARKS W22

ADD'L CONDITIONS Get Watermaster Control WD# 01
R02 GW Measurement/Measuring Device

 Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no

SRBA Claim NA

Adjust Memo season 4/15-10/75
 Amend letters

6/9 RECEIVED

MAR 22 1999

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 23-071351. Owner: John Dean or Tolane P. Van Winkle Phone No. 483-2454Current Address: PO. Box 47 Swan Valley, Id 834492. Accompanied by: MR VANWINKLE EXAM DATE: 18 May 98Address: — Phone No. —Relationship to Permit Holder: —3. Source: Rainey Creek tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 23-071332. Other water rights with the same point of diversion: NO

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	6	1N	44E	Bonneville	On Site/UGS QUAD / PLAT MAP

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1N	44E	6															1		1

MICROFILMED

APR 13 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	2hp	C48M2EC11C2	SEARS	S/N 1E89

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. *Theoretical*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 7- ~~7~~ 1/16 x 3/32 Model 40B Rainbird Sprinklers @ 35 PSI

MICROFILMED

APR 13 1999

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$\frac{1}{16}$ " Nozzle @ 35 psi, $Q = 0.69 \text{ gpm}$

$\frac{3}{32}$ " Nozzle @ 35 psi, $Q = 1.55 \text{ gpm}$

$$2.24 \text{ gpm} \times 7 = 15.68 \text{ gpm} = 0.03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1(3.5) = 3.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03(183)(1.9835) = 10.94 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.03	3.5 afa
Totals:			0.03	3.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name KEITH C WILSON Date 5/18/1998

Reviewer _____ Date _____

SEAL

MICROFILMED

APR 13 1998

E. NARRATIVE/REMARKS/COMMENTS

Suction line in RAINEY CREEK TO pump w 2" main line to
sprinklers with nozzles

Gate valve could be used as ~~ticket~~ lockable device

Suction line has a screen


PLACE OF USE AKA Lot 4 Martin Subdivision

STREET ADDRESS - 410 RAINEY CREEK Rd.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 13 1999



MICROFILMED

APR 13 1999

23-07135



PLACE OF USE



RAINEY
CREEK →

POINT OF DIVERSION

MICROFILMED
APR 13 1999

23-07135

May 29, 1992

JOHN DEAN VAN WINKLE
JOLANE P. VAN WINKLE
2057 W. 4250 S.
ROY UT 84067

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 23-07135

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
JUN 10 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 23-07135

Reviewed by Klg

Date 5/13/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 1
yes Correct Uses?

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
5000 Amount Submitted
no Correct?

MEASURING DEVICE

yes Required?
no Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date ✓

DEFICIENCIES OR ACTION ITEMS

needs a \$100 fee

proof acceptable

needs a lockable

DATA ENTRY

New Address _____

Proof Made 5/18/92
5/29/92 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 13, 1992

John Dean Van Winkle
2057 West 4250 South
Roy, UT 84067

Re: Permit No. 23-07135

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater source.
2. The rate of diversion must be .04 cfs or less.

As you can see, you do not meet requirement #1 since you use a Rainey Creek for your source. Therefore, a license examination fee of \$50 applies to your permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

Please return the proof of beneficial use and the \$50 license exam fee as soon as possible. In order to meet all of the required dates, it must be received on or before July 1, 1992.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED

JUN 10 1992

April 30, 1992

JOHN DEAN VAN WINKLE
JOLANE P. VAN WINKLE
2057 W. 4250 S.
ROY UT 84067

PROOF DUE NOTICE

RE: PERMIT NO. 23-07135

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUN 10 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

JOHN DEAN VAN WINKLE
JOLANE P. VAN WINKLE
2057 W. 4250 S.
ROY, UT 84067

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P23-07135

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

MICROFILMED

JUL 20 1991

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 20 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES Van Winkle, John Dean or Joane D.

APPLICATION FOR PERMIT ANALYSIS SHEET

Non Trust HoldINITIAL REVIEW BY Deanna Dunn DATE 18 Oct 89 APPLICATION NUMBER 23 7135REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.) app for permit
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED

JUN 07 1990

Department of Water Resources

PROCESSING Yes No In form for advertising
Yes No Statewide advertising
Yes No Fee amount, receipt date & No. recorded on application

SEND COPIES TO Idaho Dept. of Health & Welfare U.S. BLM
X Idaho Dept. of Fish & Game 3-13-90 U.S. Forest Service
Idaho Dept. of Lands Water District 01
Adjudication Bureau Unit Other

FINAL REGIONAL PROCESSING REVIEW

Yes No Affidavit of publication received
Yes No Application published correctly. If not, record action taken.

Yes No Publication dates & paper, recorded on application
Yes No Protests received
Final date for protest 4-23-90
Yes No Protests, dates, resolution of protest, recorded on application
Yes No Recommendations attached
Yes No Measuring device required
Yes No Access port required
0 Yes No Will water be delivered by watermaster? If yes, what Dist 01
X Yes No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 7-24-89
By Date

STATE OFFICE REVIEW

See below for additional information
By kw Date 6-18-90

ADDITIONAL INFORMATION

Conditions That a screen device be place on the intake of the pump to prevent entrainment of small trout.

<01H>

App. in NON-TRUST area-
OK to allow 2 yrs. to develop

** Prior to diverting water under this permit a screen device shall be placed on the intake of the pump to prevent entrainment of small trout.

WATERMASTER COMMENTS

I have reviewed Application for Permit No. 23-7135 and
have the following comments/objections to the approval of this
application for permit:

While the amount of water
requested in this application is
small, approval without
a mitigation requirement
certainly will result in water
supplies going to other rights
being reduced by the amount
diverted under this permit

4/26/90

Date

R. Carlson
RONALD D. CARLSON, WATERMASTER
Water District No. 01

MICROFILMED

JUL 20 1990



IDAHO FISH & GAME

REGION 6
1515 Lincoln Road
Idaho Falls, ID 83401
(208) 522-7783

RECEIVED

APR 11 1990

Department of Water Resources
Eastern District Office

April 10, 1990

Mr. Harold Jones
Water Rights Specialist
Idaho Department of Water Resources
150 Shoup Avenue, Suite 15
Idaho Falls, ID 83402

Re: Water Right Application 23-7135 - Van Winkle

Dear Skip:

Idaho Department of Fish and Game has reviewed the referenced application and have the following comments. While we do not protest this application, we do wish to point out Rainey Creek is an important trout spawning stream in the proposed diversion area. An assessment should be made regarding potential dewatering based on this application and prior rights. If granted, we request this right be conditioned to require intake screening to prevent entrainment of small trout.

Thank you for the opportunity to comment.

Sincerely,

Herbert A. Pollard II
Regional Supervisor
Region 6

HAP:SE:ab

cc: U.S. Fish and Wildlife Service (Lobdell)
Bureau of Program Coordination
Bureau of Fisheries
Lynn Merrill

MICROFILMED

JUL 20 1990

Cecil D. Andrus / Governor
Jerry M. Conley / Director



Working for wildlife since 1938

13-Mar-1990

John Dean or Jolane Van Winkle
2057 W. 4250 S.
Roy , Ut 84067

RE: Application for Permit No. 23-7135

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register on April 5 & 12, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUL 20 1990

12-Mar-1990

Department of Fish & Game
1515 Lincoln Rd.
Idaho Falls, ID 83401

RE: Applications for Permit 29-7867, 25-7512, 25-7511, 23-7140,
23-7139, 23-7135, 22-7658, & 22-7660

Dear Sir:

We are enclosing a copy of the applications that may be of interest to your department. Please review the applications and submit any comments you may have to our Department as soon as possible. The last date of protest is April 23, 1990, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb
enc.

MICROFILMED

JUL 20 1990

23-07135

VAN WINKLE, JOHN DEAN
VAN WINKLE, JOLANE P.
2057 W. 4250 S.
ROY, UT 84067

Source: RAINEY CREEK

Tributary: SNAKE RIVER

Diversion Pt: SWSE Sec 6 T 01N R 44E

Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 7/24/1989

In: T01N R44E S06 SWSE

1.0 ACRES TOTAL

MICROFILMED

JUL 20 1990