


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

STATE OF IDAHO
DEPARTMENT OF HIGHWAYS

By: John P. Mix
(Applicant) Chief Right of Way Agent

23-7003

RECEIVED

NOV 18 1968

Department of Reclamation

Proof of Publication

The Post-Register

✓	RECEIVED
	CLERK
	DEPT
	RECORDS
	STENOGRAPHER
	TRAINING
	RESEARCH
	INSPECTION
	MAINTENANCE
	PROPERTY
	PLANT
	WATER

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 17th day of October, 1968, last publication having been made on the 24th day of October, 1968, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 25th day of October, 1968

Notary Public

My commission expires April 5th, 1971

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that the State of Idaho, Department of Highways, 3211 West State Street, Boise, Idaho has on September 18, 1968 applied for permit under application No. 23-7003 to divert 94 cubic feet per second of water from a subterranean source. Water will be diverted by a well, pump, motor, pressure system and tank within the SW 1/4, sec. 17, T. 1 N., R. 44 E., B.M., Bonneville County and is to be used from January 1 to December 31 for industrial and domestic use in the SW 1/4, sec. 17, T. 1 N., R. 44 E., B.M.
Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.
R. KEITH HIGGINSON
State Reclamation Engineer
Pub: October 17, October 24, 1968.

23-7003
bill sub 11-18-68

R. 44 E




Diagram of System

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 23-7003 Priority Sept. 18, 1968 Amount 0.04 cfs

THIS IS TO CERTIFY, that the State of Idaho, Department of Highways
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 23-7003 issued pursuant to Application for Permit dated September 18, 1968,
and has submitted proof to the Department of Water Administration on December 9, 1970,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.04 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.04 cfs for industrial from Jan. 1 to Dec. 31 (both dates inclusive)

Amount 0.02 cfs for domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 17, Twp. 1 N, Rge. 44 E, B.M.

in the county of Bonneville; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 29.0 acre feet per year ~~or~~
for industrial use or 14.5 acre feet per year for domestic use, with a total amount
~~acre feet per year~~ not to exceed 29.0 acre feet per annum.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1 N	44 E	17															X		

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 1 day of

March, 19 72.


Director

23 7003

Identification No. 23 - 7003
Application No. _____

LICENSE ISSUED FOR 0.04 SEC. FT.
LICENSE PAG NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant STATE OF IDAHO, DEPARTMENT OF HIGHWAYS
post office address 3211 West State Street, Boise, Idaho
2. Source of water supply Subterranean which is a tributary of NA
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 17 Township 1 N.
Range 44 E B.M. Bonneville County; additional points of diversion if any: _____


b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .04 for Industrial purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for Domestic purpose from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .04 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Drilled well, pump, motor, pressure system - 82 gallon tank

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 6 inches; proposed depth of well is 50 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
b. Estimated construction cost is \$ None-Bid.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 17 Township 1 N.
Range 44 E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Domestic for shop area and industrial for highway maintenance shop for use in and around equipment and motor vehicles

23-7003

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

STATE OF IDAHO
DEPARTMENT OF HIGHWAYS

By: John P. Mix
(Applicant) Chief Right of Way Agent

23-7003

State Reclamation Engineer

Witness my hand this 6th day of December 19 68

2. Denial of said application is for the following reasons:

c. Other:

before January 1, 19 71

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 23-7003, and said application is hereby APPROVED

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

Recommended for approval denial by *W. B. Dwyer*

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: *W. B. Dwyer*

Priority reduced to _____ Reason _____

Publication approved *W. B. Dwyer* Date *10-17-68*

Publication dates *10-17-68*

Published in *Good Evening*

Publication prepared by *W. B. Dwyer* Date *10-17-68*

Received by *W. B. Dwyer* Date *9-19-68*

Preliminary check by *W. B. Dwyer* Fee \$ *No fee required* Date *9-19-68*

Received by *W. B. Dwyer* Date *9-18-68* Time *4:40 pm*

NOV 18 1968

Department of Reclamation

Proof of Publication
The Post-Register

[illegible]

State of Idaho,

County of Bonneville

SS.

J. E. F. McDermott

, first being duly sworn, depose and say: That I am the

Principal Clerk

Principal Clerk _____ of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 17th day of October, 1968, last publication having been made on the 24th day of October, 1968, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 25th day of October, 1968

Notary Public

My commission expires April 5th, 19 71

NOTICE OF APPLICATION FOR WATER
Notice is hereby given that the State of Idaho, Department of Highways, 3212 West States Street, Boise, Idaho has on September 18, 1963, applied for permit under application No. 23-7003 to divert 4.5 cubic feet per second of water from a subterranean source. Water will be diverted by a well, pump, motor, pressure system and tank within the SW 1/4 Sec. 17, T. 1 N., R. 44 E., B.M., Bonneville County and is to be used from January 1 to December 31 for industrial and domestic use in the SW 1/4 Sec. 17, T. 1 N., R. 44 E. B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.
R. KEITH HIGGINSON
State Reclamation Engineer
Pub: October 17, October 24, 1963

23-7003
div 11/18/68

* WATER RIGHT NUMBER 23-7003

OWNER LAST NAME - STATE OF IDAHO FIRST NAME - ORIG OWNER -
ADDRESS LINE 1 - DEPT. OF TRANSPORTATION ADDRESS LINE 2 - DIVISION OF HIGHWAYS
ADDRESS LINE 3 - P.O. BOX 7129 CITY - BOISE STATE - ID ZIP CODE - 83720
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENSE STATUS - PRIORITY - 09-18-1968 COUNTY - BONNEVILLE TOTAL DIV. RATE - .0400 -CFS
TOTAL DIV. VOLUME - 29.00 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SWSE 17 01N 44E LOT REDIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 01-01 TO - 12-31 USE - INDUSTRIAL USE DIV. RATE - .0400 CFS USE DIV. VOLUME - 29.00 AFA
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .0200 CFS USE DIV. VOLUME - 14.50 AFA
USE - INDUSTRIAL PLACE OF USE - TWN 01N RNG 44E SEC 17 TRACT SWSE LOT AC
DECREE NAME - DATE - TOTAL ACRES 0
REMARKS -
NON IRRIG USE - I/HWY. MAINTENANCE SHOP, D/SHOP.
OTHER RIGHTS FOR SAME USE -
PROOF DUE - PERMIT/DENIED - PROTESTED - HEARING - OLD NO. -
PROOF MADE - FLD EXAM - COND. OF APPROVAL -
DIVERSION MEANS -

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

March 6, 1972

C Re: Permit No. 23-7003

O State of Idaho, Dept. of Highways
Right-of-Way Division
P.O. Box 7129
Boise, Idaho 83707

Gentlemen:

P Enclosed herewith is the Water License issued on the above referenced permit.

Sincerely,

Y BOBBY D. FLEENOR
Assistant Director

BDF:DR

Enc: License

bc: Eastern District Office

23 7003

February 16, 1972

Dept. of Highways
Right-of-Way Division
P. O. Box 7129
Boise, Idaho 83707

Gentlemen:

A representative of this department has made an examination of the works covered by your Permit No. 23-7003 and has found the following:

Quantity of water diverted: 0.04 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho law: 0.04 c.f.s.

The maximum quantity diverted shall not exceed 29.0 acre feet per season.

Beneficial Use: Domestic and industrial purposes within the SW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 17, Twp. 1N, Rge. 44E, B.M. (Irwin Maintenance Shed Site,
Bonneville County, District No. 6)

The priority date established is : September 18, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

23 7003

TOTAL ACREAGE

$.046 \times .9915 = .0395$
 $.09329 \times 365$
 28.9518 AF
 SEASON




Diagram of System

DATE OF EXAM Aug. 27, 1971

ACREAGE

Found None
Recommended _____

Irrigation Requirement None Ac Ft/Ac

USE

Irrigation Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____
Domestic Q= <u>.02</u> c.f.s.	V= <u>\$.57</u>	AF/Ann. from <u>Jan 1</u>	to <u>Dec 31</u>
Livestock Q=_____ c.f.s.	V=_____	AF/Ann. from _____	to _____
<u>Industrial .04 cfs</u>	<u>V= \$.57</u>	<u>June 1</u>	<u>Sept. 30</u>

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement _____

Total Q recommended .06 cfs ^{.04 cfs Permit} Meter No. _____ Type _____ Condition _____

Total V recommended 11 AF/A

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

Calculated from Pump capacity at the rate of
1250 GPM @ 40 psi.

SYSTEM DESCRIPTION:

1 HP Franklin Motor via Peerless Submersible Pump. Model #280-1080101
6" well casing 3 feet above L.S.D. 80 gallon storage tank - 5 Man regular
crews Does increase to 15 Men with special work crews in area. Leach
Shower, Toilet, Urinal and wash basin. 40' x 110' shop + storage area. 7
Motor units regular. Plus extra summer work crew units
no. irrigation now. (Peerless Submersible Pump Model No 4P-2B-102)
Rated at 1250 GPM at 40 psi.

REMARKS: Reed Rick's Maintenance Foreman present.

Examiner's Signature Larry Johnson Date 8/27/71

Checked by _____ Date _____

Approved by _____ Date _____

23 7083

STATE OF IDAHO

IDAHO BOARD OF
HIGHWAY DIRECTORS

C. ED FLANDRO - CHAIRMAN
HOWARD B. THOMASON - VICE CHAIRMAN
LLOYD F. BARRON - MEMBER

WAYNE SUMMERS
EXECUTIVE SECRETARY



E. L. MATHES
STATE HIGHWAY ENGINEER

DEPARTMENT OF HIGHWAYS

P.O. BOX 7129
BOISE, IDAHO 83707

December 16, 1970

RECEIVED

DEC 16 1970

Department of Water Administration

Irwin Maintenance Shed
Site
Bonneville County
District No. 6

Mr. R. Keith Higginson, Director
State of Idaho, Dept. of Water Administration
Statehouse - Annex No. 2
Boise, Idaho 83707

Dear Mr. Higginson:

Pursuant to your letter of December 11 in connection with Water Permit No. 23-7003, please contact our District No. 6 office in Rigby when you have set the date for your inspection. The District Engineer will arrange to have someone accompany your representative.

Very truly yours,

O. B. White

O. B. WHITE
Chief R/W Agent

jk

23 7003

Better Highways for a Better Idaho

December 11, 1970

Re: Permit No. 23-7003

State of Idaho, Dept. of Hwys.
Right-of-Way Division
3211 West State Street
Boise, Idaho 83703

ATTENTION: O. B. White

Dear Mr. White:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit ~~no. 23-7003~~.

Before a license can be issued a field examination must be made by a representative from this department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than yourself should be contacted, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

23 7003

Identification No. _____

Permit No. 23-7003

dg
OK
12-11-70


STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

DEC 9 1970

Department of Water Administration



1. a) Name of Permit Holder State of Idaho, Department of Highways

b) Post Office Address P.O. Box 7129, Boise, Idaho

2. Permit Number 23-7003

3. Date of Priority that you are prepared to establish September 18, 1968

4. a) Source from which water was appropriated Subterranean

b) Location of the point of diversion: SW 1/4 SE 1/4, Section 17

Township 1 North, Range 44 East Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

amount 0.04 for Industrial purposes from January 1 to December 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount 0.02 for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 0.04 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 30 gal. per min. How long it took to fill

5 gal. bucket. Karl Stewart, Engr. Tech. VIII

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A

b) Describe the agreement or understanding by which you take water from the works: N/A

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 1 H.P. submersible pump, 220-240 V-60 cycle 68.5' deep - 6" casing

b) Describe the type and size of measuring device which you have installed at your point of diversion: NA

c) Give well drillers name and address and date the well was completed October 23, 1968

Andrew Well Drilling Contractors 1268 E. 17th, Idaho Falls, Idaho 83401

exam typed
1-22-71
dg

23 7003

23 7003

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Domestic for shop area and industrial for highway maintenance
shop for use in and around equipment and motor vehicles

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres irrigated _____

10. Remarks: _____


The above information is a true statement of the extent to which the above numbered permit has been developed.

CHIEF R/W AGENT

12/7/70 (Date) [Signature] (Signature)

State of Idaho ss.
County of Ada

On this 17th day of December, 19 70, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



[Signature]
Notary Public residing at Boise

My commission expires 9-14-74

IDAHO BOARD OF
HIGHWAY DIRECTORS

C. ED FLANDRO - CHAIRMAN
HOWARD B. THOMASON - VICE CHAIRMAN
LLOYD F. BARRON - MEMBER

WAYNE SUMMERS
EXECUTIVE SECRETARY

STATE OF IDAHO



DEPARTMENT OF HIGHWAYS

P.O. BOX 7129
BOISE, IDAHO 83707

December 7, 1970

E. L. MATHES
STATE HIGHWAY ENGINEER
RECEIVED

DEC 9 1970

Department of Water Administration

Irwin Maintenance
Shed Site
Bonneville County
District No. 6

Mr. R. Keith Higginson, Director
State of Idaho, Dept. of Water Administration
Statehouse - Annex #2
Boise, Idaho 83707

Dear Mr. Higginson:

Enclosed is a notarized Proof of Application of
Water to Beneficial Use in connection with Water Permit
No. 23-7003.

Very truly yours,

O. B. White
O. B. WHITE
Chief R/W Agent

jk

Better Highways for a Better Idaho

23 7003

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

22289

INSURED NO.

DATE DELIVERED

NOV 2

19

23

2003

23-7003

SHOW WHERE DELIVERED (only if requested)

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

23 7003

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN RECEIPT REQUESTED.**

NAME OF SENDER

DEPARTMENT OF WATER ADMINISTRATION

STREET AND NO. OR P.O. BOX

**STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707**

POST OFFICE, STATE, AND ZIP CODE



**RETURN
TO**

c55-18-71548-10

Apr. 1967

3811

POD Form

October 30, 1970

Re: Permit No. 23-7003

State of Idaho, Dept. of Highways
Right-Of-Way Division
3211 West State St.
Boise, Idaho 83703

Gentlemen:

One of the conditions of the approval of your Permit No. 23-7003 was that proof of application of the water to beneficial use be submitted to this office on or before January 1, 1971.

Enclosed is an affidavit form which must be used to submit proof of beneficial use. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended.

Either the proof affidavit or a request for extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



Director

Enc: Proof affidavit
dr

CERTIFIED MAIL

22284

23-7003

December 9, 1968

Re: Permit No. 23-7003

**State of Idaho
Department of Highways
Building**

Dear Sirs:

We enclose a copy of your approved application for permit 23-7003
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

**Enclosures: Copy of application
1 informational letter**

23-7003

November 4, 1968

Re: Application No. 23-7003
Department of Highways

Post Register
Idaho Falls, Idaho 83401

Gentlemen:

As of this date, we have not yet received the affidavit of publication or the certified bill for the publication of the above referenced application. Please submit these items promptly to the Department of Reclamation so we may continue processing the application.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg

23-7003

October 4, 1968

Re: Permit No. 23-7003 - State of Idaho, Dept. of Highways

Post Register
Idaho Falls,
Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriations Examiner

DWM:kh

Enclosure

23-7003

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that the State of Idaho, Department of Highways,
3211 West State Street, Boise, Idaho has on September 18, 1968
applied for permit under application No. 23-7003 to divert ~~store~~
.04 cubic feet per second ~~acre feet~~ of water from ~~a well~~
a subterranean source. Water will be diverted by a well,
pump, motor, pressure system and tank within the ~~SW 1/4~~
sec. 17, T. 1 N. R. 44 E. B.M., Bonneville County
and is to be used from January 1 to December 31 for
industrial and domestic use
in the SW 1/4, sec. 17, T. 1 N. R. 44 E. B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Post Register, Idaho Falls, Idaho,
on October 17 and October 24.

23-7003