





MICROFILMED

JAN 23 2001

TROUGH PIPING DETAIL

TROUGH

Length X width or diam. _____

Depth _____

Capacity _____ gal.

PIPESupply riser _____
diameter-material-lengthOverflow _____
diameter-material-lengthOutlet _____
diameter-material-length

Outlet protection _____

SPECIAL REQUIREMENTS

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Date: _____
Cooperator

CONSTRUCTION SPECIFICATIONS

ID-SS-E _____, _____ ATTACHED

TROUGH OR TANK


COOPERATOR _____
_____ SCD _____ CO., IDAHO

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed _____	Date _____	Approved by _____
Drawn _____		Title _____
Traced _____		Scale _____
		Sheet _____

Trough capacity _____ gal.


TROUGH PIPING DETAIL



Top View

protection from livestock entry into tank

Posts may be steel or treated wood w/minimum top diameter of 4".



plumbing shall be inside protective triangle

Overflow pipe min. length to be 10' and screened or otherwise protected against rodent entry. Pipe shall be free draining.

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator

Date: _____

RUBBER TIRE TROUGH

Cooperator _____


SCD _____ Co. Idaho

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed	_____	Date	_____
Drawn	_____	Title	_____
Traced	_____	Sheet	_____
Checked	_____	No.	_____
		Drawing No.	_____


CONSTRUCTION SPECIFICATIONS
ID-SS-E _____ ATTACHED

MICROFILMED
JAN 29 2001



TRENCH DETAIL

Spring box to be used when water emerges in one spot or with collection system above. Box may be concrete or metal pipe.



PLAN

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator _____ Date: _____

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____ ATTACHED

SCHEMATIC LAYOUT

Box: _____ (Material) _____

Size _____

Collection system: _____

Supply pipe: _____

(Diameter & type) _____

Protection of source _____

Job class _____

SPRING DEVELOPMENT

COOPERATOR _____ SCD _____ CO., IDAHO

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Approved by _____

Checked by _____

Dated _____

MICROFILMED
JAN 29 2001

RECEIVED

DEC 04 2001

Ident No. 23-04087
#14STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

NOTICE OF DIVERSION FOR INSTREAM STOCKWATER USE

(To provide notice of intent to divert surface water from a stream or riparian area to troughs or tanks for the watering of livestock)

1. Name of Right Holder Carl Zitlau Phone 538-7140
Mailing address 392 N 4500 E, Rigby ID 83442
C.H. Springs ~~Small tributaries~~ Granite Crk
2. Source of water supply ~~to Granite Crk~~ tributary to South Fork of Snake
3. Point of diversion is in Gov't Lot SE 1/4 NE 1/4 SW 1/4, Section 28,
Township T2N Range 42 E B.M., Bonneville County.
Designation on accompanying TOPO map S7
4. Description of diversion and delivery system:
 - a) Describe the type of diversion: Spring to water trough using spring box (see drawing)
 - b) Describe the delivery system: Underground pipe 1 1/4" diameter minimum (see drawing)
 - c) Describe the number, type and total capacity of troughs or tanks 1 300 gallon tank
 - d) Describe the automatic shutoff or flow control mechanism or means of Returning unused water to the source: Overflow returning water back to stream bed
 - e) Describe how the system is designed to allow measurement of the rate of diversion: Inlet pipe in trough would allow a hose to be attached for measurement.
5. Describe the place of use by placing an X in the appropriate 40-acre tract(s) below:

TWP	RGE	SEC	NE				NW				SW				SE			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
2N	42	28E									X							

6. Priority date claimed or established: May 1, 1885
7. Rate of diversion: 0.02 cfs

MICROFILMED


JAN 29 2001

8. Season of use: From Jan 1 to Dec 31
9. a) Who owns the property at the point of diversion? Carl Zitlau
b) Who owns the property at the place of use? Carl Zitlau
10. When will construction occur? Fall 2000 to Fall 2001
11. Comments: This system will provide off-stream watering of stock to reduce erosion of stream banks.

I hereby assert the following:

- a) Diversion is from a surface water source to which the livestock would otherwise have access. The land where the watering tanks or troughs will be located is land from which the livestock had access to the source of water from which diversion is being made.
- b) The diversion of water out of the stream as described in this notice is for watering livestock and will not injure other water rights.
- c) I will not alter the bed and banks of the source as the term is defined in section 42-3802, Idaho Code. I understand that I may place an inlet conduit into the source in a manner that does not require excavation or obstruction of the stream channel, unless the director of the department of water resources approves a stream channel alteration permit for additional work.
- d) I understand that upon determination of interference with other water rights, the Director may order curtailment of diversion or use of water under this notice or may require the diversion and delivery system to be modified to prevent injury.
- e) I will not divert more than 13,000 gallons per day for livestock watering from this diversion, and I will not use more than one point of diversion under this notice.
- f) I am authorized to make the changes described in this notice and that if the notice involves a federal grazing allotment, the permittee consents to the changes described in this notice.
- g) I understand that any willful misrepresentation on this notice will void any right to divert water for livestock under this notice.

Dated this 28 day of September 2000



Right Holder or Authorized Representative

FOR DEPARTMENT USE

Received by HWS Date 9-29-00 Preliminary check by _____
Fee: \$ 25.00 Received by HWS Receipt No. E026212 Date 9-29-00
Water District No. 01 Entered into data base 11/29/00 By SC

MICROFILMED

JAN 29 2001



Radio Facility 795

Creek

MICROFILMED

T
N
R 42 E

29

28

27

21

22

23

S2

S1

S3

S4

S5

S6

S7

S8

S9

S10

S11

S12

S13

14

5900

X 6984

X 6741

8571 X

6000

7000

7000

7000

6600

6600

6200

6200

6700

6800

6400

6800

6200

6000

7000

6800

6400

6800

6200

6200

7000

6800

6600

6200

6200

5900

6200

60

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279


280

281

282

2

TROUGH PIPING DETAIL

TROUGH

Length X width or diam. _____

Depth _____

Capacity _____ gal.

PIPESupply riser _____
diameter-material-lengthOverflow _____
diameter-material-lengthOutlet _____
diameter-material-length

Outlet protection _____

SPECIAL REQUIREMENTS

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator

Date:

CONSTRUCTION SPECIFICATIONS

ID-SS-E _____ ATTACHED

TROUGH OR TANK


COOPERATOR _____
_____ SCO _____ CO., IDAHO

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed _____	Drawn _____	Checked _____	Approved by _____
Title _____		Date _____	
Project _____		Location _____	

Trough capacity _____ gal.

TROUGH PIPING DETAIL



I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator _____

Date: _____

RUBBER TIRE TROUGH

Cooperator _____


SCD _____ Co. Idaho

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed	_____	Date	_____
Drawn	_____	Title	_____
Traced	_____	Sheet	_____
Checked	_____	No.	_____
		Drawing No.	_____


CONSTRUCTION SPECIFICATIONS
ID-SS-E ATTACHED

MICROFILMED
JAN 29 2001




ELEVATION

Can be installed in Y, T, L or straight line to best pick up free flow of water.



TRENCH DETAIL

Spring box to be used when water emerges in one spot or with collection system above. Box may be concrete or metal pipe.



PLAN

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.


Cooperator

Date:

Concrete bottom or filter gravel (min. 6" thick) if water enters through bottom.

CONSTRUCTION SPECIFICATIONS

ID-SS-E, ATTACHED



SCHEMATIC LAYOUT

Box: (Material)

Size

Collection system:

Supply pipe:

(Diameter & type)

Protection of source

Job class

SPRING DEVELOPMENT

COOPERATOR

SCO CO., IDAHO

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

MICROFILMED
JAN 29 2001

RECEIVED

DEC 04 2000

23-04887

Department of Water Resources
STATE OF IDAHO

Department of Water Resources

Notice of Diversion for Instream Stockwater Use
Section 42-113, Idaho Code

Name of Right Holder:

Carl Zitley

Initial Review By:

HWT

Date:

11-15-00

Based on prior recorded instream stockwater right?

Yes

☐ No

☒

If yes, right number:

Instream Stock Div. No.

Also, if right was claimed in SRBA, this notice will amend claim.

If no, enter as statutory claim.

CHECK:

☒
☒
☒
☒
☒
☒
☒
☒
☒
☒
☒
☒

Name & address

Date of Priority

Source

Period of use

Point of diversion (limited to 1 diversion)

Location of use

Signature

\$25.00 filing fee

Receipt No.

E 026212

Water District

01

Amount of Water

Description of diversion/delivery system.

Publish?

Yes

☐

No

☒

(Regional Determination*)

☒

Review Complete

By:

HWT

Date:

11-15-00

*Generally not advertised unless determined to be necessary by Regional Manager.



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

November 30, 2000

Carl Zitlau
392 N 4500 E
Rigby ID 83442

RE: Instream Stock Diversion No 23-04075 to 23-04087.
Notice of Diversion for Instream Stockwater Use

Dear Mr. Zitlau:

The Department of Water Resources acknowledges receipt of the water right notice you submitted under Section 42-113(3), Idaho Code. Please refer to the above referenced number in all future correspondence regarding this notice.

If exceptions to the notice are filed you will be sent a copy of the exceptions(s).

The filing of the notice does not confirm the validity of the water right. It will serve to record and preserve the information, including any exceptions, regarding the notice.

Please note that the diversion described in your notice may occur only if the following conditions are met.

- The water is diverted from a surface water source to a trough or tank through an enclosed water delivery system.
- The water delivery system is equipped with an automatic shutoff or flow control mechanism or includes a means for returning unused water to the surface water source through an enclosed delivery system, and the system is designed and constructed to allow the rate of diversion to be measured.
- The diversion is from a surface water source to which the livestock would otherwise have access and the watering tank or trough is located on land from which the livestock would have access to the surface water source from which the diversion is made.
- The diversion of water out of the stream in this manner does not injure other water rights.
- The use of the water diverted is for watering livestock.
- The bed and banks of the source shall not be altered as that term is defined in section 42-3802, Idaho Code, except that an inlet conduit may be placed into the source in a

MICROFILMED

JAN 29 2001

manner that does not require excavation or obstruction of the stream channel, unless additional work is approved by the Director of the Department of Water Resources.

- The amount of water diverted for watering of livestock shall not exceed thirteen thousand (13,000) gallons per day.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

We are enclosing a copy of the notice for your records. Please feel free to contact this office if you have any questions.

Sincerely,



Harold W Jones
Water Right Supervisor

HWJ::sc

Enclosure

MICROFILMED

JAN 29 2001