




STATE OF IDAHO DEPARTMENT OF HIGHWAYS
PROPOSED DESIGN OF INTERSTATE HIGHWAY 80N
IN THE VICINITY OF CALDWELL, IDAHO
JULY, 1973

PROJECT SU-SUG-3755(2)

LEGEND

- To be constructed and retained on State Highway System ————
- Frontage and Connector Roads to be constructed but not added to State Highway System ————
- To be constructed and added to the State Highway System authorized by previous Highway Board action ————
- Other Roads ————
- Road Closure ————
- To be retained on State Highway System ————
- Proposed Sidewalks ————

CALDWELL (INC.)
POP. 14,219 - 1970 Census

MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

FEB 13 1990

A. GENERAL INFORMATION

Permit No. 63-9977

1. Owner: DISTRICT 3, Div. of Highways ID. Trans. Dept Phone No. 334-8300

Current Address: P.O. Box 8028 Boise, ID 83707

2. Accompanied by: Ken BATT EXAM. DATE: 7/21/88

Address: 618 IRVING CRAWFORD, ID 83605 Phone No. 455-3061

Relationship to Permit Holder: PARKS SUPERINTENDENT

3. Source: WELL #1 tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9776 NO RMC

☒ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

63-9977



50

R3W

7969

93

765

14.6

14.5

1360115
AUG 28 1950

Well House
Port of Diversion.

63-9977



Place
of
use



Well #1
North side of
Interstate

Interior of
Well House.

MICROFILMED

AUG 28 1990

63-9776

AND

63-9777



TYPICAL CONTROL BOX

FOR 12 STATIONS.

STATIONS ARE ACTIVATED IN A TIMED SEQUENCE
FOR A SET PERIOD OF TIME.

MICROFILMED

AUG 20 1990

EACH STATION MAY HAVE 6-12 SPRINKLER
AND USE AN AVERAGE OF 25-35 GPM.

AS MANY AS 5 CONTROL BOXES MAY BE
WORKING AT ANY ONE TIME.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09977

Priority: January 12, 1983

Maximum Diversion Rate:

0.27 CFS

Maximum Diversion Volume:¹

67.5 AF

This is to certify, that STATE OF IDAHO

DEPT. OF TRANSPORTATION

DIVISION OF HIGHWAYS

P.O. BOX 7129

BOISE, ID 837070000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1983; and has submitted Proof of Beneficial Use on January 27, 1988. An examination indicates that the works have a diversion capacity of .450 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.27 CFS	67.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 22, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	22	SWNE 7.6	SENE 6	NESE 1.4	15

Total number of acres irrigated: 15

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09977

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8th
day of AUGUST, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09977

Date of Priority: January 12, 1983

Maximum Diversion Rate:

Maximum Diversion Volume:¹

0.7 CFS
6.5 AF

Comes now STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 837070000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-09977, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.27 CFS	67.5 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 22, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	22	SWNE 7.6	SENE 6	NESE 1.4	15

Total number of acres irrigated: 15

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 27 day of July, 1990.

MICROFILMED

AUG 28 1990

J.R. Seil
(Signature)

7-27-90

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09977

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = \$20.00 Received by J. O. Date 7/3/90 ~~#~~ #C017868

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09977 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 8TH day of August 1990.

Norm C. Young
Acting for R. Keith Higginson Director

MICROFILMED

AUG 28 1990

APPROVED

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

Identification No. 63-9977

Application No. _____

IR-84-1(8)26
Caldwell Section
Landscaping
Canyon County
Well No. 1

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Idaho Transportation Department
Division of Highways

1. Name of applicant Idaho Transportation Department Phone: 334-3646
post office address P. O. Box 7129, Boise, Idaho 83707

2. Source of water supply Subterranean which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 4 North
Range 3 West B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into the ground at a point in SW $\frac{1}{4}$
of NE $\frac{1}{4}$ of Section 22 Township 4 North Range 3 West B.M. Canyon County

4. Water will be used for the following purposes:

Amount 0.27 for irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.27 cubic feet per second ~~and/or~~

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
20 HP turbine pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 50 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 450,000 for both Well No. 1 & Well No. 2 (see Item #10)

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 15

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Idaho Transportation Dept., Div. of Highways
b. Who owns the land to be irrigated or place of use _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The \$450,000 is for well development of both wells
together with the landscaping of two interchanges that will
be irrigated.

[illegible]

SECRET

IDAHO TRANSPORTATION DEPARTMENT
DIVISION OF HIGHWAYS
BY: *David L. Jones*
(Applicant) R/W Engr. Mgr. II

Proposed Priority 1/12/1983

Received by DBS Date 1/12/83 Time 1:05 p.m.

Preliminary check by 625 Fee \$ 45/23149

Received by JP Date 1/27/83

Publication prepared by JP Date 1/27/83

Published in Press Tribune

Publication dates 2/3 & 2/10/83

Publication approved JP Date 2/14/83

Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS JP

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9977, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 1st day of March, 19 83.

L. Glen Saxton
Chief, Operations Bureau





STATE OF IDAHO DEPARTMENT OF HIGHWAYS
PROPOSED DESIGN OF INTERSTATE HIGHWAY 80N
IN THE VICINITY OF CALDWELL, IDAHO
JULY, 1973

PROJECT SU-SUG-3755(2)

LEGEND

- To be constructed and repaired on State Highway System
- Frontage and Connector Roads to be constructed but not added to State Highway System
- To be constructed and added to the State Highway System authorized by previous Highway Board action
- Other Roads
- Road Closures
- To be retained on State Highway System
- Proposed Sidewalks

CALDWELL (INC.)
POP. 14,219 - 1970 Census

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

STATE OF IDAHO
DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS,
P.O. BOX 7129, BOISE, Idaho 83720

Source: GROUNDWATER
Date Filed: January 12, 1983
Diversion Pt.: NENW Sec 22 T 04N R 03W
Use: IRRIGATION (0.28 CFS)
In: NENW Sec 22 T 04N R 03W FOR 15 ACRES

STATE OF IDAHO
DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS,
P.O. BOX 7129, BOISE, Idaho 83720

Source: GROUNDWATER
Date Filed: January 12, 1983
Diversion Pt.: SWNE Sec 22 T 04N R 03W
Use: IRRIGATION (0.27 CFS)
In: SWNE Sec 22 T 04N R 03W FOR 15 ACRES

The permits(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before FEBRUARY 21, 1983.

KEN DUNN, Director
February 3, 10, 1983

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Garrah J. Wheeler
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

February 3, 10, 1983

Garrah J. Wheeler

Subscribed and sworn to before me this 10th
day of February

19 83

Janne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

RECEIVED

Department of Water Resources
Western Regional Office

August 9, 1990

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 837070000

RE: PERMIT NO. 63-09977

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 28 1990

July 19, 1990

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 837070000

RE: PERMIT NO. 63-09977

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.


If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



Permit No. 63-9977

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Aerial Photo Attached
(required for ~~irrigation of 10 acres or more~~)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Permit 63-9977 and Permit 63-9976 are two permits that work together to irrigate the median areas along the interstate in Caldwell. The area in particular is the 10th Street Exit and Exit immediately west of it. Each permit has its own well and each has a 15hp pump. The permits are filed by the Dept. of Highways and the area is managed by the Caldwell Parks Dept. staff.

Well #1 set to deliver 250gpm and well #2 is set for 200gpm according to Mr. Batt.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	Franklin	15	2366136010	Submersible	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			~~NE~~	~~NW~~	~~22~~	~~4N~~	~~3W~~	~~CANYON~~	U.S.G.S. MAP
			SE	NE	22	4N	3W	CANYON	"

6. Place(s) of Use:

Indicate Method of Determination U.S.G.S. map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
~~4N~~	~~3W~~	~~22~~					~~15~~												~~15 AC.~~
4N	3W	22													14				15 AC

MICROFILMED

AUG 28 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

6 - TORO 600 Super HEADS AT 70 PSI, 6.71 GPM/ea ^{#5 NOZZLES} ^{in 50 PSI}
 5 - TORO 300 SERIES STREAM ROTOR HEADS #03 NOZZLES, 5.43 GPM/ea ^{35 PSI}
 4 - TORO 300 Rotor HEADS 5(1/2") 4 (Full), 25 PSI ^{2.72 GPM/ea} ^{5.43 GPM/ea}
 1 - TORO 600 Super Full #6 NOZZLES 37 PSI = 5.76 GPM/ea
 3 - TORO 2.5 nozzle Super 600 (1/2 circle) 37 PSI 3 - TORO 6 nozzle Super 600 (1/2 circle) 37 PSI 5.12 GPM/ea
^{2.77 GPM/ea}

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See ADOTL Sheet.

4 Full 12 half
 TORO 300 TORO 300
 #3 nozzle #3 nozzle
 23 PSI 23 PSI
 5.43 GPM/ea 2.72 GPM/ea
 Total = 0.45 cfs

2. Alternate Method for Checking Purposes:

At Close 1st Set was at 56 PSI

F. PUMP EFFICIENCY DATA (Optional)

NOT ALL SYSTEM ON AT ONSET. Exam

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 15 \times 4.5 = 67.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .45 \text{ cfs} \times 245 \times 1.9835 = 218.7 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 67.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

AUG 28 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

My sprinkler head calculation showed .45 cfs or 203.81 GPM.
Mr. Batt said this well was set to produce 250 GPM.
Since .27 cfs was Paid For that is my recommended license
Amount. (.27 cfs on permit)

Points of Diversion and Points of Use are shown on the permit.
Due to the complicated configuration of Point of Use, scaling of areas
from aerial photos was used.

.27 cfs Paid For

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	.27 cfs	67.5 afa
Totals:			.27 cfs	67.5 afa

2. Recommended Amendments


- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Randall J. Pfaff
Signature Randall J. Pfaff
Certification Date _____
Field Report Preparation Date 7/29/88




- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED



AUG 28 1990

63-9977



50

3W



Well #1.

North side of HWY on EAST END.

63-9977

CONTROL

Box	QTY	STYLE	PRESSURE	in ft. RATE O SPECIFICATION RATE/CA (GPM)	RATE TOTAL (GPM)
1 {	6	600 super	56 PSI	6.71	40.26
2 {	5	300 series #03	35 PSI	5.43	27.15
3 {	5	300 1/2	25 PSI	2.72	13.6
3 {	4	300 F	25 PSI	5.43	21.72
4 {	4	600 super #06	37 PSI	5.7	22.8
4 {	3	600 super 1/2	37 PSI	2.77	8.31
4 {	3	600 super #06 (1/2)	37 PSI	5.2	15.6
5 {	4	300 #03 f	23 PSI	5.43	21.72
5 {	12	300 #03 1/2	23 PSI	2.72	32.64
					<u>203.81 gpm</u>
					<u>÷ 448.8</u>
					.45 cfs

Area of Permits 63-9976 and 9977.

$$1/2 \times 350 \times 350 = 61,250$$

$$1/2 \times 350 \times 250 = 43,750$$

$$2500 \times 15 = 37,500$$

$$560 \times 1750 = 980,000$$

$$1/2 \times 600 \times 1000 = 300,000$$

$$1/2 \times 600 \times 1000 = 300,000$$


$$2500 \times 15 = 37,500$$

TOTAL

1,460,000

$$\div 43,560$$

33.5 Acres.



each permit was for 15 acres on a total of 30 acres.

Since my measures are so rough I will accept
the acreage stated in the permit applications.

WEST END

Well #2

63-9976

Area	Qty	Style	Pressure	Rate (GPM) /CA	Rate Total (GPM)
1	6	300 series 1/2 #3	18 PSI	2.72	16.32
	4	" " F #3	18	5.43	21.72
2	12	300 series #3	18	2.72	32.64
3	9	" " 1/2	23	2.72	24.48
	1	" " 1/4	23	1.36	1.36
4	14	" " 1/2	23	2.72	38.08
					134.6 GPM
					÷ 448.8
					.30 cfs

Point of Use

Areas Per 1/4 1/4 by Scaling for

63-9976 and 63-9977

Area	% of 40 Acres	Acres	(Use) Acres	ADD 1/4 Acres
SW SW 15	8/169	1.9	2.0	63-9976
SE SW 15	10/169	2.4	2.4	" "
NENW 22	22/169	5.2	5.2	" "
NWNE 22	8/169	1.9	2.0	" "
SWNE 22	46/169	10.9	11.0	34 to 63-997
SENE 22	25/169	5.9	6.0	7.6 to 63-9
NESE 22	6/169	1.4	1.4	63-9977
		29.6		63-9977

STATE DEPT. LTRANS
SAID 30 ACRES

MICROFILMED


AUG 28 1990

Well House
B₂ - f Diversion.

63-9977



Place
of
use



Well #1
North side of
Interstate

MICROFILMED

AUG 28 1990

Interior of
Well House.

63-9776

AND


63-9777



TYPICAL CONTROL BOX

FOR 12 STATIONS.

STATIONS ARE ACTIVATED IN A TIMED SEQUENCE
FOR A SET PERIOD OF TIME.



AUG 26 1960

EACH STATION MAY HAVE 6-12 SPRINKLER
AND USE AN AVERAGE OF 25-35 GPM.

AS MANY AS 5 CONTROL BOXES MAY BE
WORKING AT ANY ONE TIME.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

March 15, 1988

63-9977
ID Trans. Dept. Dist. 3
P.O. Box 8028
Boise, ID 83707

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp



RECEIVED

AUG 26 1990

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

SOURCES
MAR 26 1964

1. WELL OWNER Name <u>IDAHO TRANSPORTATION DEPARTMENT</u> Address <u>DIVISION OF HIGHWAYS - BOISE, IDAHO</u> Owner's Permit No. <u>63-9977</u>	7. WATER LEVEL Department of Water Resources Static water level <u>+12</u> feet below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure <u>10</u> p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature _____ °F. Quality _____																																																																																																																	
2. NATURE OF WORK <u>63-84-C-0018-000</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;">224</td> <td style="text-align: center;">12'</td> <td style="text-align: center;">7</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	224	12'	7																																																																																																											
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																
224	12'	7																																																																																																																
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td rowspan="5">24"</td> <td>0</td> <td>20</td> <td>Sand, Gravel & Boulders</td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>23</td> <td>Fine to Med. Sand</td> <td></td> <td></td> </tr> <tr> <td>23</td> <td>29</td> <td>Lt. Brown Clay</td> <td></td> <td></td> </tr> <tr> <td>29</td> <td>40</td> <td>Fine Sand</td> <td></td> <td></td> </tr> <tr> <td>40</td> <td>50</td> <td>Brown Clay</td> <td></td> <td></td> </tr> <tr> <td rowspan="12">16"</td> <td>50</td> <td>55</td> <td>Fine Brown Sand</td> <td></td> <td></td> </tr> <tr> <td>55</td> <td>63</td> <td>Brown Clay</td> <td></td> <td></td> </tr> <tr> <td>63</td> <td>81</td> <td>Blue Clay</td> <td></td> <td></td> </tr> <tr> <td>81</td> <td>87</td> <td>Brown Clay</td> <td></td> <td></td> </tr> <tr> <td>87</td> <td>91</td> <td>Fine Sand</td> <td></td> <td></td> </tr> <tr> <td>91</td> <td>100</td> <td>Fine Sand & Brn. Clay Mixed</td> <td></td> <td></td> </tr> <tr> <td>100</td> <td>115</td> <td>Blue Clay</td> <td></td> <td></td> </tr> <tr> <td>115</td> <td>120</td> <td>Brown Clay</td> <td></td> <td></td> </tr> <tr> <td>120</td> <td>125</td> <td>Brown Clay & Fine Sand Mixed</td> <td></td> <td></td> </tr> <tr> <td>125</td> <td>130</td> <td>Brown Clay</td> <td></td> <td></td> </tr> <tr> <td>130</td> <td>145</td> <td>Fine to Med. Sand (Flowing)</td> <td></td> <td>X</td> </tr> <tr> <td>145</td> <td>157</td> <td>Fine Sand & Brown Clay Mixed</td> <td></td> <td></td> </tr> <tr> <td rowspan="3"> </td> <td>157</td> <td>159</td> <td>Yellow Clay</td> <td></td> <td></td> </tr> <tr> <td>159</td> <td>188</td> <td>Fine Sand</td> <td></td> <td></td> </tr> <tr> <td>188</td> <td>189</td> <td>Brown Clay</td> <td></td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	24"	0	20	Sand, Gravel & Boulders			20	23	Fine to Med. Sand			23	29	Lt. Brown Clay			29	40	Fine Sand			40	50	Brown Clay			16"	50	55	Fine Brown Sand			55	63	Brown Clay			63	81	Blue Clay			81	87	Brown Clay			87	91	Fine Sand			91	100	Fine Sand & Brn. Clay Mixed			100	115	Blue Clay			115	120	Brown Clay			120	125	Brown Clay & Fine Sand Mixed			125	130	Brown Clay			130	145	Fine to Med. Sand (Flowing)		X	145	157	Fine Sand & Brown Clay Mixed				157	159	Yellow Clay			159	188	Fine Sand			188	189	Brown Clay		
Hole Diam.	Depth		Material	Water																																																																																																														
	From	To		Yes	No																																																																																																													
24"	0	20	Sand, Gravel & Boulders																																																																																																															
	20	23	Fine to Med. Sand																																																																																																															
	23	29	Lt. Brown Clay																																																																																																															
	29	40	Fine Sand																																																																																																															
	40	50	Brown Clay																																																																																																															
16"	50	55	Fine Brown Sand																																																																																																															
	55	63	Brown Clay																																																																																																															
	63	81	Blue Clay																																																																																																															
	81	87	Brown Clay																																																																																																															
	87	91	Fine Sand																																																																																																															
	91	100	Fine Sand & Brn. Clay Mixed																																																																																																															
	100	115	Blue Clay																																																																																																															
	115	120	Brown Clay																																																																																																															
	120	125	Brown Clay & Fine Sand Mixed																																																																																																															
	125	130	Brown Clay																																																																																																															
	130	145	Fine to Med. Sand (Flowing)		X																																																																																																													
	145	157	Fine Sand & Brown Clay Mixed																																																																																																															
	157	159	Yellow Clay																																																																																																															
	159	188	Fine Sand																																																																																																															
	188	189	Brown Clay																																																																																																															
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	 Department of Water Resources Western Regional Office																																																																																																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>10 inches</td> <td>+1'4" feet</td> <td>127 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Ful-Flo</u> Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter <u>6"</u> Slot size <u>.080</u> Set from <u>127</u> feet to <u>187</u> feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/4 Minus</u> Placed from <u>50</u> feet to <u>189</u> feet Surface seal depth <u>50'</u> Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>4"</u>	Thickness	Diameter	From	To	.250 inches	10 inches	+1'4" feet	127 feet													Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>Jan. 10, 1984</u> finished <u>Feb. 22, 1984</u>																																																																																	
Thickness	Diameter	From	To																																																																																																															
.250 inches	10 inches	+1'4" feet	127 feet																																																																																																															
Number	From	To																																																																																																																
_____ perforations	_____ feet	_____ feet																																																																																																																
_____ perforations	_____ feet	_____ feet																																																																																																																
_____ perforations	_____ feet	_____ feet																																																																																																																
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>Well #1</u> <u>Boise Av. Caldwell</u> Lot No. _____ Block No. _____ County <u>Canyon</u> SW 1/4 NE 1/4 Sec. <u>22</u> T. <u>4N</u> N/S, R. <u>3W</u> E/W.	11. DRILLERS CERTIFICATION <u>ee</u> I/We certify that all minimum well construction standards were complied with at the time the rig was removed. PETE COPE DRILLING CO., INC. Firm Name _____ Firm No. <u>213</u> <u>6505 W. Chinden Blvd.</u> Address <u>Meridian, Id. 83642</u> Date <u>Feb. 27, 1984</u> Signed by (Firm Official) <u>Pete Cope</u> and (Operator) <u>Frank Chastain</u>																																																																																																																	


USE ADDITIONAL SHEETS IF NECESSARY – FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 230-2
1-78

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE ADDITIONAL SHEETS
IF NECESSARY

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name IDAHO TRANSPORTATION DEPARTMENT Address DIVISION OF HIGHWAYS - BOISE, IDAHO Owner's Permit No. 63-9977		2. WATER LEVEL Static water level +12 Pumping level 10 Temperature 68 Quality Good																																																																																										
3. NATURE OF WORK ☒ New Well ☐ Repair or Alteration		4. TEST DATA ☒ Pumping Test ☐ Flow Test																																																																																										
5. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other (specify type)		6. LITHOLOGIC LOG																																																																																										
7. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other		<table border="1"><thead><tr><th>Hole Diam.</th><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th></th><th>From</th><th>To</th><th>Yes No</th></tr></thead><tbody><tr><td rowspan="16">24"</td><td>0</td><td>20</td><td>Sand, Gravel & boulders</td><td></td></tr><tr><td>20</td><td>23</td><td>Fine to Med. Sand</td><td></td></tr><tr><td>23</td><td>29</td><td>Lt. Brown Clay</td><td></td></tr><tr><td>29</td><td>40</td><td>Fine Sand</td><td></td></tr><tr><td>40</td><td>50</td><td>Brown Clay</td><td></td></tr><tr><td>50</td><td>55</td><td>Fine Brown Sand</td><td></td></tr><tr><td>55</td><td>63</td><td>Brown Clay</td><td></td></tr><tr><td>63</td><td>81</td><td>Blue Clay</td><td></td></tr><tr><td>81</td><td>87</td><td>Brown Clay</td><td></td></tr><tr><td>87</td><td>91</td><td>Fine Sand</td><td></td></tr><tr><td>91</td><td>100</td><td>Fine Sand & Arg. Clay Mixed</td><td></td></tr><tr><td>100</td><td>115</td><td>Blue Clay</td><td></td></tr><tr><td>115</td><td>120</td><td>Brown Clay</td><td></td></tr><tr><td>120</td><td>125</td><td>Brown Clay & Fine Sand Mixed</td><td></td></tr><tr><td>125</td><td>130</td><td>Brown Clay</td><td></td></tr><tr><td>130</td><td>145</td><td>Fine to Med. Sand (Flowing)</td><td>X</td></tr><tr><td>145</td><td>157</td><td>Fine Sand & Brown Clay Mixed</td><td></td></tr><tr><td>157</td><td>159</td><td>Yellow Clay</td><td></td></tr><tr><td>159</td><td>188</td><td>Fine Sand</td><td></td></tr><tr><td>188</td><td>189</td><td>Brown Clay</td><td></td></tr></tbody></table>		Hole Diam.	Depth	Material	Water		From	To	Yes No	24"	0	20	Sand, Gravel & boulders		20	23	Fine to Med. Sand		23	29	Lt. Brown Clay		29	40	Fine Sand		40	50	Brown Clay		50	55	Fine Brown Sand		55	63	Brown Clay		63	81	Blue Clay		81	87	Brown Clay		87	91	Fine Sand		91	100	Fine Sand & Arg. Clay Mixed		100	115	Blue Clay		115	120	Brown Clay		120	125	Brown Clay & Fine Sand Mixed		125	130	Brown Clay		130	145	Fine to Med. Sand (Flowing)	X	145	157	Fine Sand & Brown Clay Mixed		157	159	Yellow Clay		159	188	Fine Sand		188	189	Brown Clay	
Hole Diam.	Depth	Material	Water																																																																																									
	From	To	Yes No																																																																																									
24"	0	20	Sand, Gravel & boulders																																																																																									
	20	23	Fine to Med. Sand																																																																																									
	23	29	Lt. Brown Clay																																																																																									
	29	40	Fine Sand																																																																																									
	40	50	Brown Clay																																																																																									
	50	55	Fine Brown Sand																																																																																									
	55	63	Brown Clay																																																																																									
	63	81	Blue Clay																																																																																									
	81	87	Brown Clay																																																																																									
	87	91	Fine Sand																																																																																									
	91	100	Fine Sand & Arg. Clay Mixed																																																																																									
	100	115	Blue Clay																																																																																									
	115	120	Brown Clay																																																																																									
	120	125	Brown Clay & Fine Sand Mixed																																																																																									
	125	130	Brown Clay																																																																																									
	130	145	Fine to Med. Sand (Flowing)	X																																																																																								
145	157	Fine Sand & Brown Clay Mixed																																																																																										
157	159	Yellow Clay																																																																																										
159	188	Fine Sand																																																																																										
188	189	Brown Clay																																																																																										
8. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness 250 inches Diameter 10 inches + 1 1/4 inches Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ feet To _____ feet perforations _____ feet perforations _____ feet perforations _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name Roscoe Moss Type Ful-Flo Model No. _____ Diameter 6 Slot size .080 Set from 127 feet to 187 feet Gravel packed? ☒ Yes ☐ No Size of gravel 3/4 Minus Placed from 50 feet to 189 feet Surface seal depth 50 Material used in seal: ☒ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		9. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were compiled with at the time the rig was removed. PETE COPE DRILLING CO., INC. Firm Name 6503 W. Chinden Blvd. Firm No. 213 Address Meridian, Id. 83642 Date Feb. 27, 1988 Signed by (Firm Official) Pete Cope and Frank Chastain (Operator)																																																																																										
10. LOCATION OF WELL Sketch map location must agree with written location.  County Canyon Subdivision Name Well #1 Boise Av. Caldwell Lot No. _____ Block No. _____ N 1/4 Sec. 22 T. 4N N/S, R. 3W E/W.		11. WORK SCHEDULE Work started Jan. 10, 1984 finished Feb. 22, 1984																																																																																										

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-9977

Date: 2-4-1988

General Considerations:

4 Name same as permit
4 Signature the same as permit holder
4 Address change _____ If yes, prepare a data entry
2 Proof received timely
_____ Reinstated

Source of Water:

— Surface water
4 Groundwater
1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

4 Rate of diversion appropriate for uses
4 Is rate or volume and fee appropriate?
4 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

4 Is a measuring device or access port required?
N/A Has one been installed?
4 Waiver or modification of measuring device requested

Remarks: Prog acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAR 14 1988

1521 N. S. Caldwell
Garland, ID 83705

RECEIVED

STATE OF IDAHO

JAN 27 1988

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$100.00

Date 1-27-88

Receipt # 48328

Receipt by [Signature]

Reviewed by [Signature]

Sent to region

PROOF OF BENEFICIAL USE Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-9977 Re: Caldwell Landscaping Well #1, IR-84-1(8)26

Name(s) of Permit Holder: Idaho Transportation Department, Division of Highways, District Three

Post Office Address: P.O. Box 8028, Boise, Idaho 83707

Telephone No. 334-8300

Source of Water: Subterranean

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 15 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.27 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit:

Measuring Device: Required? Yes No Fee enclosed \$ 100.00
Installed? Yes No (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Gary M. Hazen, P.E. Caldwell Resident Engineer 459-7429
(Name) (Telephone Number)

Rt. 9, Box 422a Caldwell, Idaho 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 14 1988

1-11-87

Date Signature of Permit Holder (and title, if appropriate)

District Engineer

5160182

For Office Use Only
Fee Received \$100.00
Date 1-27-88
Receipt # 48338
Receipt by [Signature]
Reviewed by [Signature]
Sent to region

RECEIVED

STATE OF IDAHO

JAN 27 1988

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No 63-9976 Re: Caldwell Landscaping Well, IR-84-1(8)26
Well #2

Name(s) of Permit Holder: Idaho Transportation Department, Division of Highways District Three

Post Office Address: P.O. Box 8028, Boise, Idaho 83707

Telephone No. 334-8300

Source of Water: Subterranean

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 15 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.28 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: May 1984

Measuring Device: Required? Yes No Fee enclosed \$ 100.00
Installed? Yes No (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Gary M. Hazen, P.E., Caldwell Resident Engineer 459-7429
(Name) (Telephone Number)

Rt 9, Box 422a Caldwell, Idaho 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-11-87

Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

District Engineer

MICROFILMED

MAR 14 1988

WHITE - State Auditor
BLUE - Purchasing Copy
GREEN - Office Distribution
YELLOW - Remittance Advice
PINK - State Auditor then Agency
GOLDENROD - Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

Document No.

5816362

Pre-Audit

Date

JAN 21 1988

Warrant No.

AGENCY USE

Date	01/13/83
Code	20.0000

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME:

ITD DIVISION OF HIGHWAYS
DISTRICT THREE

CHECK ONE:

(X) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAY DEPT. OF WATER RESOURCES
1301 N ORCHARD
TO BOISE, ID 83705

RECEIVED
JAN 27 1988

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No. Water Resources

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	02 03	2205	8119		PERMIT FEES WELLS #1 & #2 CALDWELL LANDSCAPING	200.00	V 009938 DE
APPROVED: _____ DISTRICT ENGINEER						MAR 14 1988	

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

200.00

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

JAN 19 1988
Date

Head of Agency or Institution

State Auditor

138168
CERTIFIED MAIL
December 31, 1987

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 83720

PROOF DUE NOTICE

RE: Permit No. 63-9977

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECORDED

MAR 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 83720

MARCH 15, 1983

RE: PERMIT NO. 63-9977

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

RE: PERMIT 63-9977

PAGE 01
MARCH 15, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

100-443887-100

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CHS

APPLICATION NUMBER: 63-9977

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/21/83
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/17/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/23149
☒ Publication dates and paper, recorded on application. 2/3 & 2/10/83 Times Tribune
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/12/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. G.W. letter
26

By: DBS Date: 2/22/83

STATE OFFICE REVIEW:

SL/L1, L17 26
☒ See attached sheet for more information.
By: [Signature] Date: 2/28/83

RECEIVED
FEB 23 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

STATE OF IDAHO

JOHN V. EVANS
GOVERNOR
IDAHO TRANSPORTATION BOARD

CARL C. MOORE - CHAIRMAN
LLOYD F. BARRON - VICE CHAIRMAN
ROY I. STROSCHER - MEMBER

DARRELL V. MANNING
DIRECTOR



TRANSPORTATION DEPARTMENT

P.O. BOX 7129

BOISE, IDAHO 83707

RECEIVED

JAN 11 1983

Department of Water Resources

January 10, 1983

A. Kenneth Dunn, Director
Department of Water Resources
450 W. State
Boise, Idaho 83702

Re: IR-84-1(8)26
Key No. N/A
Caldwell Section Landscaping
Canyon County - District 3

Transmitted are two completed applications for Permit to Appropriate the Public Waters of the State of Idaho for two wells at the captioned project site.

Please sign the enclosed Claim for Right-of-Way Payment and return it to us for processing. We will request a warrant be transmitted to you in return for the approved permit.

Sincerely,


EVERETT L. KIDNER, P.E.
R/W Engr. Mgr. II

f

attach.

SAFE TRANSPORTATION MEANS PROGRESS

EQUAL OPPORTUNITY EMPLOYER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JANUARY 27, 1983

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before FEBRUARY 21, 1983.

Yours truly,

JUDY PENSE
Secretary

Encl.



NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before FEBRUARY 21, 1983.

KEN DUNN, Dir.

Published 2/3 & 2/10/83.

63-9977-

STATE OF IDAHO

DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS, P.O. BOX 7129, BOISE, ID 83720

Source: GROUNDWATER

Date Filed: 01/12/1983

Diversion Pt: SWNE Sec 22 T 04N R 03W

Use: IRRIGATION (0.27 CFS)

In: SWNE Sec 22 T 04N R 03W FOR 15 ACRES