




STATE OF IDAHO DEPARTMENT OF HIGHWAYS
PROPOSED DESIGN OF INTERSTATE HIGHWAY 80N
IN THE VICINITY OF CALDWELL, IDAHO
JULY, 1973

PROJECT SU-SUG-3755(2)

LEGEND

- To be constructed and retained on State Highway System
- Frontage and Connector Roads to be constructed but not added to State Highway System
- To be constructed and added to the State Highway System authorized by previous Highway Board action
- Other Roads
- Road Closure
- To be retained on State Highway System
- Proposed Sidewalks

CALDWELL (INC.)
POP. 14,219 - 1970 Census

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 63-9976

1. Owner: DISTRICT 3 Div. ID. Trans. Dept
Current Address: P.O. Box 8028 Boise, ID 83707
Phone No. 334-8300

2. Accompanied by: KEN BATT
Address: 618 IRVING CALDWELL ID 83605
EXAM. DATE: 7/2/88
Phone No. 459-7429

Relationship to Permit Holder: PARKS SUPERINTENDANT

3. Source: WELL #2 tributary to —


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9977
☒ Copies Attached

2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).



63-9976

40ac = 13x13 = 76

1969

P/A Well #2

Well #1

P/A

MICROFILMED
AUG 28 1990

T1462

5.1
3
3.2
3

T1075

7.6

T1461

T1763

12.6
2
27
3

T1763


14.6

T
1459
T4584


22 23

27 26


63-9976



63-9976



Place of
use
And
Point of
Diversion.



Well #2

Interior of
Well House.

MICROFILMED

AUG 28 1990

63-9776

AND

63-9777



TYPICAL CONTROL BOX

FOR 12 STATIONS.

STATIONS ARE ACTIVATED IN A TIMED SEQUENCE
FOR A SET PERIOD OF TIME.

EACH STATION MAY HAVE 6 TO 12 SPRINKLERS
AND USE AN AVERAGE OF 25-35 GPM.

AS MANY AS 5 CONTROL BOXES MAY BE
WORKING AT ANY ONE TIME.

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

13

1983

1. WELL OWNER Name <u>IDAHO TRANSPORTATION DEPARTMENT</u> Address <u>DIVISION OF HIGHWAYS - BOISE, IDAHO</u> Owner's Permit No. <u>63-9976</u>	7. WATER LEVEL Pg 1 of 2 Static water level <u>+34"</u> XXX below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure <u>16</u> p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature _____ OF Quality _____																																																																																																																																																																																																		
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;">250</td> <td style="text-align: center;">5'</td> <td style="text-align: center;">12</td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	250	5'	12																																																																																																																																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																	
250	5'	12																																																																																																																																																																																																	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG OCT 20 1983 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Department of Water Resources Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td rowspan="10">24"</td><td>0</td><td>10</td><td>Topsoil</td><td></td><td>x</td></tr> <tr><td>10</td><td>14</td><td>Clay</td><td></td><td>x</td></tr> <tr><td>14</td><td>22</td><td>Gravel & Sand</td><td>x</td><td></td></tr> <tr><td>22</td><td>24</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>24</td><td>28</td><td>Sand & Gravel</td><td>x</td><td></td></tr> <tr><td>28</td><td>34</td><td>Very Fine Sand</td><td>x</td><td></td></tr> <tr><td>34</td><td>36</td><td>" " & Little Sand Stone</td><td>x</td><td></td></tr> <tr><td>36</td><td>44</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>44</td><td>54</td><td>" " & Fine Sand</td><td>x</td><td></td></tr> <tr><td>54</td><td>60</td><td>Lt. Brn. Sandy Clay</td><td>x</td><td></td></tr> <tr><td rowspan="10">16"</td><td>60</td><td>64</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>64</td><td>67</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>67</td><td>74</td><td>Lt. Brn. Clay (Sandy)</td><td>x</td><td></td></tr> <tr><td>74</td><td>76</td><td>Fine to Cree. Sand & Clay</td><td>x</td><td></td></tr> <tr><td>76</td><td>87</td><td>Fine Sand & Clay</td><td>x</td><td></td></tr> <tr><td>87</td><td>97</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>97</td><td>101</td><td>Fine to Med. Sand & Clay</td><td>x</td><td></td></tr> <tr><td>101</td><td>104</td><td>Sandy Clay & Silt Stone</td><td>x</td><td></td></tr> <tr><td>104</td><td>110</td><td>Sandy Silt Stone</td><td>x</td><td></td></tr> <tr><td>110</td><td>117</td><td>Fine Sandy Clay</td><td>x</td><td></td></tr> <tr><td rowspan="10">16"</td><td>117</td><td>119</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>119</td><td>124</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>124</td><td>128</td><td>Fine to Med. Blue Sand</td><td>x</td><td></td></tr> <tr><td>128</td><td>130</td><td>Lt. Brn. Clay w/ Strks. Blue Clay</td><td>x</td><td></td></tr> <tr><td>130</td><td>134</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>134</td><td>138</td><td>Lt. Brn. & Blu Clay w/ Sma. Ante. Fine Sand</td><td>x</td><td></td></tr> <tr><td>138</td><td>148</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>148</td><td>150</td><td>Fine to Cree. Sand & Clay Mixed</td><td>x</td><td></td></tr> <tr><td>150</td><td>154</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>154</td><td>156</td><td>Fine to Cree. Sand & Clay Mixed</td><td>x</td><td></td></tr> <tr><td rowspan="6">16"</td><td>156</td><td>160</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>160</td><td>181</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>181</td><td>184</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td>184</td><td>188</td><td>Lt. Brn. Clay</td><td>x</td><td></td></tr> <tr><td>188</td><td>196</td><td>Fine Sand</td><td>x</td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>	Hole Diam.	Depth		Department of Water Resources Material	Water		From	To	Yes	No	24"	0	10	Topsoil		x	10	14	Clay		x	14	22	Gravel & Sand	x		22	24	Fine Sand	x		24	28	Sand & Gravel	x		28	34	Very Fine Sand	x		34	36	" " & Little Sand Stone	x		36	44	Lt. Brn. Clay	x		44	54	" " & Fine Sand	x		54	60	Lt. Brn. Sandy Clay	x		16"	60	64	Fine Sand	x		64	67	Fine Sand	x		67	74	Lt. Brn. Clay (Sandy)	x		74	76	Fine to Cree. Sand & Clay	x		76	87	Fine Sand & Clay	x		87	97	Fine Sand	x		97	101	Fine to Med. Sand & Clay	x		101	104	Sandy Clay & Silt Stone	x		104	110	Sandy Silt Stone	x		110	117	Fine Sandy Clay	x		16"	117	119	Fine Sand	x		119	124	Lt. Brn. Clay	x		124	128	Fine to Med. Blue Sand	x		128	130	Lt. Brn. Clay w/ Strks. Blue Clay	x		130	134	Lt. Brn. Clay	x		134	138	Lt. Brn. & Blu Clay w/ Sma. Ante. Fine Sand	x		138	148	Lt. Brn. Clay	x		148	150	Fine to Cree. Sand & Clay Mixed	x		150	154	Lt. Brn. Clay	x		154	156	Fine to Cree. Sand & Clay Mixed	x		16"	156	160	Fine Sand	x		160	181	Lt. Brn. Clay	x		181	184	Fine Sand	x		184	188	Lt. Brn. Clay	x		188	196	Fine Sand	x						
Hole Diam.	Depth		Department of Water Resources Material	Water																																																																																																																																																																																															
	From	To		Yes	No																																																																																																																																																																																														
24"	0	10	Topsoil		x																																																																																																																																																																																														
	10	14	Clay		x																																																																																																																																																																																														
	14	22	Gravel & Sand	x																																																																																																																																																																																															
	22	24	Fine Sand	x																																																																																																																																																																																															
	24	28	Sand & Gravel	x																																																																																																																																																																																															
	28	34	Very Fine Sand	x																																																																																																																																																																																															
	34	36	" " & Little Sand Stone	x																																																																																																																																																																																															
	36	44	Lt. Brn. Clay	x																																																																																																																																																																																															
	44	54	" " & Fine Sand	x																																																																																																																																																																																															
	54	60	Lt. Brn. Sandy Clay	x																																																																																																																																																																																															
16"	60	64	Fine Sand	x																																																																																																																																																																																															
	64	67	Fine Sand	x																																																																																																																																																																																															
	67	74	Lt. Brn. Clay (Sandy)	x																																																																																																																																																																																															
	74	76	Fine to Cree. Sand & Clay	x																																																																																																																																																																																															
	76	87	Fine Sand & Clay	x																																																																																																																																																																																															
	87	97	Fine Sand	x																																																																																																																																																																																															
	97	101	Fine to Med. Sand & Clay	x																																																																																																																																																																																															
	101	104	Sandy Clay & Silt Stone	x																																																																																																																																																																																															
	104	110	Sandy Silt Stone	x																																																																																																																																																																																															
	110	117	Fine Sandy Clay	x																																																																																																																																																																																															
16"	117	119	Fine Sand	x																																																																																																																																																																																															
	119	124	Lt. Brn. Clay	x																																																																																																																																																																																															
	124	128	Fine to Med. Blue Sand	x																																																																																																																																																																																															
	128	130	Lt. Brn. Clay w/ Strks. Blue Clay	x																																																																																																																																																																																															
	130	134	Lt. Brn. Clay	x																																																																																																																																																																																															
	134	138	Lt. Brn. & Blu Clay w/ Sma. Ante. Fine Sand	x																																																																																																																																																																																															
	138	148	Lt. Brn. Clay	x																																																																																																																																																																																															
	148	150	Fine to Cree. Sand & Clay Mixed	x																																																																																																																																																																																															
	150	154	Lt. Brn. Clay	x																																																																																																																																																																																															
	154	156	Fine to Cree. Sand & Clay Mixed	x																																																																																																																																																																																															
16"	156	160	Fine Sand	x																																																																																																																																																																																															
	160	181	Lt. Brn. Clay	x																																																																																																																																																																																															
	181	184	Fine Sand	x																																																																																																																																																																																															
	184	188	Lt. Brn. Clay	x																																																																																																																																																																																															
	188	196	Fine Sand	x																																																																																																																																																																																															
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																																																																																																																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>10 inches</td> <td>0 feet</td> <td>220 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss</u> Type <u>Ful-Flo</u> Model No. _____ Diameter <u>6"</u> Slot size <u>.080</u> Set from <u>220</u> feet to <u>280</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>3/4 MINUS</u> Placed from <u>75</u> feet to <u>280</u> feet Surface seal depth <u>75'</u> Material used in seal: ☒ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port <u>4"</u>	Thickness	Diameter	From	To	250 inches	10 inches	0 feet	220 feet																	Number	From	To																																																																																																																																																																								
Thickness	Diameter	From	To																																																																																																																																																																																																
250 inches	10 inches	0 feet	220 feet																																																																																																																																																																																																
Number	From	To																																																																																																																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name <u>Well #2</u> <u>10th Ave. - Caldwell</u> Lot No. _____ Block No. _____ County <u>Canyon</u> <u>NE 1/4 NW 1/4 Sec. 22, T. 4N N/S. R. 3W E/W.</u>	11. DRILLERS CERTIFICATION se I/We certify that all minimum well construction standards were complied with at the time the rig was removed. PETE COPE DRILLING CO., INC. Firm Name _____ Firm No. <u>213</u> <u>6505 W. Chinden Blvd.</u> Address <u>Meridian, ID 83642</u> Date <u>Oct. 17, 1983</u> Signed by (Firm Official) <u>Pete Cope</u> and <u>Frank Chastain</u> (Operator) <u>Frank Chastain</u>																																																																																																																																																																																																		

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

MAR 14 1988

USE TYPEWRITER OR
BALLPOINT PEN

92

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

100-41161-100
MAR 14 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09976

Priority: January 12, 1983

Maximum Diversion Rate:

0.28 CFS

This is to certify, that STATE OF IDAHO

DEPT. OF TRANSPORTATION

DIVISION OF HIGHWAYS

P.O. BOX 7129

BOISE, ID 837070000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1983; and has submitted Proof of Beneficial Use on January 27, 1988. An examination indicates that the works have a diversion capacity of .000 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.28 CFS	67.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 15, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	15	SWSW 2	SESW 2.4		4.4
		22	NWNE 2	SWNE 3.4	NENW 5.2	10.6

Total number of acres irrigated: 15

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

AUG 28 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09976

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of AUGUST, 1990.

Acting for

R. Keith Higginson, Director



MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09976

Date of Priority: January 12, 1983
Comes now STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 837070000

Maximum Diversion Rate: 0.28 CFS

APPROVED

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-09976, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.28 CFS	67.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 15, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 03W 15	SWSW 2	SESW 2.4		4.4
22	NWNE 2	SWNE 3.4	NENW 5.2	10.6

Total number of acres irrigated: 15

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 27 day of July 1990.

MICROFILMED

AUG 28 1990

J. R. Dick
(Signature) 7-27-90

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09976

FOR DEPARTMENT USE ONLY

#C017868

Preliminary check by SC Fee = \$20.00 Received by J.2. Date 7/30/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09976 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 8TH day of August 19 90.

Norm C. Young
R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

APPROVED

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

Identification No. 63-9976

Application No. _____

IR-84-1 (8) 26
Caldwell Section
Landscaping
Canyon County
Well No. 2

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

Idaho Transportation Department

1. Name of applicant Division of Highway Phone: 334-3646
post office address P. O. Box 7129, Boise, Idaho 83707

2. Source of water supply Subterranean which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 4 North
Range 3 West B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into the ground at a point in NE $\frac{1}{4}$ $\frac{1}{4}$
of NW $\frac{1}{4}$ $\frac{1}{4}$ of Section 22 Township 4 North Range 3 West B.M. Canyon

4. Water will be used for the following purposes:

Amount 0.28 for irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.28 cubic feet per second ~~and/or~~

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

15 HP turbine pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 50 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 450,000 for both Well Nos. 1 & 2 (see Item No. 10)

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	3W	22					X												

Total number of acres to be irrigated 15


c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Idaho Transportation Dept., Div. of Highways

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks The \$450,000 is for well development of both wells together with the landscaping of two interchanges that will be irrigated.



[illegible]

By Garrett K. Jones
(Applicant) R/W Engr. Mgr. II

Proposed Priority 1/12/1983 Received by DBS Date 1/12/83 Time 1:05p.m.
Preliminary check by 6h5 Fee \$ 45.00/23149
Receipted by AP Date 1/27/83
Publication prepared by AP Date 1/27/83
Published in Press-Tribune
Publication dates 2/3 & 2/10/83
Publication approved AP Date 2/14/83
Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9976, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 1st day of March 19 83.

L. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate
the public waters of the State of Idaho: 63-9976 / 50

STATE OF IDAHO
DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS,
P.O. BOX 7129, BOISE, Idaho 83720
Source: GROUNDWATER
Date Filed: January 12, 1983
Diversion Pt.: NENW Sec 22 T 04N R 03W
Use: IRRIGATION (0.28 CFS)
In: NENW Sec 22 T 04N R 03W FOR 15 ACRES
63-9977

STATE OF IDAHO
DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS,
P.O. BOX 7129, BOISE, Idaho 83720
Source: GROUNDWATER
Date Filed: January 12, 1983
Diversion Pt.: SWNE Sec 22 T 04N R 03W
Use: IRRIGATION (0.27 CFS)
In: SWNE Sec 22 T 04N R 03W FOR 15 ACRES
The permits(s) will be subject to all prior water rights. Pro-
tests must be filed with the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho 83720 on or before
FEBRUARY 21, 1983.
KEN DUNN, Director
February 3, 10, 1983

Garrah J. Wheeler
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

February 3, 10, 1983

Garrah J. Wheeler

Subscribed and sworn to before me this 10th
day of February

19 83

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

August 9, 1990

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 837070000

RE: PERMIT NO. 63-09976

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

AUG 28 1990

July 19, 1990

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 837070000

RE: PERMIT NO. 63-09976

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1988

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 63-9976


1. Owner: DISTRICT 3 Div. ID. TRANS. DEPT Phone No. 334-8300
Current Address: P.O. Box 8028 Boise, ID 83707
2. Accompanied by: Ken BATT EXAM. DATE: 7/2/88
Address: 618 IRVING CALDWELL ID 83605 Phone No. 459-7429
Relationship to Permit Holder: PARKS SUPERINTENDANT
3. Source: WELL #2 tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9977
☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Permit 63-9977 and Permit 63-9976 are two Permits that work together to IRRIGATE the median AREAS Along the INTERSTATE IN CALDWELL. The AREA IN PARTICULAR IS the 10th STREET EXIT AND the EXIT immediately west of it. EACH Permit HAS ITS own well AND EACH HAS A 15hp Pump. The Permits are FILED by the Dept. of HIGHWAYS AND the AREA IS managed by the CALDWELL PARKS Dept STAFF. Well #1 is set to deliver 350 GPM AND Well #2 is set for 200 GPM According to MR. GATT.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN				23661 36010
	SWEMENSISC	15HP			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					22	4N	3W	CANYON	U.S.G.S. map
✓					15	4N	2W	CANYON	U.S.G.S. map

6. Place(s) of Use:

Indicate Method of Determination U.S.G.S. map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	22			x														15.6
4N	3W	15											2	2.4					4.4
		22			2.0	3.4			5.2										10.6

MICROFILMED

AUG 28 1990

Do not use this space

Well #1
South side of I

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

300 series #3 22 PSI 10 HEADS 6 (1/2) 2.72 gpm/ea 4 (F) 5.43 gpm/ea
300 series #3 218 PSI 12 HEADS 2.72 gpm/ea
300 series #3 223 PSI 10 HEADS 9 (1/2) 2.72 gpm/ea 1 (1/4) 1.36 gpm/ea
300 series #3 223 PSI 14 HEADS 14 (1/2) 2.72 gpm/ea
total = 0.30

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

0.30 cfs (see attached sheet)

2. Alternate Method for Checking Purposes:

Bernard model 720 pressure gauge/venturi 79 PSI (both sides)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 20.5 psi x 2.31 = 47.36 ft (1); Dynamic pumping level: 0 ft (2)

Total Head: (1) + (2) = 47.36 (3)

; Flow rate: 0.30 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 14.2 (5)

Meter Input KW: 3.6 x 57.6 KH x ~~CTR~~ 30 MULT x 1 PTR x 1 N/ 18 PSI = 3.2 (6)

Meter Input HP: (6) x 1.34 = (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)

Panel Input HP: (6) x 1.34 = (7) Efficiency: (5)/(7) x 100 = %

meter type D4S-7M 5280 C093450

CTR * unknown

correct SC-RIM number
unknown. So unable
to get multiplier
from IGADO Amer.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 15 \times 4.5 = 67.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .3 \text{ cfs} \times 245 \times 1.9835 = 145.8 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 67.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

AUG 28 1990

322 2030

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No Attempt made by Applicant made to identify separate 1/4 1/4 Place of use Acre Acres. Scaled Areas from Aerial Photo were used for my Determination.

From measurements taken Applicant has capacity to deliver more water than applied for or noted on proof of Beneficial use.

Paid for .28 cfs

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	.28 cfs	67.5 afa
Totals:			.28	67.5 afa

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name RANDALL PFAFF
Signature [Signature]
Certification Date _____
Field Report Preparation Date 7/29/88



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 28 1990



1969

1969

63-9976

40ac > 13x13
= 76

PH
WELL

22 23

T1075

76

12.6
2

T1763

14.6


MICROFILM

AUG 28 1990

T459
T4584

22 23

63-9976



West End

Well #2

63-9976

Area	Qty	Style	Pressure	Rate/oa ^(GPM)	Rate Total ^(GPM)
1 {	6	300 series 1/2 #3	18 PSI	2.72	16.32
	4	" " F #3	18	5.43	21.72
2	12	300 series #3	18	2.72	32.64
3 {	9	" " 1/2	23	2.72	24.48
	1	" " 1/4	23	1.36	1.36
4	14	" " 1/2	23	2.72	38.08
					134.6 gpm
					448.8
					.30 cfs

Place of use:

Areas Per 1/4 1/4 by, Scaling for

63-9976 and 63-9977

Area	% of 40 Acres	Acres	(use) Acres	ADD 1/4 Acres
SW SW 15	8/169	1.9	2.0	63-9976
SE SW 15	10/169	2.4	2.4	" "
NE NW 22	22/169	5.2	5.2	" "
NW NE 22	8/169	1.9	2.0	" "
SW NE 22	46/169	10.9	11.0	34 to 63-9976 7.6 to 63-9977
SE NE 22	25/169	5.9	6.0	63-9977
NE SE 22	6/169	1.4	1.4	63-9977

29.6

STATE DEPT. TRANS.
SAID 30 ACRES

MICROFILMED

AUG 28 1990

63-9976



Place of
use
And
Point of
Diversion.



Well #2

Interior of
Well House.

MICROFILMED

AUG 28 1990

63-9776

AND

63-9777



TYPICAL CONTROL BOX

FOR 12 STATIONS.

STATIONS ARE ACTIVATED IN A TIMED SEQUENCE
FOR A SET PERIOD OF TIME.

EACH STATION MAY HAVE 6 TO 12 SPRINKLERS
AND USE AN AVERAGE OF 25-35 GPM.

AS MANY AS 5 CONTROL BOXES MAY BE
WORKING AT ANY ONE TIME.

MICROFILMED

AUG 28 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

March 15, 1988

63-9976
ID Trans. Dept. Dist. 3
P.O. Box 8028
Boise, ID 83707

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jhp

MICROFILMED

AUG 28 1990

(Page 1)
Form 335-7
1/78

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

70

1. WELL OWNER Name IDAHO TRANSPORTATION DEPARTMENT Address DIVISION OF HIGHWAYS - BOISE, IDAHO Owner's Permit No. 63-9976		7. WATER LEVEL <i>Pg 1 of 2</i> Static water level +34" 34" below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure 16 p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature _____ OF Quality _____																																																																																																																																																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ Discharge G.P.M. 250 Pumping Level 5' Hours Pumped 12																																																																																																																																																																																											
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____		9. LITHOLOGIC LOG OCT 23 1963 <table border="1"><thead><tr><th>Hole</th><th>Depth</th><th>Department of Water Resources</th><th>Water</th></tr><tr><th>Open.</th><th>From</th><th>To</th><th>Yes No</th></tr></thead><tbody><tr><td rowspan="16">24"</td><td>0</td><td>10</td><td>Topsoil</td><td></td><td>X</td></tr><tr><td>10</td><td>14</td><td>Clay</td><td></td><td>X</td></tr><tr><td>14</td><td>22</td><td>Gravel & Sand</td><td></td><td>X</td></tr><tr><td>22</td><td>24</td><td>Fine sand</td><td></td><td>X</td></tr><tr><td>24</td><td>28</td><td>Sand & Gravel</td><td></td><td>X</td></tr><tr><td>28</td><td>34</td><td>Very Fine Sand</td><td></td><td>X</td></tr><tr><td>34</td><td>36</td><td>" " & Little Sand Stone</td><td></td><td>X</td></tr><tr><td>36</td><td>44</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>44</td><td>54</td><td>" " & Fine Sand</td><td></td><td>X</td></tr><tr><td>54</td><td>60</td><td>Lt. Brn. Sandy Clay</td><td></td><td>X</td></tr><tr><td>60</td><td>64</td><td>Fine Sand</td><td></td><td>X</td></tr><tr><td>64</td><td>67</td><td>Fine Sand</td><td></td><td>X</td></tr><tr><td>67</td><td>74</td><td>Lt. Brn. Clay (Sandy)</td><td></td><td>X</td></tr><tr><td>74</td><td>76</td><td>Fine to Crs. Sand & Clay</td><td></td><td>X</td></tr><tr><td>76</td><td>87</td><td>Fine Sand & Clay</td><td></td><td>X</td></tr><tr><td>87</td><td>97</td><td>Fine Sand</td><td></td><td>X</td></tr><tr><td rowspan="10">16"</td><td>97</td><td>101</td><td>Fine to Med. Sand & Clay</td><td></td><td>X</td></tr><tr><td>101</td><td>104</td><td>Sandy Clay & Silt Stone</td><td></td><td>X</td></tr><tr><td>104</td><td>110</td><td>Sandy Silt Stone</td><td></td><td>X</td></tr><tr><td>110</td><td>117</td><td>Fine Sandy Clay</td><td></td><td>X</td></tr><tr><td>117</td><td>119</td><td>Fine Sand</td><td></td><td>X</td></tr><tr><td>119</td><td>124</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>124</td><td>128</td><td>Fine to Med. Fine Sand</td><td></td><td>X</td></tr><tr><td>128</td><td>130</td><td>Lt. Brn. Clay w/ Shale. Also Clay</td><td></td><td>X</td></tr><tr><td>130</td><td>134</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>134</td><td>138</td><td>Lt. Brn. & Silt Clay w/ Sand. Also, Fine Sand</td><td></td><td>X</td></tr><tr><td rowspan="10"></td><td>138</td><td>140</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>140</td><td>150</td><td>Fine to Crs. Sand & Clay Mixture</td><td></td><td>X</td></tr><tr><td>150</td><td>154</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>154</td><td>156</td><td>Fine to Crs. Sand & Clay Mixture</td><td></td><td>X</td></tr><tr><td>156</td><td>160</td><td>Fine Sand</td><td></td><td>X</td></tr><tr><td>160</td><td>161</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>161</td><td>164</td><td>Fine Sand</td><td></td><td>X</td></tr><tr><td>164</td><td>168</td><td>Lt. Brn. Clay</td><td></td><td>X</td></tr><tr><td>168</td><td>170</td><td>Fine Sand</td><td></td><td>X</td></tr></tbody></table>		Hole	Depth	Department of Water Resources	Water	Open.	From	To	Yes No	24"	0	10	Topsoil		X	10	14	Clay		X	14	22	Gravel & Sand		X	22	24	Fine sand		X	24	28	Sand & Gravel		X	28	34	Very Fine Sand		X	34	36	" " & Little Sand Stone		X	36	44	Lt. Brn. Clay		X	44	54	" " & Fine Sand		X	54	60	Lt. Brn. Sandy Clay		X	60	64	Fine Sand		X	64	67	Fine Sand		X	67	74	Lt. Brn. Clay (Sandy)		X	74	76	Fine to Crs. Sand & Clay		X	76	87	Fine Sand & Clay		X	87	97	Fine Sand		X	16"	97	101	Fine to Med. Sand & Clay		X	101	104	Sandy Clay & Silt Stone		X	104	110	Sandy Silt Stone		X	110	117	Fine Sandy Clay		X	117	119	Fine Sand		X	119	124	Lt. Brn. Clay		X	124	128	Fine to Med. Fine Sand		X	128	130	Lt. Brn. Clay w/ Shale. Also Clay		X	130	134	Lt. Brn. Clay		X	134	138	Lt. Brn. & Silt Clay w/ Sand. Also, Fine Sand		X		138	140	Lt. Brn. Clay		X	140	150	Fine to Crs. Sand & Clay Mixture		X	150	154	Lt. Brn. Clay		X	154	156	Fine to Crs. Sand & Clay Mixture		X	156	160	Fine Sand		X	160	161	Lt. Brn. Clay		X	161	164	Fine Sand		X	164	168	Lt. Brn. Clay		X	168	170	Fine Sand		X
Hole	Depth	Department of Water Resources	Water																																																																																																																																																																																										
Open.	From	To	Yes No																																																																																																																																																																																										
24"	0	10	Topsoil		X																																																																																																																																																																																								
	10	14	Clay		X																																																																																																																																																																																								
	14	22	Gravel & Sand		X																																																																																																																																																																																								
	22	24	Fine sand		X																																																																																																																																																																																								
	24	28	Sand & Gravel		X																																																																																																																																																																																								
	28	34	Very Fine Sand		X																																																																																																																																																																																								
	34	36	" " & Little Sand Stone		X																																																																																																																																																																																								
	36	44	Lt. Brn. Clay		X																																																																																																																																																																																								
	44	54	" " & Fine Sand		X																																																																																																																																																																																								
	54	60	Lt. Brn. Sandy Clay		X																																																																																																																																																																																								
	60	64	Fine Sand		X																																																																																																																																																																																								
	64	67	Fine Sand		X																																																																																																																																																																																								
	67	74	Lt. Brn. Clay (Sandy)		X																																																																																																																																																																																								
	74	76	Fine to Crs. Sand & Clay		X																																																																																																																																																																																								
	76	87	Fine Sand & Clay		X																																																																																																																																																																																								
	87	97	Fine Sand		X																																																																																																																																																																																								
16"	97	101	Fine to Med. Sand & Clay		X																																																																																																																																																																																								
	101	104	Sandy Clay & Silt Stone		X																																																																																																																																																																																								
	104	110	Sandy Silt Stone		X																																																																																																																																																																																								
	110	117	Fine Sandy Clay		X																																																																																																																																																																																								
	117	119	Fine Sand		X																																																																																																																																																																																								
	119	124	Lt. Brn. Clay		X																																																																																																																																																																																								
	124	128	Fine to Med. Fine Sand		X																																																																																																																																																																																								
	128	130	Lt. Brn. Clay w/ Shale. Also Clay		X																																																																																																																																																																																								
	130	134	Lt. Brn. Clay		X																																																																																																																																																																																								
	134	138	Lt. Brn. & Silt Clay w/ Sand. Also, Fine Sand		X																																																																																																																																																																																								
	138	140	Lt. Brn. Clay		X																																																																																																																																																																																								
	140	150	Fine to Crs. Sand & Clay Mixture		X																																																																																																																																																																																								
	150	154	Lt. Brn. Clay		X																																																																																																																																																																																								
	154	156	Fine to Crs. Sand & Clay Mixture		X																																																																																																																																																																																								
	156	160	Fine Sand		X																																																																																																																																																																																								
	160	161	Lt. Brn. Clay		X																																																																																																																																																																																								
	161	164	Fine Sand		X																																																																																																																																																																																								
	164	168	Lt. Brn. Clay		X																																																																																																																																																																																								
	168	170	Fine Sand		X																																																																																																																																																																																								
	4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																																																																																																																																																												
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ Inches _____ inches _____ feet _____ feet Inches _____ inches _____ feet _____ feet Inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Was screen installed? ☒ Yes ☐ No Manufacturer's name Spence Mfg Type Full-Flt Model No. _____ Diameter 6" Slot size 00 Set from 220 feet to 280 feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Screen installed? ☒ Yes ☐ No ☐ Size of gravel 3/4 inches Paved from 73 feet to 280 feet Surface seal depth 75' Material used in seal: ☒ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth ☐ Sealant Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strains Sealing cement part AP																																																																																																																																																																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  Section Name Well 02 10th Ave. - Caldwell Location _____		10. Work started Sept. 12, '63 ended Sept. 29, 1963																																																																																																																																																																																											
11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. BOB CURT DRILLING CO., INC. Firm Name _____ Firm No. 212 Address _____ Date Oct. 12, 1963 Signature _____																																																																																																																																																																																													

MAR 14 1964

Form 238-7
1/78

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

96

OCT 2 1983

1. WELL OWNER Name <u>IDAHO TRANSPORTATION DEPARTMENT</u> Address <u>DIVISION OF HIGHWAYS - BOISE, IDAHO</u> Owner's Permit No. <u>63-9976</u>		2. WATER LEVEL Static water level <u>Pg 2/2</u> feet below land surface. Flowing? Yes ☐ No ☐ G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																																																																																				
3. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																				
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Hole</th><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th>Diam.</th><th>From</th><th>To</th><th>Yes No</th></tr></thead><tbody><tr><td>16"</td><td>196</td><td>209</td><td>Lt. Brn. Clay</td><td>X</td></tr><tr><td></td><td>209</td><td>214</td><td>Lt. Brn. Clay & Fine Sand Mined</td><td>X</td></tr><tr><td></td><td>214</td><td>221</td><td>Fine Sand</td><td>X</td></tr><tr><td></td><td>221</td><td>226</td><td>Fine to Med. Sand</td><td>X</td></tr><tr><td></td><td>226</td><td>230</td><td>Fine to Coars. Sand & Clay</td><td>X</td></tr><tr><td></td><td>230</td><td>236</td><td>Lt. Brn. Clay</td><td>X</td></tr><tr><td></td><td>236</td><td>238</td><td>Fine to Med. Sand</td><td>X</td></tr><tr><td></td><td>238</td><td>241</td><td>Lt. Brn. Clay</td><td>X</td></tr><tr><td></td><td>241</td><td>246</td><td>Fine to Coars. Sand</td><td>X</td></tr><tr><td></td><td>246</td><td>252</td><td>Lt. Brn. Clay</td><td>X</td></tr><tr><td></td><td>252</td><td>256</td><td>Fine to Med. Sand</td><td>X</td></tr><tr><td></td><td>256</td><td>274</td><td>Fine to Coars. Sand</td><td>X</td></tr><tr><td></td><td>274</td><td>277</td><td>Med. to Coars. Sand</td><td>X</td></tr><tr><td></td><td>277</td><td>278</td><td>Lt. Brn. Clay</td><td>X</td></tr><tr><td></td><td>278</td><td>280</td><td>Silt Stone</td><td>X</td></tr></tbody></table>		Hole	Depth	Material	Water	Diam.	From	To	Yes No	16"	196	209	Lt. Brn. Clay	X		209	214	Lt. Brn. Clay & Fine Sand Mined	X		214	221	Fine Sand	X		221	226	Fine to Med. Sand	X		226	230	Fine to Coars. Sand & Clay	X		230	236	Lt. Brn. Clay	X		236	238	Fine to Med. Sand	X		238	241	Lt. Brn. Clay	X		241	246	Fine to Coars. Sand	X		246	252	Lt. Brn. Clay	X		252	256	Fine to Med. Sand	X		256	274	Fine to Coars. Sand	X		274	277	Med. to Coars. Sand	X		277	278	Lt. Brn. Clay	X		278	280	Silt Stone	X
Hole	Depth	Material	Water																																																																																			
Diam.	From	To	Yes No																																																																																			
16"	196	209	Lt. Brn. Clay	X																																																																																		
	209	214	Lt. Brn. Clay & Fine Sand Mined	X																																																																																		
	214	221	Fine Sand	X																																																																																		
	221	226	Fine to Med. Sand	X																																																																																		
	226	230	Fine to Coars. Sand & Clay	X																																																																																		
	230	236	Lt. Brn. Clay	X																																																																																		
	236	238	Fine to Med. Sand	X																																																																																		
	238	241	Lt. Brn. Clay	X																																																																																		
	241	246	Fine to Coars. Sand	X																																																																																		
	246	252	Lt. Brn. Clay	X																																																																																		
	252	256	Fine to Med. Sand	X																																																																																		
	256	274	Fine to Coars. Sand	X																																																																																		
	274	277	Med. to Coars. Sand	X																																																																																		
	277	278	Lt. Brn. Clay	X																																																																																		
	278	280	Silt Stone	X																																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Aug. ☐ Other _____																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Bottom seal depth _____ Material used in seal: ☐ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☐ Overbars to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld _____ ☐ Cemented between joints																																																																																						
6. LOCATION OF WELL Sketch map location (must agree with written location).  Production Name <u>W-11#2</u> Date <u>11-11-83</u> Well No. _____ Driller No. _____		10. Work started <u>Sept. 12, 1983</u> finished <u>Sept. 29, 1983</u>																																																																																				
7. LOCATION OF WELL Sketch map location (must agree with written location).  Production Name <u>W-11#2</u> Date <u>11-11-83</u> Well No. _____ Driller No. _____		11. DRILLER'S CERTIFICATION I/We certify that all work on well construction standards were complied with at the time the rig was removed. FOR THE DRILLER: _____ Date _____																																																																																				

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-9976

Date: 2-4-88

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
9 Address change If yes, prepare a data entry
2 Proof received timely
 Reinstated

Source of Water:

 Surface water
9 Groundwater
 1. well log in file
 N/A 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

9 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
9 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
 Waiver or modification of measuring device requested

Remarks: Proof acceptable

Priority Calculation:		
Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> + </u>
No. of days late	<u> </u>	<u> = </u>
Priority date	<u> </u>	<u> + </u>
NEW PRIORITY DATE	<u> </u>	<u> = </u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

MICROFILMED

MAR 14 1988

SAVED 186

See original
in 63-9977

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

JAN 27 1988

For Office Use Only

Fee Received \$100

Date 1-27-88

Receipt # 48338

Receipt by [Signature]

Reviewed by [Signature]

Sent to region [Signature]

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No 63-9976 Re: Caldwell Landscaping Well, IR-84-1(8)26

Well #2

Name(s) of Permit Holder: Idaho Transportation Department, Division of Highways District Three

Post Office Address: P.O. Box 8028, Boise, Idaho 83707

Telephone No. 334-8300

Source of Water: Subterranean

Extent of Use:

Domestic (number of households)

Stockwater (number and type of stock)

Irrigation 15 (acres)

Other/Remark

Total rate and/or volume for which proof is submitted 0.28 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: May 1984

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Gary M. Hazen, P.E., Caldwell Resident Engineer
(Name)

459-7429
(Telephone Number)

Rt 9, Box 422a Caldwell, Idaho 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 14 1988

District Engineer

1-11-87

Date

Signature of Permit Holder (and title, if appropriate)

WHITE -- Stat. Auditor
 BLUE -- Purchasing Copy
 GREEN -- Office Distribution
 YELLOW -- Remittance Advice
 PINK -- State Auditor then Agency
 GOLDENROD -- Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
 Office of State Auditor

Document No.

5816362

Pre-Audit

Date

JAN 21 1988

Warrant No.

AGENCY USE

Date	01/13/83
Code	20.0000

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME:

ITD DIVISION OF HIGHWAYS
 DISTRICT THREE

CHECK ONE:

PAY
 TO

DEPT. OF WATER RESOURCES
 1301 N ORCHARD
 BOISE, ID 83705

RECEIVED
 JAN 27 1988

(X) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
 ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No. Water Resources

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	02 03	2205	8119		PERMIT FEES WELLS #1 & #2 CALDWELL LANDSCAPING	200.00	V 009938 DE
APPROVED: _____ DISTRICT ENGINEER						200.00	

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

JAN 19 1988

Date

Head of Agency or Institution

State Auditor

138168
CERTIFIED MAIL
December 31, 1987

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 83720

PROOF DUE NOTICE

RE: Permit No. 63-9976

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECORDED

MAR 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

STATE OF IDAHO
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
P.O. BOX 7129
BOISE, ID 83720

MARCH 15, 1983

RE: PERMIT NO. 63-9976

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

RECEIVED
MAR 16 1983
DIVISION OF HIGHWAYS
BOISE, IDAHO

RE: PERMIT 63-9976

PAGE 01

MARCH

15, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
MARCH 15 1983
WATER ALLOCATION SECTION
PERMIT 63-9976

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS APPLICATION NUMBER: 63-9916

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. None

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 2/21/83

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 2/14/83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application. 45/23149

☒ Publication dates and paper, recorded on application. 2/3 & 2/10/83 Env. Trib.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ Date of priority recommended. 1/12/83

Special conditions of approval or cover letter. I.P. row letter.

(26)

By: DBS Date: 2/22/83

STATE OFFICE REVIEW:

return receipt

Sh/LI, LI7

☐ See attached sheet for more information.

By: Tolyn Date: 2/28/83

RECEIVED

FEB 23 1983

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

FORM DA-8 Rev. 7-1-77
 WHITE — State Auditor
 BLUE — Purchasing Copy
 YELLOW — Remittance Advice
 PINK — State Auditor then Agency
 GOLDENROD — Agency Copy

EXPENDITURE VOUCHER

STATE OF IDAHO
 Office of State Auditor

AUDITOR USE

Document No. 5313150	
Pre-Audit	Date JAN 21 1983
Warrant No.	

Date 01-14-83
Code 20.0000

AGENCY NAME: **I.T.D. Division of Highway Right of Way Section**

44-30425

PAY

**Idaho - Water Resources
 Bbptehouse Annex #2
 Boise, ID 83729**

TO

CHECK ONE:

- ☒ MISCELLANEOUS EXPENDITURE
☐ STATE CONTRACT

- ☐ PURCHASE ORDER
☐ MISCELLANEOUS ENCUMBRANCE REQUISITION

Encumbrance Reference No.

PAYMENT: ☐ PARTIAL ☐ FINAL

LINE No.	PROGRAM			ACCT.	CLASS		DESCRIPTION (Include Quantity)	COMPLETE ONE		AGENCY USE
	Maj	Min	Ele		Maj	Min		%	LINE AMOUNT	
1	02	04		220	710		Project ID-04-1(1)26		90.00	v 1404 10
							Application fee for Application for Permit to appropriate the Public Waters of the State of Idaho.			
TOTAL								100%	90.00	

NOTE: All payment must be accompanied by a receiving copy

TO STATE AUDITOR

I hereby certify that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

JAN 19 1983

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

63-9976

STATE OF IDAHO

DEPT. OF TRANSPORTATION, DIVISION OF HIGHWAYS, P.O. BOX 7129, BOISE, ID 83720

Source: GROUNDWATER

Date Filed: 01/12/1983

Diversion Pt: NENW Sec 22 T 04N R 03W

Use: IRRIGATION (0.28 CFS)

In: NENW Sec 22 T 04N R 03W FOR 15 ACRES

RECORDED