

RGE. 1W

P.R.'S
Tip. of base

TWP. 3N 9

Thomas Thibault
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: THOMAS THIBAUT Permit No. 63-0975
DU-RITE NURSERY +/OR EVELYN THIBAUT Phone No. 888-1359
Current Address: 5321 WEST CHERRY LANE, MERIDIAN ID. 83647
2. Accompanied by: THOMAS THIBAUT EXAM. DATE: 6/10/88
Address: SAME Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: IRRIGATION DISTRICT RIGHT 63-2388
BUT NO LONGER USES IT, JUST USES WELLS ON THIS SMALL ☐ Copies Attached
PIECE OF LAND
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

JUN 04 1990

63-9172



P.D.
#1



P.D.
#2
+
P.D.

UNFILMED

JUN 04 1964

62-9975



P.O.
LOOKING
WEST
FROM
P.O.

MICROFILMED

JUN 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09975

Priority: January 25, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
9.0 AF

This is to certify, that THOMAS THIBAUT
DBA DU-RITE NURSERY
EVELYN THIBAUT

5321 W. CHERRY LANE
MERIDIAN, ID 83642

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 25, 1983; and has submitted Proof of Beneficial Use on February 6, 1984. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	9.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 9, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	9	NWNE	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre of lands above.

MICROFILMED

JUN 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09975

CONDITIONS/REMARKS:

6. 2 points of diversion located in NWNE, S9, T3N, R1W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of MAY, 1990.

Acting for

R. Keith Higginson, Director

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant DU-RITE NURSERY &/or Phone 888-1359
EVELYN &/or THOMAS THIBAUT
Post office address 5321 WEST. CHERRY LN, MERIDIAN, ID 83642
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW ¼ of NE ¼ of Section 9 Township 3N
Range 14W B.M. ADA County, additional points of diversion if any: _____
(2 PTS)

4. Water will be used for the following purposes:

Amount 0.12 for IRRIGATION purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1/2 HP SUBMERSED PUMPS
W/SPRINKLER IRRIGATION.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is / years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above. Nampa-
MERIDIAN TRIG. DIST.


9. a. Who owns the property at the point of diversion APPLICANTS

b. Who owns the land to be irrigated or place of use APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas Thibault
(Applicant)

Proposed Priority 1/25/1983

Received by jc Date 1/25/83 Time 2:00
Preliminary check by 6LS Fee \$ 30.00
Receipted by jc Date 1/25/83 # 23141
Publication prepared by SP Date 1/27/83
Published in Idaho Statesman
Publication dates 2/3 & 2/10/83
Publication approved SP Date 2/11/83
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS jc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9975, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 1st day of March, 1983.

L. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO)

)ss.

COUNTY OF ADA)

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-9972
HAM, FRANK N. &/or WYOMA
4415 N. LOCUST GROVE, MERIDIAN,
ID 83642

Source: GROUNDWATER
Date Filed: 01/21/1983
Diversion Point: NWNE Sec 31 T 04N
R 01E
Use: IRRIGATION (0.60) CFS
In: SWNE Sec 31 T 04N R 01E FOR 30
ACRES

63-9975
THIBAUT, EVELYN &/or THOMAS
DBA DU-RITE NURSERY
5321 W. CHERRY LN, MERIDIAN, ID
83642

Source: GROUNDWATER
Date Filed: 01/25/1983
Diversion Point: NWNE Sec 09 T 03N
R 01W
Use: IRRIGATION (0.12 CFS)
In: NWNE Sec 09 T 03N R 01W FOR 4
ACRES

63-9978
HENDRICKSEN, ROBERT
HENDRICKSEN, CINDY
11975 KUNA RD., KUNA, ID 83634

Source: GROUNDWATER
Date Filed: 01/25/1983
Diversion Point: NWNW Sec 27 T 02N
R 01E

Use: IRRIGATION (0.20 CFS)
In: NWNW Sec 27 T 02N R 01E FOR 11
ACRES
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Department of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or
before FEBRUARY 21, 1983.

A. KENNETH DUNN
Director
Pub. Feb. 3, 10, 1983 5203

Susan K. Mayer

, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for

two

insertions, beginning with the

issue of February 3, 1983, and ending with the


issue of February 10, 1983.

Susan K. Mayer

Subscribed and sworn to before me this 10th

day of February, 1983.

Barry Eugene
Notary Public for Idaho, Residing at Boise, Idaho



Department of Water Resources
Western Regional Office

May 7, 1990

THOMAS THIBAUT
DBA DU-RITE NURSERY
EVELYN THIBAUT
5321 W. CHERRY LANE
MERIDIAN, ID 83642

RE: PERMIT NO. 63-09975

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
JUN 14 1990

April 9, 1990

THOMAS THIBAUT
DBA DU-RITE NURSERY
EVELYN THIBAUT
5321 W. CHERRY LANE
MERIDIAN, ID 83642

RE: PERMIT NO. 63-09975

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor


JJ:sc

Enclosure

RECEIVED

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT



A. GENERAL INFORMATION


1. Owner: DU-RITE NURSERY +/OR EVELYN THIBAUT ^{THOMAS THIBAUT} Permit No. 63-2388 Phone No. 888-1359
Current Address: 5321 WEST CHERRY LANE, MERIDIAN ID. 83647
2. Accompanied by: THOMAS THIBAUT EXAM. DATE: 6/10/88
Address: SAME Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: IRRIGATION DISTRICT RIGHT 63-2388
BUT NO LONGER USES IT, JUST USES WELLS ON THIS SMALL PIECE OF LAND ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = NO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

JUN 04 1988

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM CONSISTS OF 2x6" WELLS 20FT DEEP
WITH 1/2 HP SUBMERSIBLE PUMPS. PORTABLE 3/4" GARDEN HOSES
ARE USED FROM FAUCETS WHICH SET CLOSE TO WELL.
PLANTS BEING WATERED ARE ALL POTTED AND COVER
THE AREA SHOWN IN DIAGRAM.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
①	UNKNOWN	1/2	UNKNOWN	REDJACKET	2 1/4"
②	UNKNOWN	1/2	UNKNOWN	REDJACKET	2 1/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	9	3N	1W	ADA	USGS QUAD

6. Place(s) of Use:

Indicate Method of Determination PAVED OFF PROPERTY & BUILDING

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	1W	9		2															2 ac

MICROFILMED

JUN 04 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 GALLON BUCKET						
AND STOPWATCH						

2. Measurements:

① #1 5 GALLONS IN 23.5 sec #2 5 GALLONS IN 23 sec
② 5 GALLONS IN 24 sec #2 5 GALLONS IN 24.5 sec

① + ② = 25 G.P.M. / 448.8 = .056 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 GALLON BUCKET AND STOPWATCH:

.03 cfs x 2 sec = .06 cfs
.056 cfs $\approx$.06 cfs FEE $\rightarrow$.04 cfs

2. Alternate Method for Checking Purposes:

THEORETICAL: $\frac{1}{2} \times 8.8 \times .7$
 $(10 \text{ PSI} \times 2.31) + 10 \text{ FT}$ = .09 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \text{ ac} \times 4.5 \text{ af/a} = 9 \text{ af}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \text{ cfs} \times 245 \text{ Days} \times 1.9835 = 19.4 \text{ af}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9 \text{ af}$

2. Volume Calculations for Other Uses:

MICROFILMED

JUN 04 1990

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	MARCH 15	NOV. 15	.04 cfs	9 afa
Totals:			.04 cfs	9 afa

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

David R. Tuthill

PROFESSIONAL ENGINEER
REGISTERED
3909
1/11/90
STATE OF IDAHO
DAVID R. TUTHILL, JR.
CONSULTANT SEAL


Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-22-88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 04 1990

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





P.D.

#1



P.D.

#2

+

1

JUN 04 1960

162-111-11



Doc
COP 1111
1111
1111
1111

MICROFILMED

JUN 04 1990

4/86

RECEIVED

DEC 17 1987

For Office Use Only

Fee Received NO FEE *OK*

Date _____

Receipt # _____

Receipt by _____

Sent to S.O. 12/14/87 *OK*

OCT 31 1987

No Fee

Department of Water Resources
Western Regional Office

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPUNCHED

1. Permit No. 63-9975

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Thomas Thibault3. Post Office Address: 5321 West Cherry LaneMeridian Id- 83642 Telephone No. 888-13594. Source of Water: Well 6"

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark Nursery MAT5 Gal - 1 Gal B.B. Stock6. Total rate &/or volume for which proof is submitted 0.04 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

Thomas Thibault (Name) 1104195321 West Cherry Lane Meridian (Address) 888-1359 (Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

10/19/87

Signature of Permit Holder (and title, if appropriate)

Thomas Thibault, Owner



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

63-9975
Du-Rite Nursery/Thibault
5321 W. Cherry Ln.
Meridian, ID 83642

138020

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JUN 04 1990

page 2
Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.


The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure

MICROFILMED

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1984

THOMAS THIBAUT DU RITE NURSERY
5321 W. CHERRY LN.
MERIDIAN ID 83642

RE: Permit No. 63-9975

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

JUN 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 10, 1984

Du-Rite Nursery
Evelyn and/or Thomas Thibault
5321 W. Cherry Lane
Meridian, ID 83642

Gentlemen:

Re: Permit No. 63-9975

This office acknowledges receipt of the statement of beneficial use postcard submitted for this permit received on February 6, 1984.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

If you have any questions regarding the field examination, please contact our Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9975.

Name(s) of Permit Holder: Du-Rite Nursery North, Paul T Thomas + Evelyn

Post Office Address: 5321 W Cherry Lane

Meridian Id 83642 Tel. No. 888-1359

Source of Water: 6" Well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 2 1/2 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

2/2/84
Date

Thomas Thomas
Signature of Permit Holder

Du-Rite Nursery

5321 W Cherry Lane



RECEIVED 3642

FEB 6 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138407

DU-RITE NURSERY &/OR
THIBAUT, EVELYN & THOMAS
5321 W. CHERRY LN.
MERIDIAN, ID 83642

PROOF DUE NOTICE

JANUARY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9975 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

THIBAUT, EVELYN & THOMAS
5321 W. CHERRY LN.
MERIDIAN, ID 83642

MARCH 15, 1983

RE: PERMIT NO. 63-9975

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.


PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: bhs

APPLICATION NUMBER: 163-9975

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Naupa-Meridian Irr
Dist.
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/21/83
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/11/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 90/23141
☒ Publication dates and paper, recorded on application. 2/3 & 2/10/83 Idaho
☒ Protests, dates, withdrawal, etc., recorded on application. Stateman
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
1/25/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 2/22/83

STATE OFFICE REVIEW:

SW/LII, H16

- ☐ See attached sheet for more information.

By: [Signature]

Date: 2/28/83

RECEIVED
FEB 23 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

100
100
100
100

63-9975

THIBAUT, EVELYN &/or THOMAS
DBA DU-RITE NURSERY

5321 W. CHERRY LN., MERIDIAN, ID 83642

Source: GROUNDWATER

Date Filed: 01/25/1983

Diversion Pt: NWNE Sec 09 T 03N R 01W

Use: IRRIGATION (0.12 CFS)

In: NWNE Sec 09 T 03N R 01W FOR 4 ACRES

THIBAUT, EVELYN &/or THOMAS
DBA DU-RITE NURSERY
5321 W. CHERRY LN., MERIDIAN, ID 83642
GROUNDWATER
01/25/1983
NWNE Sec 09 T 03N R 01W
IRRIGATION (0.12 CFS)
FOR 4 ACRES