

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Township 3N Range 2E

✓

Sec 23

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas B. Esler

(Applicant)

Maria Eschen

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verna Johnson

Verna Johnson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two

insertions, beginning with the

issue of November 18, 1982, and ending with the

issue of November 25, 1982.

Verna Johnson


Subscribed and sworn to before me this 26th

day of November, 1982.

Notary Public for Idaho, Residing at Boise, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following application(s) have
been filed to appropriate the public
waters of the State of Idaho. **138P**
63-9955
ESCHEN, THOMAS B. &/or MARIA
115 PROVIDENT DR., BOISE, ID
83706
Source: GROUNDWATER
Date Filed: 11/02/1982
Amount: 0.11 CFS
Diversion Point: NWNE Sec 23 T 03N
R 02E, ADA Co.
Use: IRRIGATION (0.09 CFS)
from 03/01 to 11/15
STOCKWATER (0.02 CFS)
from 01/01 to 12/31
Place of Use: NWNE Sec 23 T 03N R
02E FOR 3 ACRES
Diversion Means: WELL, PUMP &
PIPELINE
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Regiona, State-
house, Boise, Idaho 83720 on or before
DECEMBER 6, 1982.
A. KENNETH DUNN
Director
Pub. Nov. 18, 25, 1982 **4713**

RECEIVED



SCHMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 1/4 NE 1/4, SEC. 23, TWP. 3N, RGE. 2E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	23									2.5								2.5
											X (STOCKWATER)								
																			2.5

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

AUG 23 1983

Examiner's Signature

Checked by

Approved by

Jan Grover

6h5

Royanne McCarthy

Date

Date

Date

9/12/83

1/16/86

3/30/89

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09955

Priority: November 2, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.10 CFS
11.5 AF

This is to certify, that THOMAS B. ESCHEN
MARIA ESCHEN

115 PROVIDENT DR.
BOISE, ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 2, 1982; and has submitted Proof of Beneficial Use on January 2, 1983. An examination indicates that the works have a diversion capacity of .130 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	0.08 CFS	11.3 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
	Totals	0.10 CFS	11.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 23, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	23	NWNE	2.5		2.5
Total number of acres irrigated:						2.5

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of AUGUST, 1989.


R. Keith Higginson, Director

MICROFILMED

AUG 23 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Thomas B & Maria Eschen Phone 336-5508
Post office address 115 Provident Dr, Boise ID 83706
645 per phone con 11/10/82
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 23 Township 3N
Range 2E B.M. Ada County, additional points of diversion if any: none

4. Water will be used for the following purposes:

Amount 0.09 cfs *11/10/82* for irrigation purposes from Mar 1 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 cfs for stock water purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.11 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 30 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year - maximum 5 years). In use since 1977,
deepened in 1982

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 23 Township 3N
Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 3 cattle, 2 horses

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	23		2.6															2.6

Total number of acres to be irrigated 2.6

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion applicants

b. Who owns the land to be irrigated or place of use applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *Twp 3N Range 2E*

Township 3N Range 2E

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas B. Esler

(Applicant)

Mana Eschen

Proposed Priority 11/2/1982

Received by MM Date 11-2-82 Time 8:00 am

Preliminary check by KS Fee \$ 30.00 24.96

Receipted by JP Date 11/2/82

Publication prepared by JP Date 11/10/82

Published in Idaho Statesman

Publication dates 11/12 & 11/15/82

Publication approved JP Date 11/10/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9955, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 84.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

Witness my hand this 16th day of December, 1982.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verna Johnson

Verna Johnson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two

two insertions, beginning with the
issue of November 18, 1982, and ending with the
issue of November 25, 1982.

Verna Johnson

Subscribed and sworn to before me this 26th

day of November, 19 82.

Notary Public for ~~Idaho~~, Residing at Boise, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

ESCHEN, THOMAS B. &/or MARIA
115 PROVIDENT DR., BOISE, ID
83706

83706
Source: GROUNDWATER

Source: GREENE
Date Filed: 11/02/1982

Amount: 0.11 CFS

Amount: 0.11 CFS
Diversion Point: NWNE Sec 23 T 03N
R 02E, ADA Co.

Use: IRRIGATION (0.09 CFS)

Use: IRRIGATION
from 03/01 to 11/15
STOCKWATER (0.02 CFS)
from 01/01 to 12/31

Place of Use: NWN Sec 23 T 03N R
02E FOR 3 ACRES

02E FOR 3 ACRES
Diversion Means: WELL, PUMP &
PIPELINE

PIPELINE
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Regional, Statehouse, Boise, Idaho 83720 on or before **DECEMBER 6, 1982.**

DECEMBER 6, 1962.
A. KENNETH DUNN

Director
Pub. Nov. 18, 25, 1982

4713

August 15, 1989

THOMAS B. ESCHEN
MARIA ESCHEN
115 PROVIDENT DR.
BOISE, ID 83706

RE: PERMIT NO. 63-09955

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 15 1989

July 6, 1989

THOMAS B. ESCHEN
MARIA ESCHEN
115 PROVIDENT DR.
BOISE, ID 83706

RE: PERMIT NO. 63-09955

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED


AUG 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
6309955	03N	02E	23	NW NE		GROUNDWATER	ESCHEN, THOMAS
6305049						GROUNDWATER	STRICKLIN, LOR
6307180						GROUNDWATER	LEATHAM, DARRE
6309362						GROUNDWATER	CITY OF BOISE
6310396						GROUNDWATER	OTTO, BRUCE R.

MICROFILMED

AUG 23 1989



SCHMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 1/4 NE 1/4, SEC. 23, TWP. 3N, RGE. 2E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	23																	2.5
																			2.5

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

AUG 15 1986

Examiner's Signature Jan Grover

Checked by 6h5

Approved by Kyenne McCarthy

Date 9/18/83

Date 1/16/86

Date 3/30/89

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED
JAN 26 1986

63-9955
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)	9/12/83	JG	MR. ESCHEN CALLED REQUESTING EXAM BE DONE.
☐ Appointment scheduled for: (Date, time, location)	9/13/83 8:30	JG	

EXAMINATION

Date 9/13/83 Accompanied by MR. ESCHEN Total Q measured 60 GPM
If source is surface water, estimate total flow of source
Methods of measurement STOPWATCH & 5 GAL. BUCKET. Meets Permit requirements? Yes

Measurement calculations:

60 GPM $\div$ 448.8 = 0.13 CFS TOTAL - 0.10 CFS ALLOWED
2.5 AC $\times$ 0.03 = 0.075 OR 0.08 CFS - 4.5 AFA/AC $\times$ 2.5 = 11.25 AFA/AC
5 HD CATTLE = 0.02 CFS PER CHART + 0.2 AFA.

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	2	PEARSON	PARKER		115/230			

System Description 1/2" PIPELINE TO SPRINKLERS & FLOOD IRRIGATION. 2" INTAKE LINE.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	Q (cfs)	V (afa)	FROM	TO
IRRIGATION - 2 1/2 AC.	4.5	0.08 CFS	11.3 AFA	3/1	11/15
STOCKWATER - 5 HD.		0.02 CFS	0.2 AFA	4'	12/31
Total		0.10 CFS	11.5 AFA		

Remarks

RECEIVED

AUG 23 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MARCH 1, 1983

THOMAS B. ESCHEN
115 PROVIDENT
BOISE

ID 83706

RE: Permit No. 63-9955

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

AUG 23 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9955.

Name(s) of Permit Holder: Thomas B and Maria Eschen

Post Office Address: 115 Provident
Borise ID 83706 Tel. No. 336-5508

Source of Water: ground water

Extent of Use: ☐ Domestic (number of households)
☒ Stockwater 3-5 (number and type of stock)
☒ Irrigation 2.6 (acres)
☐ Other Note - pump drained at this time to prevent freezing. will prime in March or April depending on weather




Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-16-83
 Date

✓ Thomas B. Eschen
 Signature of Permit Holder

THOMAS B. ESCHER, M.D.
115 PROVIDENT DR.
BOISE, ID 83706



JAN 20 1983

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

January 12, 1983

RE: Permit No. 63-9955

Thomas B. & Maria Eschen
115 Provident Dr.
Boise, ID 83706

Dear Mr. and Mrs. Eschen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the outcome of a case that has recently been decided by the Idaho Supreme Court entitled Idaho Power Company vs. State of Idaho, et al., Idaho Supreme Court Case No. 13794. The decision, filed on November 19, 1982, indicates that flows of water through the power plant at Swan Falls are entitled to protection from uncompensated depletion of flows upstream of Swan Falls. The court found that such flows in the Hells Canyon reach of the Snake River are not similarly protected, but rather are subordinated to future upstream depletions for consumptive uses. The full impacts of this decision are not yet clear, and the case has been partly remanded to the District Court so further litigation on the matter is forthcoming. The Department of Water Resources has been advised that Idaho Power Company is not waiving any rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use postcard that must be submitted when your project is completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665

APPLICATION NUMBER: 63-9955

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☐ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. None

- ☒ Yes ☐ No*
☐ Yes ☐ No

In form for advertising.

Final date for protests: 12/6/82 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/1/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30.00 + 24196
☒ Publication dates and paper, recorded on application. 11/12 & 11/25/82
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11/2/82 Date of priority recommended.
✓ Special conditions of approval or cover letter. I.P. G.W. letter
(26)

By: DBS

Date: 12/6/82

STATE OFFICE REVIEW:

return receipt
SLW/L16, L05

- ☐ See attached sheet for more information.

By: Reep

Date: 12/13/82

RECEIVED
DEC 07 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

DEC 0 1 1985
RECEIVED

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before DECEMBER 6, 1982.

Yours truly,

JUDY PENSE
Secretary

Encl.

✓

NOV 22 1982

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before DECEMBER 6, 1982.

KEN DUNN, Dir.

Published 11/18 & 11/25/82.

63-9955-

ESCHEN, THOMAS B. &/or MARIA

115 PROVIDENT DR., BOISE, ID 83706

Source: GROUNDWATER

Date Filed: 11/02/1982

Amount: 0.11 CFS

Diversion Point: NWNE Sec 23 T 03N R 02E. ADA Co.

Use: IRRIGATION	(0.09 CFS)	from 03/01 to 11/15
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31

Place of Use: NWNE Sec 23 T 03N R 02E FOR 3 ACRES

Diversion Means: WELL, PUMP & PIPELINE

