


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven A. Jensen for
Physical Facilities Representative
The Church of Jesus Christ of Latter-day Saints
(Applicant)

RECEIVED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 NW 1/4, SEC. 3, TWP. 2N, RGE. 2W (2 PTS)

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	3								3									3

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

AUG 23 1989

Examiner's Signature John Shuster
Checked by 6h5
Approved by _____

Date 12/18/85
Date 3/11/86
Date _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09954

Priority: September 15, 1982

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:¹

13.5 AF

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
50 E. N. TEMPLE ST.

SALT LAKE CITY, UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 15, 1982; and has submitted Proof of Beneficial Use on March 22, 1983. An examination indicates that the works have a diversion capacity of .800 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 3, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	3	SENW	3		3

Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of AUGUST, 1989.

Given for

R. Keith Higginson, Director

MICROFILMED

AUG 23 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED
NOV 1989
Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Presiding Bishop of The Church of Jesus Christ of Latter-day Saints Phone _____
Post office address 50 East North Temple Street, Salt Lake City Utah 84150
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 2N
Range 2W B.M. Canyon County, additional points of diversion if any: None

4. Water will be used for the following purposes:

Amount 0.12 for Irrigation purposes from 15 March to 1 November (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well pump pipeline & sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2	2	3								4									4

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks THIS IS THE AREA AROUND THE WAMPY IDAHO SOUTH LDS STAKE CHURCH C/O STEVEN D. JENSEN.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NW NW
NW NE
NW
SW SE
TX
Sec. 3

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven A. Jensen for
Physical Facilities Representative
The Church of Jesus Christ of Latter-day Saints
(Applicant)

(Applicant)

Proposed Priority 9/15/1982

Received by [Signature] Date 9-15-82 Time 9:40

Preliminary check by js Fee \$ 30.00

Receipted by SR Date 9/17/82 # 24165

Publication prepared by jp Date 11/4/82

Published in Press-Tribune

Publication dates 11/11 & 11/18/82

Publication approved SR Date 11/20/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9954 and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 9th day of December, 1982.

L. Glen Sayton
Chief, Operations Bureau

NOV 18 1982

Department of Water Resources

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Garrah J. Wheeler

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

November 11, 18, 1982

NOV 18 82

Department of Water Resources
Western Regional Office

Garrah J. Wheeler

Subscribed and sworn to before me this 18th
day of November

19 82

James L. ...
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

NOTICE OF APPLICATION FOR WATER PERMIT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-9953

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
PRESIDING BISHOP, 50 E. N. TEMPLE ST., SALT LAKE CITY, Utah 84150

Source: GROUNDWATER

Date Filed: September 15, 1982

Amount: 0.04 CFS

Diversion Point: SENW Sec 03 T 02N R 02W, CANYON County

Use: DOMESTIC (0.04 cfs) from January 1 to December 31

Place of Use: SENW Sec 03 T 02N R 02W

Diversion Means: WELL, PUMP, PIPELINE & SPRINKLERS

63-9954

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
PRESIDING BISHOP, 50 E. N. TEMPLE ST., SALT LAKE CITY, Utah 84150

Source: GROUNDWATER

Date Filed: September 15, 1982

Amount: 0.12 CFS

Diversion Point: SENW Sec 03 T 02N R 02W, CANYON County

Use: IRRIGATION (0.12 CFS) from March 15 to November 1

Place of Use: SENW Sec 03 T 02N R 02W FOR 4 ACRES

Diversion Means: WELL, PUMP, PIPELINE & SPRINKLERS

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before NOVEMBER 29, 1982.

KEN DUNN, Director

November 11, 18, 1982

August 15, 1989.

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

RE: PERMIT NO. 63-09954

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOT RECORDED

AUG 23 1989

July 6, 1989

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

RE: PERMIT NO. 63-09954

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 23 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
6309954	02N	02W	3	SE	NW			GROUNDWATER	CHURCH OF JESU
6309953								GROUNDWATER	CHURCH OF JESU

MicroFILMED

AUG 23 1989

RECEIVED

State of Idaho

DEPARTMENT OF WATER RESOURCES

MAR 18 1986 WATER RIGHT BENEFICIAL

63-9954

CHURCH OF JESUS CHRIST LATTER DA

P/D: SEC 03 TWP 02N RNG 02W

IRRIGATION? Y

Department of Water Resources

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:☒ Telephone call made

(List Telephone No. used)

☒ Appointment scheduled for:

(Date, time, location)

4/4/84 Jb spoke w/ Jess Brington
4/5/84 who scheduled exam
with Eugene Loosli for me.
10:00 - LDS Church - Sunnyside Rd. in
Tampa.

EXAMINATION

Date 4/5/84 Accompanied by MR. & MRS. LOOSLI Total Q measured ESTIMATED 0.12

Source G.W. Tributary to Supp. annubar measurement sheet used? Jb

If source is surface water, estimate total flow of source

Methods of measurement estimated Meets permit requirements?

Measurement calculations:

$$720 \text{ gpm} \div 448.8 = 1.6 \div 2 (\frac{1}{2} \text{ sprinklers}) = 0.80 \text{ cfs}$$
$$0.80 \text{ cfs} \times 4.5 = 3.6 \text{ af/ann.}$$

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
				UNKNOWN.				

System Description WELL IN 63-9953 ALSO USED FOR A PORTION OF THESE 3 ACRES.
WELL #2 HAS 3" PIPELINE (MAIN) TO 2" LATERALS - ALL PVC PIPE. IN
BASEBALL FIELD THERE ARE 12 HEADS X 12 LATERALS = 144 HDS EACH
5/32 NOS. AT 5 GPM EA (RAINBIRD CATALOG) = 720 gpm. 1/2 ran at one time.
3268773 Rainbird popups.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 4.5 AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

IRRIGATION - 3 ACRES

.09

13.5 AFA

3/15

11/15


Total

.09

13.5 AFA

Remarks Original application was for 4 acres which
included the church & parking lot & outbuilding.
Only 3 acres approx. are actually being irrigated.
This includes baseball field & outbuilding & church.

AUG 23 1984



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 NW 1/4, SEC. 3, TWP. 2N, RGE. 2W (2 PTS)

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	3								3									3

MINUTEMAN

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

AUG 23 1985

Examiner's Signature Jon Shuster
Checked by 6h5
Approved by _____

Date 12/18/85
Date 3/11/86
Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1983

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
PRESIDING BISHOP
50 E. N. TEMPLE ST.
SALT LAKE UT 84150

RE: Permit No. 63-9954

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED
MAY 1 1983
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9954

Name(s) of Permit Holder: Presiding Bishop Church of Jesus Christ

Post Office Address: of Latter Day Saints
50 East North Temple St. Salt Lake City Utah
84150 Tel. No.

Source of Water:

Extent of Use: ☒ Domestic Church house (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 24 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-8-83
 Date

Bryce D. Miller
1st Co. Mormon S. J. L. Co.
 Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



RECEIVED

MAY 22 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

January 12, 1983

RE: Permit No. 63-9954

Presiding Bishop
Church of Jesus Christ of Latter Day Saints
50 East North Temple Street
Salt Lake City, UT 84150

Dear Sir:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the outcome of a case that has recently been decided by the Idaho Supreme Court entitled Idaho Power Company vs. State of Idaho, et al., Idaho Supreme Court Case No. 13794. The decision, filed on November 19, 1982, indicates that flows of water through the power plant at Swan Falls are entitled to protection from uncompensated depletion of flows upstream of Swan Falls. The court found that such flows in the Hells Canyon reach of the Snake River are not similarly protected, but rather are subordinated to future upstream depletions for consumptive uses. The full impacts of this decision are not yet clear, and the case has been partly remanded to the District Court so further litigation on the matter is forthcoming. The Department of Water Resources has been advised that Idaho Power Company is not waiving any rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use postcard that must be submitted when your project is completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosuresr

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jon Glover

APPLICATION NUMBER: 63-9954

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☒ No* In form for advertising.
Final date for protests: 11/29/82 ✓
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/18/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application. 11/11 # 11/12/82 Press-bldg.
☒ Protests, dates, withdrawal, etc., recorded on application. 30.00 = 24165
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
9/15/82 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 11/29/82

STATE OFFICE REVIEW:

SLW/L06, L05

- ☒ See attached sheet for more information.

By: [Signature]

Date: 12/2/82

RECEIVED
DEC 1 1982

1964 1 1805

DECLASSIFIED

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

September 27, 1982

Steven D. Jensen
Nampa Idaho South LDS Stake
P. O. Box 675
Nampa, ID 83651

Dear Mr. Jensen:

We have received the two applications for permit submitted in connection with the wells used for your church. However, before we can process these, additional information is needed.

The point of diversion on the application for irrigation purposes only is not completed. If it is in the same tract as the place of use then Item 3 should reflect this. On the second application for domestic and groundwater use there is no listing of the number of acres for irrigation. If it is a half acre or less then that can be covered under the domestic use. However, if there is more than half an acre of irrigation this needs to be shown on Item 5b.

It appears that there is a possibility that the well filed for on each application could be the same well. If they are the same well or connected into the same system then only one application needs to be filed listing the point of diversion for both wells and both uses.

The name on the application should probably reflect the Nampa Idaho South LDS Stake name rather than the Salt Lake City name. Also, your title for the church should be designated under your signature.

Please make these additions or corrections and return the applications to us as soon as possible in order for processing to begin. If you have any questions, do not hesitate to contact me.

Sincerely,

JAN GROVER
Senior Water Resource Agent

JG:jp

63-9954-

CHURCH OF JESUS CHRIST LATTER DAY SAINTS

PRESIDING BISHOP, 50 E. N. TEMPLE ST., SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Date Filed: 09/15/1982

Amount: 0.12 CFS

Diversion Point: SENW Sec 03 T 02N R 02W CANYON Co.

Use: IRRIGATION (0.12 CFS) from 03/15 to 11/01

Place of Use: SENW Sec 03 T 02N R 02W FOR 4 ACRES

Diversion Means: WELL, PUMP, PIPELINE & SPRINKLERS