


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* *Ernie Peterson*
(Applicant)

Melissa Eotm

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: RODNEY A. NOKUM AND/OR MELANIE MILLER Permit No. 63-09938
Current Address: 9644 PIERCE PARK ROAD, BOISE, IDAHO 83703 Phone No. 853-3309
2. Accompanied by: MELANIE MILLER EXAM. DATE: JUNE 18, 1990
Address: SAME Phone No. SAME
Relationship to Permit Holder: JOINT OWNER
3. Source: SPRINGS tributary to PIERCE GULCH

B. OVERLAP REVIEW

1. Other water rights with same place of use: # A63-15334 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 200'

MICROFILMED
JUN 11 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MIT 63-09938 INIT CWJ
T. R. S. Q/Q
P/D 4N 2E 9 SWSW
SCALE
PHOTO ID. X-9



PERMIT 63-09938

JUN 1 1 1964

15-20-5111

P/D
②

P/D
①

P/U

P/D
A63-15334

PERMIT 63-09938

PHOTO # 1

2 HP CENTRIFUGAL PUMP DIVERTING WATER
FROM A SPRING POND INTO A 2-INCH
SPRINKLER SUPPLY LINE.



SPRING AREA # 1 :

PHOTO #2

MAIN SOURCE OF WATER FROM A SPRING IN
PHOTO CENTER - WATER ENTERS POND ALONG
NORTH WATER LINE IN SEVERAL PLACES.



MICROFILMED
JUN 1 1982

PERMIT 63-09938

PHOTO #3

VIEW LOOKING EAST FROM ENTRY ROAD TO HAY
FIELD. 12 SPRINKLERS OPERATING AT 15 PSL AT HEADS,
30 WS - 5/32 ORIFICES; 25 PSL AT PUMP.



FRONT FIRE BUFFER:
IRRIGATION SYSTEM FOR EMERGENCY FIRE
PROTECTION. HILLSLOPE NORTH OF HOUSE.

PHOTO #4



WILSON
JUN 11 1992

PHOTO #5

SMALL SPRING POND FROM SPRING #2
ABOUT 200 FT. WEST OF LARGE POND, PHOTOS #1, #2.



PHOTO #6

VALVE ON OUTLET OF SPRING #2 POND FOR
STOCK WATERING USE.



RECEIVED
JUN 11 1992

PHOTO #7

8-INCH WELL AND HP SUBMERSIBLE PUMP
COVERED UNDER CLAIM A63-15334 FOR 1 HOUSEHOLD
DOMESTIC AND STOCKWATER USE.



PHOTO #8

HOME COVERED BY DOMESTIC USE CLAIM A63-15334.
LAWN WATERED FROM SPRING-POND-PUMP SYSTEM
P63-09938 WHEN WATER AVAILABLE OR WELL A63-15334.



RECEIVED
JUN 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09938

Priority: August 9, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:

0.08 CFS
12.3 AF

This is to certify, that RODNEY A NORUM
MELANIE MILLER

9644 PIERCE PARK RD
BOISE ID 83703

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 9, 1982; and
has submitted Proof of Beneficial Use on August 29, 1989. An examination indicates
that the works have a diversion capacity of .080 cfs of water from:

SPRINGS

tributary to PIERCE GULCH

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	12.2 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
	Totals	0.08 CFS	12.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWSW , Sec. 9, Township 04N, Range 02E
SESWSW , Sec. 9, Township 04N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02E	9	SWSW	2.7		2.7

Total number of acres irrigated: 2.7

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

RECORDED

JUN 11 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-09938

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Stockwater use is for 5 horses and 2 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of JUNE, 1992.


R. Keith Higginson, Director

JUN 11 1992

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Permit~~	~~63-9938~~	~~Peterson, Ernie~~ ~~Estes, Melissa~~	~~.18~~
Full Assignment	63-9938	Norum, Rodney A. Miller, Melanie	.18

RECEIVED

RECEIVED

RECEIVED

STATE OF IDAHO
AUG 24 1987
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received SC
Date 9-28-87
Receipt # 45261

SEP 28 1987

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

Rodney A. Norum and/or 9644 Pierce Park Road
Melanie Miller of Boise Idaho 83703
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the
State of Idaho No. 63-9938.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before

September 1, 19 87.

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

Sprinkler
system had been installed around house, using pond water
and electric surface pumps by previous owner.
A one acre pasture has also
been irrigated using water from that pond, work completed
by us, this year. We also improved Costing \$ ~900 for one
the dam at the outlet of the pond. acre pasture

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

This permit was obtained by the previous owner, who transferred it to
us in February of 1986. The only work done by the previous owner
was installation of yard sprinklers. We would like to irrigate
up to 2 more acres, but must do more work on the dam. We cannot -

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations over

under said permit to Sept. 1, 19 92
(1 yr. minimum,
5 yrs. maximum)

Rodney A. Norum Melanie Miller
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

FEE: \$15.00

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to September 1, 1989.

Signed this 19th day of October, 19 87.

L. Glen Saxton
Chief, Operations Bureau

possibly complete work by Sept. 1. We
would like an extension to allow us to
improve the ponds and ~~to~~ install additional
irrigation sprinklers.

RECEIVED

MAR 14 1988

State of Idaho
Department of Water Resources

RECEIVED

FEB 21 1986

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Ernie Peterson, hereby assign to Redney E. Verum and/or
of 9644 Pierce Park Road, Boise, Idaho 83753 9643
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 63-9938
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 3 day of Feb., 19 1986.

[Signature]
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Ada) ss.

On this 3 day of February, 19 86, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he ~~(she)~~ ~~(they)~~ executed the same.

seal

[Signature]
Notary Public residing at
Boise Id

My commission expires:

4/25/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ERNIE PETERSON &/or MELISSA ESTES Phone 343-5079

Post office address Rt. 1, Pierce Park, Boise, ID 83703

2. Source of water supply springs which is a tributary of sinks

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 4N

Range 2E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .16 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .18 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 springs, one with pond and
other with collection system with pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 4N

Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 5 horses, 30 sheep, 2 beef cows

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2E	9											8						8

Total number of acres to be irrigated 8

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

B2E

T4N 9

00 - pt of place of use

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* Ernie Peterson
(Applicant)

Melissa Eaton

Proposed Priority 8/9/1982

Received by GLS Date 8/9/82 Time 10:00

Preliminary check by GLS Fee \$ 30.00 / 24088

Receipted by GLS Date 8/9/82

Publication prepared by jp Date 8/12/82

Published in the Idaho Statesman

Publication dates 8/19/ & 8/26/82

Publication approved SR Date 8/31/82

Protests filed by: NONE

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS KC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9938, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of September, 1982.

J. Glen Saylor
Chief, Operations Bureau

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Margaret Rose Storrs

Margaret Rose Stearns, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two _____ insertions, beginning with the
issue of August 19, 1982, and ending with the
issue of August 26, 1982.

Subscribed and sworn to before me this 26th
day of August, 19 82.

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application for water right has been submitted for review and approval to the public works department of the State of Idaho:

**PETERSON, ERIC
ESTES, MELISSA
RT. 1, PIERCE, ID, BOISE, ID 83703**
Source: SPUR R. S tributary to SINKS
Priority Date: 08/09/1982
Amount: 600 CFS
Diversion Point: SWSW Sec 09 T 04N R 02E ADA Co.

Use: IRRIGATION (1000 ACRES) from 03/15 to 11/15
STOCKWATER (1000 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 09 T 04N R 02E FOR 8 ACRES
Diversion Point: PUMP & VALVES

If issued, the permit will be subject to all provisions of the Water Code. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, P.O. Box 8370, Boise, Idaho 83726 on or before SEPTEMBER 7, 1982.

A. KENNETH DUNN
Director

PUB. Aug. 19, 26, 1982 4018

Department of Health Resources
Westborough, MA

June 4, 1992

RODNEY A NORUM
MELANIE MILLER
9644 PIERCE PARK RD
BOISE ID 83703

RE: WATER RIGHT NO. 63-09938

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

OFFICE OF THE
WATER RESOURCES
JUN 11 1992

May 11, 1992

RODNEY A NORUM
MELANIE MILLER
9644 PIERCE PARK RD
BOISE ID 83703

RE: WATER RIGHT NO. 63-09938

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

UNRECORDED
JUN 11 1992

LICENSE REVIEW CHECKLIST

Date 04-30-92

Permit # 63-09938
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? $(7 \times 12/120) \times .00223 = .6015$ ^{.01 cfs (stock)}
	☐	☒	Disagree with Actual Measurement? $7 \times .00223 = .0015$
	☒ NA	☐	Disagree with Theoretical? _____
	☒	☐	Limited by Capacity? $2.7 \times .03 = .081 > .07 \text{ cfs}$
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
		☒	Limited by Flow? $2.7 \times 4.5 = 12.2 \text{ AFA (IRR)}$ $7 \times .0134 = .09 \approx .1 \text{ AFA (stock)}$
			$.07 \times 245 \times 1.9835 = 34 > 12.2$
			$.01 \times 365 \times 1.9835 = 7.2 > .1$
SOURCE	☒	☐	Changes? Clarification of <u>Originally</u>
		☒	<u>Intended</u> source <u>Trib. to Pierce Gulch/Not sinks</u>
		☒	Notice of Intent to Void.
P/D		☒	Verify with Map <u>Add 10 Acre Tracts -</u>
		☒	Amendment Needed? <u>SE SWSW + SW SWSW</u>
		☒	Is Overlap Analysis a Consideration?
P/U		☒	Verify with Map
		☒	Amendment Needed? _____
		☒	Is Overlap Analysis a Consideration?
USES		☒	Changes required to be compatible with Maps, Data Entry Standards, etc? _____
		☒	Change(s) in Nature of Use? _____
		☒	Amendment Needed? _____
REMARKS	☒	☐	Multiple P/Ds in 1/4 1/4? <u>Identified as 2 p/d's</u>
	☒	☐	Non-Irrigation Uses <u>stock/2 cattle 5 Horses</u>
		☒	Special Overlap Condition _____
		☒	Other _____
CONDITIONS		☒	Measuring Device
		☒	W/Master Control
	<u>R52</u>	☐	Overlap
		☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Stock #'s from Proof/Reduce Rate, Acres, Stock
License 10-Day ☒ 15-Day ☐ Special Correspondence _____

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RODNEY A NORUM	08/09/1982	IRRIGATION	03-15 11-15	0.07 CFS	12.2 AFA
C	MELANIE MILLER 9644 PIERCE PARK RD BOISE ID 83703		STOCKWATER	01-01 12-31	0.01 CFS	0.1 AFA
TOTAL DIVERSION:					0.08 CFS	12.3 AFA
O	ERNIE PETERSON					
O	MELISSA ESTES					

Water Source: SPRINGS

Tributary to: PIERCE GULCH

Stage: LICENSE

Point(s) of Diversion Capacity: 0.08 CFS

Point(s) of Diversion: T04N R02E S09 SW SW SW SE SW SW

Place of use Legal Description for: IRRIGATION

			NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
04N	02E	9	:					:					:				02	:						:	2.7	
TOTAL ACRES																							:	2.7		

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-09938

Other Water Rights Listing Overlapping Place(s) of use:
63-09938

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Stockwater use is for 5 horses and 2 range cattle.

Dates: App. Received: 08/09/1982 Priority Date: 08/09/1982
Proof Due Date: 09/01/1989 Proof Made Date: 08/29/1989
Exam Made Date: 06/18/1990 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/01/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-09938
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

NO Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

NONE Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CWJ 6/14/90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index CWJ 6/14/90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Shifton Johnson 6/26/90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office DW 4/19/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 4-25-91 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: RODNEY A. NOKUNA AND/OR MELANIE MILLER Permit No. 63-09938
Current Address: 9644 PIERCE PARK ROAD, BOISE, IDAHO 83703 Phone No. 853-3309
2. Accompanied by: MELANIE MILLER EXAM. DATE: JUNE 18, 1990
Address: SAME Phone No. SAME
Relationship to Permit Holder: JOINT OWNER
3. Source: SPRINGS tributary to PIERCE GULCH

B. OVERLAP REVIEW

1. Other water rights with same place of use: # A63-15334 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

MICROFILMED

JUN 11 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SPRINGS ENTER A STORAGE POND FROM WHICH WATER IS DIVERTED (SPRING AREA #1) BY A 2HP CENTRIFUGAL PUMP AT 25 PSI INTO A 2-INCH MAIN LINE AND 1-INCH LATERAL LINES TO 12 RAINBIRD 30 WS SPRINKLERS WITH 5/32-INCH ORIFICES TO IRRIGATE A HAYFIELD AND FIRE BUFFER AREAS. THE SPRING STORAGE POND IS ABOUT 170 FT LONG AND 50 FT WIDE AND 5 FT DEEP. THE SYSTEM ALSO IRRIGATES THE LAWN AND GARDEN BY VARIOUS TYPES OF SPRINKLERS. SPRING AREA #2 WATER COLLECTS IN A SMALL POND ABOUT 10 FT DIAMETER AND IS RELEASED THROUGH A CONTROL VALVE FOR ☐ See Remarks on page 4 for continuation
LIVESTOCK USE. SPRING MEASUREMENT NOT POSSIBLE.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SPRING #1	FLINT-WALLING	2	NOT READABLE	CENTRIFUGAL UNKNOWN	DISCHARGE 2-1/4 IN

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1 SPRING		SE	SW	SW	9	4N	2E	ADA	ORTHO PHOTO, AERIAL MAP
#2 SPRING		SW	SW	SW	9	4N	2E	ADA	" "

6. Place(s) of Use:

Indicate Method of Determination SAME AS ITEM 5.

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2E	9											2.7						2.7
													S						

IN 4-2-91
 narrated by [unclear] to [unclear] according to map

MICROFILMED

Do not use this space

JUN 11 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
HAND PRESSURE GAUGE						

2. Measurements:

12 EACH 30WS SPRINKLERS WITH 5/32 ORIFICES AT 15 PSL (RAINBIRD)
AND 25 PSL AT PUMP.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 12 SPRINKLERS X 2.71 GAL / SPRINKLER / MIN = 33 GAL / MIN = 0.07 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N / _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5) / (7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.7 A \times 4.5 = 12.2 AFA$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.07 \times 245 \times 1.9835 = 34 AFA$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.2 AFA$

2. Volume Calculations for Other Uses: STOCK WATER: 10 HEAD (TABLE) 0.02 AFA
 $0.02 \times 365 \times 1.9835 = 14.5 AFA$ ALTERNATE

MICROFILMED

JUN 11 1992

.16 \$.2 Do

H. REMARKS AND OVERLAP REVIEW ANALYSIS

CLAIM A63-15334 PROVIDES DOMESTIC WATER FOR 1 HOUSEHOLD
AND SUPPLEMENTS WATER FROM SPRING #1 AND POND
FOR IRRIGATION OF LAWN AND GARDEN AND FOR STOCKWATER.
SPRING #2 IS NOT USED FOR IRRIGATION OR DOMESTIC USE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.07	12.2
STOCKWATER	1/1	12/31	0.02	.2
Totals:			0.09	12.4

2. Recommended Amendments NONE

☒ Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON


Signature Clifton W. Johnson

Certification Date _____

Field Report Preparation Date JUNE 26, 1990

CONSULTANT SEAL


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED

JUN 11 1992

MIT 63-09938 INIT CWJ
T. R. S. 0/0
P/D 4N 2E 9 SWSW
SCALE
PHOTO ID. X-9



PERMIT 63-09938

P/D
②

P/D
①

P/U

P/D
A63-15334

PERMIT 63-09938

PHOTO #1

2 HP CENTRIFUGAL PUMP DIVERTING WATER
FROM A SPRING POND INTO A 2-INCH
SPRINKLER SUPPLY LINE.



SPRING AREA #1:

PHOTO #2

MAIN SOURCE OF WATER FROM A SPRING IN
PHOTO CENTER - WATER ENTERS POND ALONG
NORTH WATER LINE IN SEVERAL PLACES.



MAINTENANCE
JUN 1 1982


PERMIT 65-09938

PHOTO #3

VIEW LOOKING EAST FROM ENTRY ROAD TO HAY
FIELD. 12 SPRINKLERS OPERATING AT 15 PSL AT HEADS,
30 WS - 5/32 ORIFICES; 25 PSL AT PUMP.



FRONT FIRE BOTTLES
IRRIGATION SYSTEM FOR EMERGENCY FIRE
PROTECTION. HILLSLOPE NORTH OF HOUSE. PHOTO #4



2687 T.M.H.
JUN 1 1962

PHOTO #5

SMALL SPRING POND FROM SPRING #2
ABOUT 200 FT. WEST OF LARGE POND, PHOTOS #1, #2.



PHOTO #6

VALVE ON OUTLET OF SPRING #2 POND FOR
STOCK WATERING USE.



JUN 11 1992

PHOTO #7

8-INCH WELL AND HP SUBMERSIBLE PUMP
COVERED UNDER CLAIM A63-15334 FOR 1 HOUSEHOLD
DOMESTIC AND STOCKWATER USE.



PHOTO #8

HOME COVERED BY DOMESTIC USE CLAIM A63-15334.
LAWN WATERED FROM SPRING-POND-PUMP SYSTEM
63-09938 WHEN WATER AVAILABLE OR WELL A63-15334.



JUL 1 1992

October 26, 1989

MELANIE MILLER
RODNEY A. NORUM
9644 PIERCE PARK RD.
BOISE, ID 83703

RE: PERMIT NO. 63-09938

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 21 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-9938

Date: 10-26-89

General Considerations:

y Name same as permit
y Signature the same as permit holder
Address change _____ If yes, prepare a data entry
y Proof received timely
n/a Reinstated

Source of Water:

y Surface water
y Groundwater
n/a 1. well log in file
n/a 2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Is a measuring device or access port required?
Has one been installed?
Waiver or modification of measuring device requested

Remarks: Proof acceptable

n/a Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECORDED
AUG 29 1989

For Office Use Only
Fee Received 50.00
Date 8/29/89
Receipt # 0010514
Receipt by EG
Reviewed by 24
Sent to region 26-9

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 9938
63-5079

Name(s) of Permit Holder: Rodney A. Norum and/or Melanie Miller

Post Office Address: 9644 Pierce Park Road
Boise, Idaho 83703 Telephone No. 208-853-3309

Source of Water: 2 spring fed ponds

Extent of Use:

Domestic 1 (number of households) Stockwater 2 cows (beef)
up to 5 horses (number and type of stock)

Irrigation 2 acres (acres) Other/Remark watering planted trees,

range fire protection sprinklers

Total rate and/or volume for which proof is submitted 18 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: May 1, 1983

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:
Rod Norum OR Melanie Miller 334-1081
(Name) (Telephone Number)
Melanie - work - 389-2456

9644 Pierce Park Road Boise Idaho 83703
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 21 1989

August 23, 1989 Rodney A. Norum Melanie Miller
Date Signature of Permit Holder (and title, if appropriate)

138367
June 30, 1989

MELANIE MILLER
RODNEY A. NORUM
9644 PIERCE PARK RD.
BOISE, ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-09938

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

ENCLOSURE

NOV 21 1989

October 15, 1987

Rodney A. Norum and Melanie Miller
9644 Pierce Park Rd.
Boise, ID 83703

Dear Mr. Norum and Ms. Miller:

Re: Permit No. 63-9938

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to September 1, 1989.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

MAR 14 1988

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-9938Reviewed by [Signature]Date 10-14-87

BASIC INFORMATION

Y Date stamp received
Y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
Y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on due diligence for 2 years.

Special conditions or remarks: Ext. received after proof due date, however, 9-14-87 letter allows new permit holders until

Oct. 1 to submit ext.
N/A Reinstatement Date extension received _____ = _____

SEE REMARK Proof due date _____ = _____

No. of days late _____ = _____

Priority date _____ = + _____

ADJUSTED PRIORITY DATE _____ = _____

Y Prepare coding sheet
Y Change rolodex cardf

MAR 14 1988

September 14, 1987

Rodney A. Norum and/or Melanie Miller
9644 Pierce Park Road
Boise, ID 83703

Dear Mr. Norum &/or Ms. Miller:

Re: Permit No. 63-9938

Returned is the Request for Extension of Time form submitted to this office on August 24, 1987. Also enclosed is the copy of your permit along with Jim's original cover letter.

Before the department can consider action on the request for extension of time, you must submit the \$15 filing fee. Please return the extension form and fee only by October 1, 1987 to keep the permit in good standing.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

REPROFILMED

MAR 14 1988

MILLER, MELANIE
NORUM, RODNEY A.
9644 PIERCE PARK RD.
BOISE, ID 83703

1387/3
CERTIFIED MAIL
June 30, 1987

PROOF DUE NOTICE

RE: Permit No. 63-9938

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

MAR 14 1988

February 27, 1986

RE: Permit No. 63-9938

Rodney A. Norum &/or Melanie Miller
9644 Pierce Park Rd.
Boise, ID 83703

Dear Permit Holders:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

UNRECORDED


Permit No. 63-9938

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? Yes
2. Notary? Yes
3. a. Full Assignment? Yes
b. Partial Assignment?
4. "No assignment" condition on permit? NO
5. Commencement of Works received? Yes
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? NO
7. Extension granted due to litigation? NO
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓ Shavla
2. Coding sheet. ✓ Shavla
3. Acknowledgement letter type. # 1
4. Copy to region. ✓ Shavla

Date 2-24-86

Employee 



RECEIVED

FEB 21 1986

Department of Water Resources

9644 Pierce Park Rd.
Boise, Idaho 83703 9643
February 20, 1986

Dear sir or madam:

Enclosed is a form which assigns
Permit No. 63-9938 from Ernie Peterson
or Melissa Estes to Rod Norum
and/or Melanie Miller, of 9644
Pierce Park Road. Please send us a
copy of the permit once this is processed.
Thank you very much.

Sincerely,

Melanie Miller

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PETERSON, ERNIE
RT. 1
PIERCE PK.
BOISE, ID 83703

SEPTEMBER 28, 1982

RE: PERMIT NO. 63-9938

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS MUST BE STARTED WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED. THE PROJECT MUST THEN BE DILIGENTLY CONSTRUCTED UNTIL COMPLETED. TO MAINTAIN THE PERMIT IN A VALID STATUS YOU MUST COMPLETE AND RETURN THE ENCLOSED POSTCARD WHEN CONSTRUCTION IS COMMENCED, NO LATER THAN ONE YEAR FROM THE DATE OF APPROVAL OF THE PERMIT.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

100-111111-100

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665

APPLICATION NUMBER: 63-9928

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 9/17/82 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/31/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/24088
☒ Publication dates and paper, recorded on application. 8/19/82 8/26/82 Idaho Stateman
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
8/9/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS Date: 9/7/82

STATE OFFICE REVIEW:

- SLW/42 26
☐ See attached sheet for more information.
By: SLW Date: 9/14/82

RECEIVED

SEP 13 1982

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

63-9938.

PETERSON, ERNIE
ESTES, MELISSA

RT. 1, PIERCE FK., BOISE, ID 83703

Source: SPRINGS tributary to SINKS

Priority Date: 08/09/1982

Amount: 0.18 CFS

Diversion Point: SWSW Sec 09 T 04N R 02E, ADA Co.

Use: IRRIGATION	(0.16 CFS)	from 03/15 to 11/15
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SWSW Sec 09 T 04N R 02E FOR 8 ACRES

Diversion Means: PUMP & SPRINKLERS

RECEIVED
MAY 1982

Statehouse
Boise, Idaho 83720
(208) 334-2190

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, Western Region, State House, Boise, Idaho 83720 on or before SEPTEMBER 7, 1982.

A. KENNETH DUNN

Director

Published 08/19 & 08/26/82.