

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RGE. SE

TWP. 4N * P.D. &
P.O. of use
24

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dorothy E. Wilke
(Applicant)

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

A. GENERAL INFORMATION

Department 63-9924
Permit No. Water Resources
Phone No. 342-0614, 384-1736


1. Owner: Ronald C. and Dorothy Wilke
Current Address: H.C. 33 Box 2402, Boise 83706
2. Accompanied by: Applicant - Permittee EXAM. DATE: 9-14-88
Address: Same Phone No. Same
Relationship to Permit Holder: N/A
3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: Other P/D's in same 40ac Not related or Appurtenant to P/U ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

SEP 18 1990

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)



MICROFILMED

SEP 18 1990

Place of use



Looking North



Looking East

MICROFILMED

SEP 18 1991

Point of diversion



Looking West




Looking Southwest

MICROFILMED

SEP 16 1991

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED
SEP 18 1990

Inspected by

LBW

Date

9/14/88

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09924

Priority: June 22, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that RONALD C. WILKE
DOROTHY E. WILKE

HC 33 BOX 2402

BOISE, ID 837060000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 22, 1982; and has submitted Proof of Beneficial Use on August 17, 1987. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 24, Township 04N, Range 03E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 03E 24 SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 18 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09924

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 18 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09924

APPROVED

Date of Priority: June 22, 1982

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

Comes now

RONALD C. WILKE
DOROTHY E. WILKE

HC 33 BOX 2402
BOISE, ID 837060000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-09924, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 24, Township 04N, Range 03E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 03E 24

SWNE

RECEIVED
AUG 2 1990

Department of Water Resources

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Robie Creek, Id, this 31 day of July, 1990.

MICROFILMED

SEP 16 1990

Dorothy E. Wilke
(Signature)

State of Idaho
Department of Water ResourcesAPPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09924

FOR DEPARTMENT USE ONLY

#C017905

Preliminary check by SC Fee = \$20.00Received by J2 Date 8/3/90ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09924 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

Witness my hand this 17TH day of August, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

SEP 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wilke, Ronald C. & Dorothy Phone 376-1177 - WORK
342-0614 - HOME
Post office address P.O. Box 8963, Boise, Idaho 83707
GROUNDWATER RC 9-14-82
2. Source of water supply underground which is a tributary of _____
3. Location of point of diversion is S.W. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of Section 24 Township 4 North
Range 3 E B.M. Boise County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP W/PIPELINE TO PL.
OF USE.

b. Height of storage dam N/A feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 170 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is ALLOW 5 yrs RC 9-14-82
_____ years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: S.W. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of Section 24 Township 4 North
Range 3 E B.M.

(2) Amount of power to be generated: N/A horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water 2

(5) If water is to be used for other purposes describe: Domestic only

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 0

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Ronald C. & Dorothy C. Wilke

b. Who owns the land to be irrigated or place of use Ronald C. & Dorothy E. Wilke

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TWP. 4N * R.D. 9
RGE. 3E Pl. of use
24

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dorothy E. Wilke
(Applicant)

(Applicant)

Proposed Priority 6/22/1982

Received by js Date 6/22/82 Time 10:30 AM.

Preliminary check by LLS Fee \$ 30.00

Received by js Date 6/22/82 # 23000

Publication prepared by jp Date 7/1/82

Published in The Idaho World

Publication dates 7/9 & 7/16/82

Publication approved js Date 8/31/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by LLS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9924, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of September, 19 82.

A. Glen Saylor
Chief, Operations Bureau

NOTICE OF CLAIMS TO WATER RIGHTS

Notice is hereby given that the following claims to water rights have been established by diversion and application to beneficial use:

RODWELL, ELVIN &/or NELLIE
IDAHO CITY STAGE, BOISE, ID 83706
Source: UNNAMED STREAM tributary to
DAGGETT CREEK
Priority Date: 03/01/1955
Amount: 0.02 CFS
Diversion Point: NENW Sec 16 T 04N R 04E,
Boise Co.
Use: IRRIGATION (0.02 CFS) from 03/15 to 11/15
Place of Use: NENW Sec 16 T 04N R 04E For 1
acre
Diversion Means: PIPE

Any exception to any claim of water right may be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709.

A. KENNETH DUNN
Director

Published in the Idaho World in Idaho City, Idaho on July 7 & 14, 1982.

STATE OF IDAHO,
County of Boise }

JOHN A. FURWELL, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for 7.... consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

....7..7....., 1982.. and end-

ing with the issue of 7..14....

1982..

Subscribed and sworn to before

me this 13. day of July, 1982

Robert P. Hughes

Residing at: Idaho City

My commission expires: 20 April 83

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9924 /58

WILKE, RONALD C. &/or DOROTHY E.
P.O. BOX 8963, BOISE, ID 83707
Source: GROUNDWATER
Date Filed: 06/22/1982
Amount: 0.08 CFS
Diversion Point: SWNW Sec 24 T 04N R 03E,
Boise Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: SWNW Sec 24 T 04N R 03E
Diversion Means: PUMP & PIPELINE

65-12529

MCDONALD, WAYNE E. &/or HELEN
2940 MESA WAY, MERIDIAN, ID 83642
Source: PAYETTE RIVER, MIDDLE FORK
tributary to PAYETTE RIVER
Date Filed: 06/18/1982
Amount: 0.12 CFS
Diversion Point: SWNW Sec 26 T 10N R 04E,
BOISE Co.
Use: IRRIGATION (0.12 CFS) from 04/01 to
11/01.
Place of Use: SWNW Sec 26 T 10N R 04E for 4
acres
Diversion Means: PUMP & SPRINKLER
SYSTEM

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 26, 1982.

A. KENNETH DUNN
Director

Published in the Idaho World in Idaho City, Idaho on July 7 & 14, 1982.

DEPT
OF
WATER
RESOURCES

Department
Western Region

August 17, 1990

RONALD C. WILKE
DOROTHY E. WILKE
HC 33 BOX 2402
BOISE, ID 837060000

RE: PERMIT NO. 63-09924

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 18 1990

July 19, 1990

RONALD C. WILKE
DOROTHY E. WILKE
HC 33 BOX 2402
BOISE, ID 837060000

RE: PERMIT NO. 63-09924

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department 63-9924
Permit No. 63-9924

A. GENERAL INFORMATION


1. Owner: Ronald C. and Dorothy Wilke (Phone No. 342-0614, 384-1736)
Current Address: H.C. 33 Box 2402, Boise 83706
2. Accompanied by: Applicant - Permittee EXAM. DATE: 9-14-88
Address: Same Phone No. Same
Relationship to Permit Holder: N/A
3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: Other P/D's in same 40ac Not related
or Appurtenant to P/M ☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

No measurement - 6" Cased well for domestic use,
has submersible pump & pipes to p/u

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	24	4N	3E	Boise	U.S.G.S. Quad.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3E	24			D														

MICROFILMED

SEP 10 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

No measurement made - Cased well w/submersible pump,
For domestic use only

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: N/A

2. Alternate Method for Checking Purposes: N/A

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS N/A

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: N/A

MICROFILMED

SEP 18 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- Permit holder states that well draws down to pump if continually run for $\approx 1/2$ hour - will fill up w/in 24 hours.

- Overlap in same $\frac{1}{4}$ $\frac{1}{4}$ is other domestic use - not Appurtenant to land owned by Permit holder.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.02	
		Totals:	.02	

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
- ☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐
- None
-
- ☐
- Other

J. AUTHENTICATION

Field Examiner's Name

Signature


Certification Date

Field Report Preparation Date

Robert B Whitney

Robert B Whitney


9-20-88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 18 1990



BOISE

Boise Peak

NATIONAL

FOREST

Daggett

North

Creek

Crooked Summit

Robie

Karney Lakes

Creek

RIDGE

BOUNDARY

TRAIL

FILMED

SEP 18 1990

Ashton

Spring

Gulch

BOUNDARY

Place of use



Looking North




Looking East

MICROFILMED

SEP 18 1969

Point of diversion



Looking West



Looking Southwest

SEP 10 1964

RECEIVED
FBI
SEP 10 1964

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 4N, Rge. 3E,
Sec. 24, Qtr./Qtr. SW/NE or Lot _____
2. Owner Wilke, Ronald C. and Dorothy
Address HC 33 Box 2402, City Boise, State Id
3. Approx. date of well construction 1978
Well Driller H₂O drilling
4. Casing: Diameter 6" Condition Good
5. Casing length above land surface 2 1/2'
6. Well depth (ft) 165' Flowing NO Temp. N/A
Access port Top cover
7. Condition of piping and valving Good
8. Evidence of well seal NO
9. Shut in pressure or static water level 25' draw down to 150'
w/in 30 min (fills 24 hrs)
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments Can't use For irrig.

MICROFILMED


Pines Sub.

(OVER)

SEP 18 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED

SEP 18 1990

Inspected by

RBW

Date

9/14/88



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

October 15, 1987

63-4924
WILKE, RONALD C.
WILKE, LOROTRY E.
HC 33 BOX 2402
BOISE, ID 83706

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED

SEP 18 1990

AUG 17 1987

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Reviewed by [Signature]
Sent to region [Signature]

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-9924

Name(s) of Permit Holder: Ronald C. & Dorothy E. Wilke

Post Office Address: H.C. 33, Box 2402

Boise, Id. 83706

Telephone No. 342-0614 384-1736

Source of Water: Domestic well

Extent of Use:

Domestic 1 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs 1/2 acre-feet

Show the date water was first diverted and beneficially used under this permit: July 1978

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ no
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Ronald or Dorothy Wilke
(Name)

384-1736 342-0614
(Telephone Number)

H.C. 33 Box 2402, Boise, Id 83706
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.


8-14-87

Date

Dorothy E. Wilke
Signature of Permit Holder (and title, if appropriate)

SEP 28 1987

Wilke
H.C. 33, Box 2
Baise, Mo.
63704



Dept. of Water Resources
State House
Baise, Mo. 63720

SEP 28 1981

RECEIVED

INTER-DEPARTMENT MEMO — 1

FROM

Bita Luck

DATE

8-5-1987

TO

File 63-9924

SUBJECT

Returned B/c Notice

The Boise County Assessor's Office has an address of HC 33, Box 2402, Boise Id 83706.

I'm forwarding the notice to this address.

INDEXED

SEP 28 1987

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Boise, Idaho 83720

CINIC

CLAIM CHECK
NO.

323893

☐ HOLD

DATE

1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3849-A
Oct. 1980

ALWAYS
USE ZIP CODE

RECEIVED

JUL 06 1987

Department of Water Resources

1981 9 3 275

138712

|||||

138712
CERTIFIED MAIL
June 30, 1987

WILKE, RONALD C. & DOROTHY E.
P.O. BOX 8963
BOISE, ID 83707

PROOF DUE NOTICE

RE: Permit No. 63-9924

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 4-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 28 1987

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

OCT 12 1982 WIL 63 770705N1 10/07/82

Department of Water Resources

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

Ronald C. & Dorothy E. Wilke
P.O. Box ~~8963~~
Boise, ID 83707

assessor has:
207 42nd
Boise 83704

phones at
both numbers
have been
disconnected.
11/3/82
KW

W. Long
Prof

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WILKE, RONALD C. & DOROTHY E.
P.O. BOX 8963
BOISE, ID 83707

SEPTEMBER 28, 1982

RE: PERMIT NO. 63-9924

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS MUST BE STARTED WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED. THE PROJECT MUST THEN BE DILIGENTLY CONSTRUCTED UNTIL COMPLETED. TO MAINTAIN THE PERMIT IN A VALID STATUS YOU MUST COMPLETE AND RETURN THE ENCLOSED POSTCARD WHEN CONSTRUCTION IS COMMENCED, NO LATER THAN ONE YEAR FROM THE DATE OF APPROVAL OF THE PERMIT.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
SEP 29 1982
WATER RESOURCES
DIVISION

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 63-4924

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None

- ☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: 7/26/82
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/31/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30 / 23000
☒ Publication dates and paper, recorded on application. 7/9 & 7/16/82 The Idaho World
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/22/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: 6LS

Date: 9/8/82

STATE OFFICE REVIEW:

SLW/LH 26

- ☒ See attached sheet for more information.

By: [Signature]

Date: 9/14/82

RECEIVED

SEP 13 1982

Department of Water Resources

63-9924-

WILKE, RONALD C. &/or DOROTHY E.

P.O. BOX 8963, BOISE, ID 83707

Source: GROUNDWATER

Date Filed: 06/22/1982

Amount: 0.08 CFS

Diversion Point: SWNW Sec 24 T 04N R 03E, BOISE Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: SWNW Sec 24 T 04N R 03E

Diversion Means: PUMP & PIPELINE