

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RZW
 @ pdt place of use
 TAN 9

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold F. Bynum
(Applicant)

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Benkert
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

June 17, 24, 1982

Suzanne Benkert

Subscribed and sworn to before me this _____
24th day of June
19 82

Jannel Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following applications have
been submitted for permit to appropriate the public waters of
the State of Idaho:

63-9912

BYNUM, HAROLD, F.
742 BURKE LN., NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: June 2, 1982
Amount: 0.13 CFS
Diversion Point: NENW Sec 09 T 02N R 02W, CANYON Coun-
ty.
Use: IRRIGATION (0.09 CFS) from March 15 to November
15.; DOMESTIC (0.04 CFS) from January 1 to December 31.
Place of Use: NENW Sec 09 T 02N R 02W FOR 3 ACRES.
Diversion Means: PUMP.

63-9913

GRIFFITHS, C. EDGAR &/or VIRGINIA W.
RT. 2 BOX 488, CALDWELL, ID 83605
Source: WEST END DRAIN tributary to BOISE RIVER
Date Filed: May 21, 1982
Amount: 1.00 CFS
Diversion Point: SWNE Sec 22 T 04N R 04W, CANYON County
Use: IRRIGATION (1.00 CFS) from March 15 to November 15.
Place of Use: NWNE SWNE Sec 22 T 04N R 04W FOR 50
ACRES.
Diversion Means: PUMP

If issued, the permits will be subject to all prior water rights.
Protests against the granting of any permit must be filed with
the Director of the Idaho Department of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709 on or before JULY 6, 1982.

A. KENNETH DUNN
Director

June 17, 24, 1982

MICROFILMED

RECEIVED
JUN 25 1982

Department of Water Resources
Western Regional Office

MAP (Attach Aerial Photo)

Handwritten notes on the map grid:

- RGE. 2W
- TWP. 2N
- SEC. 9
- TIO LANE
- BURKE LANE
- P.D. P. of use

Red stamp: NOV 20 1989

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NW 1/4, SEC. 9, TWP. 2N, RGE. 2W.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	9					X (DOMESTIC)												2 1/2
							2 1/2												2 1/2

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

MICROFILMED

NOV 20 1989

Examiner's Signature

Checked by

Approved by

Jan Prover
6 LS

Date

Date

Date

4/12/84

2/28/85

6/2/89

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09912

Priority: June 2, 1982

Maximum Diversion Rate: 0.12 CFS
Maximum Diversion Volume:¹ 11.9 AF

This is to certify, that HAROLD F. BYNUM
742 BURKE LN.
NAMPA, ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 2, 1982; and has submitted Proof of Beneficial Use on September 24, 1982. An examination indicates that the works have a diversion capacity of .120 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.08 CFS	11.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.12 CFS	11.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 9, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	9	NENW	2.5		2.5
Total number of acres irrigated:						2.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED


NOV 20 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09912

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of OCTOBER, 1989.


R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Harold F. Bynum Phone 466-2770Post office address 742 Burke Lane Nampa, Idaho 836512. Source of water supply Ground Water which is a tributary of _____3. Location of point of diversion is W 196.91' of
SW $\frac{1}{4}$ of NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 9 Township 2NRange 2 WB.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) 6LS per tel. conv. 9/10/82Amount .09 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) 6LSAmount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: See above

a. .13 6LS cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. submersible 3 HP Berkley Pump
that can be converted to 5 HP.b. Height of storage dam NA feet, active reservoir capacity NA acre-feet; total reservoir
capacity NA acre-feet, materials used in storage dam: NAPeriod of year when water will be diverted to storage None to _____ inclusive.
(Month/Day) (Month/Day)c. ~~Proposed~~ well diameter is 6 inch inches; proposed depth of well is 220 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 6LS years (minimum 1 year - maximum 5 years). Already in existence.8. Description of proposed uses: NA

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 9 Township 2N
Range 2W B.M.(2) Amount of power to be generated: NA horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served None, or number of families to be
supplied with domestic water Just my own family.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2	9				2.99													2.99

Total number of acres to be irrigated 2.99
*ALLOW 3 ACRES
RC 11/3/82*

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Not to be diverted

b. Who owns the land to be irrigated or place of use I do

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold F. Bynum
(Applicant)

Proposed Priority 6/2/1982

Received by nn Date 6-2-82 Time 11:00 am

Preliminary check by 6h5 Fee \$ 30.00 22955

Receipted by hr Date 6/2/82

Publication prepared by h Date 6/1/82

Published in Grand Tribune

Publication dates 6/1 - 6/24/82

Publication approved hr Date 6/25/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9912, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 19th day of July, 1982.

J. Glen Sayton
Chief, Operations Bureau

October 24, 1989

HAROLD F. BYNUM
742 BURKE LN.
NAMPA, ID 83686

RE: PERMIT NO. 63-09912

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 20 1989

September 27, 1989

HAROLD F. BYNUM
742 BURKE LN.
NAMPA, ID ~~83651~~

83686 ← per
telecon
9/29/89 -
pw

RE: PERMIT NO. 63-09912

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 20 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
6309912	02N	02W	9		NE	NW		GROUNDWATER	BYNUM, HAROLD
6302547								GROUNDWATER	CASPER, KENNET
6309266								GROUNDWATER	WOOD, WELDON
6309868								GROUNDWATER	WARD, RALPH E.

RECORDED

NOV 19 1973

RECEIVED

FEB 28 1985

State of Idaho

DEPARTMENT OF WATER RESOURCES
FIELD REPORTBrynum, Harold F.
P/O: W 190.91 of SW 1/4 NW 1/4,
Sec. 9, T2N, R2W
Use: .00 cfs Domestic
.09 cfs Irrigation

Department of Water Resources

63-9912

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:

1/3/83

jp

no appointment made

☒ Telephone call made:

(List Telephone No. used)

4/10/84
416-2770

JG

☒ Appointment scheduled for:

(Date, time, location)

4/11/84

11:30 - Off Highway 45 on Snake Lane - last house
on right w/ irrigated lawn.

EXAMINATION

Date

4/11/84

Accompanied by

MR. BRYNUM

Total Q measured

EST. -

If source is surface water, estimate total flow of source

Methods of measurement

ESTIMATED

Meets Permit requirements?

Measurement calculations:

DOMESTIC - 1 HOME IN-HOUSE - 0.04 cfs = 0.6 AF

IRRIGATION - 2 1/2 ACRES X .03 = 0.075 OR 0.08 cfs

2 1/2 ACRES X 4.5 AF/AC = 11.3 AF/ANN.

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	3	SUBMERSED		BERKELEY				
		3 X 8.8 X 8.8			21.12		.12 cfs	
		100' T (32' - 48.3)			174			

System Description 2" LINE INTO HOME TO 220 GALLON PRESSURE TANK SET AT 62 X 32 PSI.
2" LINE FROM PRESSURE TANK W/ VALVES OUTSIDE TO TURN ON IRRIGATION SYSTEM. SYSTEM INCLUDES SPRINKLER
LINES, POP-UPS & GRAVITY. WELL IS 220' DEEP W/ 6" CASING TO BOTTOM. PUMP - 100' DOWN. STATIC WATER LEVEL - 70'

*Code with map on reverse side. Disregard code if only one. IRRIGATES 1 AC AT A TIME - GARDEN - GRAVITY
LAWN & PASTURE - SPR. LINES
SMALL LAWN IN FRONT - POP-UPS

RECOMMENDED AMOUNTS

Irrigation requirement =

4.5

AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

IRRIGATION - 2 1/2 ACRES

0.08 cfs

11.3 AF

8/15

11/15

DOMESTIC - 1 HOME

0.04 cfs

0.6 AF

1/1

12/31

Total

0.12 cfs

11.9 AF

Remarks

3 HORSEPOWER PUMP CAN BE MODIFIED WITH EXTRA
IMPELLERS MAKING IT A 5HP.7/10th mi. TO H.W. 45 - 3690' - 34'45."

NOTIFIED

NOV 20 1989

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NW 1/4, SEC. 9, TWP. 2N, RGE. 2W.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2W	9																	2 1/2
																			2 1/2

MICROFILMED

NOV 20 1989

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Jan Prover
6/2/89

Date

Date

Date

4/12/84

2/28/85

6/2/89

HAROLD Bynum
742 BURKE LANE
NAMPA Idaho 83651



MICROFILMED

NOV 20 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES RF 9/3

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9912

Name(s) of Permit Holder: HAROLD F. BYNUM

Post Office Address: 742 BURKE LANE

NAMPA IDAHO 83651 Tel. No. 466-2770

Source of Water: 220' Feet WELL, 6" 3 H.P. Pump

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 2.99 (acres) LAWN garden
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Sept. 22, 1982
Date

Harold F. Bynum
Signature of Permit Holder

September 16, 1982

Harold B. Bynum
742 Burke Lane
Nampa, ID 83651

Dear Mr. Bynum:

Re: Permit No. 63-9912

Pursuant to your letter of August 11, 1982, enclosed are the two forms you request; Application for Amendment and Statement of Beneficial Use postcard.

The Application for Amendment is used to record a change of the point of diversion and/or place of use or nature of use. There is a fee of \$20.

The Statement of Beneficial Use postcard is a notification to the Department that the project has been completed and you are ready for the Department to take steps toward licensing. On Permit No. 63-9912, this is not due until August 1, 1983, but may be submitted early.

If you have any questions concerning your permit, please feel free to contact me at this office. (208) 334-4290

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosures

RECEIVED

AUG 11 1982

Department of Water Resources

August 9, 1982

742 Burke Lane

Memphr Idaho 83651

State of Idaho

Department of Water Resources

David R. Tutthill JR. P.E.

Supervisor, Water Allocation Section.

Dear Mr. Tutthill.


Will you please send me an application for amendment form, for making Proof of Beneficial use.

I refer to Permit No. 63-9912

Thank you

Harold F. Bynum

Harold F. Bynum
742 Burke Lane
Mampa Idaho 83651



Western Regional office
Department of water Resources
Lawers Building 3rd Floor
450 West State Street
Boise Idaho 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BYNUM, HAROLD F.
742 BURKE LN.
NAMPA, ID 83651

AUGUST 03, 1982

RE: PERMIT NO. 63-9912

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE SUPREME COURT'S REVIEW OF THE CASE OF IDAHO POWER COMPANY VS. STATE OF IDAHO, ET AL., ADA COUNTY CIVIL NO. 62237, CURRENTLY BEING APPEALED TO THE SUPREME COURT OF IDAHO. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE SUPREME COURT IS REVIEWING THIS CASE IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

VIC R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

CLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 63-9912

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None, no ditch rights
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/10/82 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/25/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. \$30./22955
☒ Publication dates and paper, recorded on application. 6/17 & 6/24/82 Press Tribune
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/2/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. I. P. GW letter


By: DBS

Date: 7/6/82

STATE OFFICE REVIEW:

- return receipt
SLW/LH, LOS
☐ See attached sheet for more information.
By: Ralph

Date: 7/13/82



POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

IDENT. NO. 63-9912

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JUNE 10, 1982

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 6, 1982.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 6, 1982.

R. KENNETH DUNN

Director

Published 6/17 & 6/24/82.

63-9912-

BYNUM, HAROLD F.

742 BURKE LN., NAMPA, ID 83651

Source: GROUNDWATER

Date Filed: 06/02/1982

Amount: 0.13 CFS

Diversion Point: NENW Sec 09 T 02N R 02W, CANYON Co.

Use: IRRIGATION	(0.09 CFS)	from 03/15 to 11/15
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NENW Sec 09 T 02N R 02W FOR 3 ACRES

Diversion Means: PUMP