


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Larry Bledsoe
Larry Bledsoe (Applicant)
Nampa City Engineer

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Nampa Phone 466-9221

Post office address 203 12th Avenue So., Nampa, Idaho 83651

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 3 N.

Range 2 W. B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.5 cfs for irrigation purposes from March 15 to Oct. 30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.5 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well equipped with turbine pump
discharging

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 2 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion City of Nampa has well easement
b. Who owns the land to be irrigated or place of use Multiple Citizens
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant is municipality

10. Remarks Water will be used for a pressurized irrigation system.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Larry Bledsoe
Larry Bledsoe (Applicant)
Nampa City Engineer

Proposed Priority 3/30/1982

Received by JP Date 3/31/82 Time 3:00 ^{42.269}
Preliminary check by JP Fee \$ 105.00 ^{65.00} 22839
Receipted by JP Date 4-1-82
Publication prepared by jp Date 4/15/82
Published in Press-Tribune
Publication dates 4/22/82 & 4/29/82
Publication approved JP Date 6/11/82
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9889, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. ~~SUBJECT TO ALL PRIOR WATER RIGHTS.~~
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete. The issuance of this permit in no way grants any right-of-way or easement across the land of another. An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 24th day of June, 1982.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) SS.
County of Canyon)

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9886

ENDO, ATSUSHI
2608 S.E. MARIGOLD, HILLSBORO, OR 97123
Source: GROUNDWATER
Date Filed: March 25, 1982
Amount: 15.50 CFS
Division Point: NENW SENW Sec 34 T 02N R 02W, CANYON COUNTY
Use: COMMERCIAL (0.50 CFS) from January 1 to December 31; HEATING: (15.00 CFS) from January 1 to December 31.
Place of Use: NWNE NENW SENW Sec 34 T 02N R 02W
Diversion Means: WELLS, PUMPS & PIPELINES.

63-9887

WENNER, C.H. &/or RUTH
RT. 9, BOX 301, CALDWELL, ID 83605
Source: WASTEWATER tributary to BOISE RIVER
Date Filed: March 17, 1982
Amount: 0.15 CFS
Division Point: SWSW Sec 28 T 05N R 03W, CANYON COUNTY
Use: IRRIGATION (0.15 CFS) from March 15 to November 15.
Place of Use: SWSW Sec 28 T 05N R 03W FOR 5 ACRES.
Diversion Means: PUMPING PLANT & SURFACE IRR.

63-9888

SKOGSBERG, CLARENCE &/or DOROTHY
RT. 4, BOX 4343, NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: April 6, 1982
Amount: 2.00 CFS
Division Point: SWNW Sec 20 T 02N R 02W, CANYON COUNTY
Use: IRRIGATION (2.00 CFS) from March 15 to November 15.
Place of Use: NENW NWNW SWNW SENW Sec 20 T 02N R 02W FOR 160 ACRES
Diversion Means: WELLS & GRAVITY DITCH

63-9889

CITY OF NAMPA
203 12th AVE. SO., NAMPA, ID 83651
Source: GROUNDWATER
Date Filed: March 30, 1982
Amount: 1.50 CFS
Division Point: NWNW Sec 34 T 03N R 02W, CANYON COUNTY
Use: IRRIGATION (1.50 CFS) from March 15 to October 30.
Place of Use: NENW NWNW SWNW SENW Sec 34 T 03N R 02W FOR 160 ACRES
Diversion Means: WELL & PUMP
If issued the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 10, 1982.

A. KENNETH DUNN

April 22, 29, 1982

Suzanne Benkert
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 22, 29, 1982

Suzanne Benkert

Subscribed and sworn to before me this 29th day of April

19 82

Janet Lusk
Notary Public, Residing at Nampa, Idaho

RECEIVED

JUN 11 1982

Department of Water Resources
Western Regional Office

MY COMMISSION EXPIRES
JULY 12th, 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JUNE 27, 1984

CITY OF NAMPA
411 3RD. ST. S.
NAMPA

ID 83651

RE: Permit No. 63-9889

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 63-9889

Name(s) of Permit Holder: City of Nampa

Post Office Address: 411-3rd St. So

Nampa, ID. 83651

Tel. No. 466-9221

Source of Water: Groundwater

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

160

(acres)

☐ Other

Measuring Device: Required? ☐ Yes ☐ No

Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No

Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 04, 1984
Date

[Signature]
Signature of Permit Holder

City of Nampa

411 - 3rd St. So.

Nampa, ID 83651

PLACE
13 CENT
STAMP
HERE

PAID



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-9889
Name(s) of Permit Holder(s): CITY OF NAMPA
Post Office Address: 203 12th Ave. So., Nampa, ID 83651
Tel. No. 466-9221

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on June 15 1982 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.


July 15, 1982
Date

Zanny Bledsoe
Signature of Permit Holder

City of Nampa

203 12th Ave. So.

Nampa, ID



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138693

CITY OF NAMPA
203 12TH AVE. SO.
NAMPA, ID 83651

PROOF DUE NOTICE

APRIL 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9889 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
MAY 1 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CITY OF NAMPA
203 12TH AVE. SO.
NAMPA, ID 83651

JULY 06, 1982

RE: PERMIT NO. 63-9889

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE SUPREME COURT'S REVIEW OF THE CASE OF IDAHO POWER COMPANY VS. STATE OF IDAHO, ET AL., ADA COUNTY CIVIL NO. 62237, CURRENTLY BEING APPEALED TO THE SUPREME COURT OF IDAHO. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE SUPREME COURT IS REVIEWING THIS CASE IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

MICROFILMED

RE: PERMIT 63-9889

PAGE 01

JULY

06, 1982

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grover

APPLICATION NUMBER: 63-9229

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*
☒ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use.

Surface water - BOR

In form for advertising.

Final date for protests: 5/10/82

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/22/82
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application. 63.09/22839
☒ Publication dates and paper, recorded on application. 4/22 & 4/29/82
☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? _____

Date of priority recommended. 3/30/82

Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 6/14/82

STATE OFFICE REVIEW:

return receipt
SL/L11, L12, L05, L03

04
26 OK

- ☒ See attached sheet for more information.

By: Kelvin

Date: 6/22/82

JUN 18 1982

Department of Water Resources

MICROFILMED

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

63-9889

CITY OF NAMPA

203 12TH AVE. SO., NAMPA, ID 83651

Source: GROUNDWATER

Date Filed: 03/30/1982

Amount: 1.50 CFS

Diversion Point: NWNW Sec 34 T 03N R 02W, CANYON Co.

Use: IRRIGATION (1.50 CFS) from 03/15 to 10/30

Place of Use: NENW NWNW SWNW SENW Sec 34 T 03N R 02W FOR 160 ACRES

Diversion Means: WELL & PUMP

MICROFILMED