


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Bert Hall
(Applicant)

RECEIVED

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: N3 NWSW Sec 31 T5N R5W

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature John H. Noyes


Checked by DBS

Approved by

Date 7/8/82

Date 8/27/82

Date 1-13-1983



NOT TO SCALE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5246
WATER RIGHT NO(S). 63-09058/63-09074/63-09881/63-10555

This is to certify that: **RONALD G SMITH**
25357 WAMSTAD RD
PARMA ID 83660

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 63-09058 : IRRIGATION Priority: 10/18/1977	03/15 to 11/15	1.60 CFS	576.0 AF
Right No. 63-09074 : IRRIGATION Priority: 11/08/1977	03/15 to 11/15	8.00 CFS	3887.7 AF
Right No. 63-09881 : IRRIGATION Priority: 02/25/1982	03/15 to 11/15	0.90 CFS	202.5 AF
Right No. 63-10555 : IRRIGATION Priority: 12/29/1987	03/15 to 11/15	2.20 CFS	495.0 AF
TOTAL:		* 11.75 CFS	* 5160.2 AF

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNW), Sec. 31, Township 05N, Range 05W
Lot 3(NWSW), Sec. 31, Township 05N, Range 05W
NWSW , Sec. 36, Township 05N, Range 06W
CANYON County

MICROFILMED

AUG 08 1988

TRANSFER NO. 5246
WATER RIGHT NO(S). 63-09058/63-09074/63-09881/63-10555

Right No. 63-09058 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31	Lot 2(SWNW)	34	Lot 3(NWSW)	36	Lot 4(SWSW)	39	
			SESW	19					128
Total number of acres irrigated:									128

Right No. 63-09074 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
04N	06W	1		NENW 26		NWNW 35		SWNW 17	78
		2	Lot 1(NENE)	40	Lot 2(NWNE)	39		SWNE 40	
			SENE	40	Lot 3(NENW)	2	Lot 5(SWNW)	9	
			SESW	40		NESW 39	Lot 6(NWSW)	10	
			Lot 7(SWSW)	9		SESW 35		NESE 38	
			NWSE	40		SWSE 35			416
		11	NWNE	26					26
05N	06W	36		NENW 35		NWNW 35		SWNW 37	
			SESW	37		NESW 37		NWSW 36	
			SWSW	35		SESW 35		NESE 38	
			NWSE	38		SWSE 34		SESE 34	431
Total number of acres irrigated:									951

Right No. 63-09881 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31		NESW 29		SESW 16	45
Total number of acres irrigated:							45

Right No. 63-10555 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31		NENW 33	Lot 1(NWNW)	33	Lot 2(SWNW) 5
			SESW	39			
Total number of acres irrigated:							110

CONDITIONS OF APPROVAL AND REMARKS

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

MICROFILMED

JUL 28 1988


TRANSFER NO. 5246
WATER RIGHT NO(S). 63-09058/63-09074/63-09881/63-10555

CONDITIONS OF APPROVAL AND REMARKS

3. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
6. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
7. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
8. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- * 9. The total instantaneous diversion of water from all points of diversion under Transfer 5246 shall not exceed 11.75 cfs, nor a total combined annual volume of 5160.2 af.
10. Right 63-09058 when combined with Right 63-09881 shall not exceed a total diversion rate of 1.60 cfs and a total annual maximum diversion volume of 777.5 af at the field headgate.
11. Right 63-09074 when combined with Rights 63-09058, 63-09881 and 63-10555 shall not exceed a total diversion rate of 11.75 cfs.
12. After specific notification by the department, the right holder shall measure the diversion or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
13. Approval of Transfer 5246 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.

Dated this 3rd day of

August, 1998.


Chief, Water Allocation Bureau

RECORDED

AUG 18 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-9881 Priority February 25, 1982 Amount 0.90 cfs

THIS IS TO CERTIFY, that Bob Hall &/or Geraldine L. Hall
of Caldwell, Idaho, has complied with the terms and conditions of Permit
No. 63-9881 issued pursuant to Application for Permit dated February 25, 1982,
and has submitted proof to the Department of Water Resources on July 7, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.60 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u> at <u>0.90</u> cfs and <u>202.5</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 0.90 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
202.5 acre feet per year, said waters to be diverted within the Government Lot 3 (NW $\frac{1}{4}$ SW $\frac{1}{4}$),
Section 31, Twp. 5N, Rge. 5W in the County of Canyon

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	5W	31									30								45

Total number of acres irrigated 45

This right when combined with all other rights shall provide no more than 0.02
cfs per acre nor more than 4.5 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7th day of

March, 19 83.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Bob Hall &/or Geraldine L. Hall Phone 459-6464

Post office address 4307 S. Oregon, Caldwell, ID 83605

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW ^{L. 3} $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 31 Township 5N

Range 5W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .90 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .90 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Sprinkler System

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	5W	31									30					15			45

Total number of acres to be irrigated 45

c. Describe any other water rights used for the same purposes as described above.

Wilder Irrigation District

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R5W

7
5
N

OPD
L3

31
30A 15A

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bob Wall

(Applicant)

Received by JKN Date 2/25/82 Time 3:30 PM
Preliminary check by bhs Fee \$ 45⁰⁰/100 # 21964
Receipted by JKN Date 2/25/82
Publication prepared by jp Date 3/4/82
Published in Press-Tribune
Publication dates 3/11 & 3/18/82
Publication approved he Date 3/20/82
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9881, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13 day of April, 1982.

L. Glen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Benkert

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 11, 18, 1982

Suzanne Benkert

Subscribed and sworn to before me this 18th day of March

19 82

James L. Smith
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9881

HALL, BOB &/or GERALDINE L.
4307 S. OREGON, CALDWELL, Idaho 83605

Source: GROUNDWATER

Date Filed: February 25, 1982

Amount: 0.90 CFS

Diversion Point: LOT 03 (NWSW) Sec 31 T 05N R 05W, CANYON County

Use: IRRIGATION (0.90 CFS) from March 15 to November 15

Place of Use: NESW NWSE Sec 31 T 05N R 05W FOR 45 ACRES

Diversion Means: SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 29, 1982.

A. KENNETH DUNN
Director

March 11, 18, 1982

RECEIVED
MAR 19 1982

Department of Water Resources
Western Regional Office

MEMORANDUM

TO: Files 63-09058, 63-09074, 63-09881 & 63-10555

FROM: Pam Skaggs^{CS}/State Office

SUBJECT: Transfer 5246

DATE: July 30, 1998

Transfer 5246 adds points of diversion under all the rights listed above and changes the place of use of 17.0 acres under Rights 63-09058 and 63-09881. A total of three (3) wells will serve this common distribution system and the shift of acres more accurately describes the current place of use under a new pivot. ✓

Rights 63-09058 and 63-09881 have been claimed in the SRBA, but no action has been taken place at this time. The other rights do not require a claim.

Recommended conditions include drilling permit conditions, supplemental groundwater, irrigation overlap, multiple points of diversion/measuring devices, future annual reporting, combined right limits, right-of-way and standard transfer conditions. ✓

RECORDED
AUG 6 6 1998

MEMORANDUM

TO: FILE 63-9881

FROM: PAM SKAGGS

RE: TRANSFER # 5246

DATE: 4-10-98

Original Transfer Application, Form and correspondence
regarding the above referenced Transfer is located within
file # 63-09058.

MICROFILMED

APR 06 1998

March 29, 1983

RE: Permit No. 63-9881

Bob Hall &/or Geraldine L. Hall
4307 S. Oregon
Caldwell, ID 83605

Dear Mr. and Mrs. Hall:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

03-9881

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 4/22/82 Accompanied by Ronald Smith Total Q measured 1.6
If source is surface water, estimate total flow of source _____
Methods of measurement 6" orifice Meets Permit requirements? _____

Measurement calculations:

8" steel pipe from well - 6" orifice 20.5 rise in tube = 717 GPM x .002228 =
1.6055 capacity 45 acres x .02 = 1.9055 45 x 4.5 = 202.5 AFA. ✓
.9 x 1.9835 x 245 = 437.4 ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	25	GE	FN160320	Verline	25467	6" orifice	good	✓

System Description 16" casing 299 ft deep - sprinkler system - 2 booster pumps
36 HP & 20 HP engines

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


USE	Irrigation requirement = Q (cfs)	V (afa)	FROM	TO
<u>irrigation</u>	<u>.90</u> ✓	<u>202.5</u> ✓	<u>3/15</u>	<u>11/15</u>
Total	<u>1.90</u> ✓	<u>202.5</u> ✓	<u>3/15</u>	<u>11/15</u>

Remarks Supplemental at the Hilder Gas Dist.
See 03-9058 for another portion of this site. This
it when combined with 03-9058 shall
not divert no more than 1.6055

Permit 03-9058 No Overlap because of permit stage.
Permit identifies the Dist shares
Therefore recommend condition R16(4.5)

[illegible]

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: N3 NWSW Sec 31 T5N R5W

Place(s) of Use

[illegible]

Recommendations:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature John H. Noyes


Checked by DBS

Approved by Kelvin

Date 7/8/82

Date 8/27/82

Date 1-13-1983





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 26, 1982

Bob and/or Geraldine L. Hall
4307 S. Oregon
Caldwell, ID 83605

Re: 63-9381

Dear Mr. and Mrs. Hall:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9881

Name(s) of Permit Holder: Bob Hall & or Geraldine L. Hall

Post Office Address: 4307 S. Oregon Ave

Caldwell, Id. 83605 Tel. No. 459-6444

Source of Water: Well

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>45</u> (acres)
☐ Other	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-6-82
Date

Bob Hall
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JUL 7 1982
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

28

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9881

Name(s) of Permit Holder: Bob Hall & Geraldine L. Hall

Post Office Address: 4307 S. Oregon Caldwell, Idaho
83605 Tel. No. 459-6464

Source of Water:

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 45 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/23/82
Date

Bob Hall
signature of Permit Holder

PLACE
TEN CENT
STAMP

RECEIVED

OCT 7 1982

Department of Water Resources
Western Regional Office



RECEIVED

OCT 12 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HALL, BOB & GERALDINE L.
4307 S. OREGON
CALDWELL, ID 83605

APRIL 28, 1982

RE: PERMIT NO. 63-9881

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665

APPLICATION NUMBER: 63-9881

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Wilder Irr. Dist
☒ Yes ☐ No* In form for advertising.
Final date for protests: March 29 1982
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/19/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45.00/21964
☒ Publication dates and paper, recorded on application. 3/11 & 3/18/82 Press Tribune
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 2/25/82 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 3/29/82

STATE OFFICE REVIEW:

SLW/L03, L11 OK

- ☐ See attached sheet for more information.
By: Rolyn

Date: 4-12-82

RECEIVED
APR 01 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 29, 1982.

A. KENNETH DUNN

Director

Published 3/11 & 3/18/82.

63-9881

HALL, BOB &/or GERALDINE L.

4307 S. OREGON, CALDWELL, ID 83605

Source: GROUNDWATER

Date Filed: 02/25/1982

Amount: 0.90 CFS

Diversion Point: LOT 03 (NWSW) Sec 31 T 05N R 05W, CANYON Co.

Use: IRRIGATION (0.90 CFS) from 03/15 to 11/15

Place of Use: NESW NWSE Sec 31 T 05N R 05W FOR 45 ACRES

Diversion Means: SPRINKLER SYSTEM