


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eulanda

(Applicant)

A photograph showing a field site. A person in a light blue shirt and pants is bent over, digging in the soil with a shovel. To the right, another person in blue jeans stands observing. In the background, a third person is partially visible. A white sign with black text is placed on the ground near the dig site. The terrain is dry with sparse vegetation and rocks.

PERMIT NO. 63-9870



PERMIT NO 63-2770



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEYPUNCHED

A. GENERAL INFORMATION

Permit No. 63-9870

1. Owner: EARL S. AND/OR KATHLEEN M. OURADA

Phone No. 934-6694

Current Address: RT. 1, BOISE, IDAHO 83703

2. Accompanied by: EARL OURADA 1.

EXAM. DATE: 6/26/86

Address: SAME AS ABOVE

Phone No. SAME AS ABOVE

Relationship to Permit Holder: OWNER

3. Source: SPRINGS tributary to - SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2 SPRINGS AND
TANKS:
1 TANK 7'x3'
1 TANK 7'x2'
2nd SPRING IS
DOWNSLOPE ABOUT 1/2 mile

MICROFILMED

FEB 21 1990

NOT TO SCALE

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

UNITED STATES
DEPARTMENT OF AGRICULTURE
FOREST SERVICE

2771 1 SW
(CARTWRIGHT CANYON)

9870-26

2 SPRINGS w/ pipe and
Trough

63-9870

T. 5N
R. 2E
S. 26
NONE

B

7.5



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09870

Priority: February 3, 1982

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume:¹ 1.6 AF

This is to certify, that EARL S. OURADA
KATHLEEN M. OURADA

RT. 1

BOISE, ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 3, 1982; and has submitted Proof of Beneficial Use on February 3, 1982. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	1.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 26, Township 05N, Range 02E
SWNE , Sec. 26, Township 05N, Range 02E
BOISE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

05N 02E 26 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 63

MICROFILMED


FEB 21 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09870

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5th
day of JANUARY, 1990.



R. Keith Higginson, Director

NOT RECORDED

FEB 1 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant EARL S. and/or KATHLEEN M. OURADA Phone 939-6694

Post office address Route 1, Boise, Idaho 83703

2. Source of water supply springs which is a tributary of sinks

3. Location of point of diversion is NE ^(2 pts)_{¼ of} NE ¼ of Section 26 Township 5N

Range 2E B.M. Boise County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .05 for stockwater purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .05 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. springs piped to stock tanks

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is one years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE ¼ of NE ¼ of Section 26 Township 5N

Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 120 range

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Evelyn Orada

(Applicant)

Received by DRT Date 2-3-1982 Time 12:00

Preliminary check by Juni Fee \$ 30.00 # 21742

Receipted by DRT Date 2-3-1982

Publication prepared by SP Date 2/11/82

Published in Idaho World called 3/19/82

Publication dates 2/18 & 2/25/82

Publication approved SP Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 665

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9870, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

Witness my hand this 28th day of April, 1982.

A. Glen Sayton
Chief, Operations Bureau

LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12492

LABRUM, DENNIS D. &/or CAROLYN A.
3717 SUNNY RIDGE RD., NAMPA, ID 83651
Source: PAYETTE RIVER, MIDDLE FORK
tributary to PAYETTE RIVER
Date Filed: 03/03/1982
Amount: 0.08 CFS
Diversion Point: NESW Sec 13 T 10N R 04E,
BOISE CO.
Use: DOMESTIC (0.08 CFS) from 01/01 to
12/31
Place of Use: NESW SESW Sec 13 T 10N R 04E
Diversion Means: PUMP & PIPELINE

63-9870

OURADA, EARL S. &/or KATHLEEN M.
RT. 1, BOISE, ID 83703

Source: SPRINGS tributary to SINKS

Date Filed: 02/03/1982
Amount: 0.05 CFS
Diversion Point: NENE NENE Sec 26 T 05N
R 02E, BOISE CO.
Use: STOCKWATER (0.05 CFS) from 01/01
to 12/31
Place of Use: NENE Sec 26 T 05N R 02E
Diversion Means: PIPES & STOCK TANKS

65-12493

HUSTON, LEROY &/or MARY
P.O. BOX 2, GARDEN VALLEY, ID 83622
Source: SPRINGS tributary to SINKS
Date Filed: 03/12/1982
Amount: 0.04 CFS
Diversion Point: SESE Sec 34 T 10 N R 04 E
BOISE CO.
Use: DOMESTIC (0.04 CFS) from 01/01 to
12/31
Place of Use: SESE Sec 34 T 10N R 04E
Diversion Means: CEMENT CULVERT, PUMP
& PIPELINES

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 12, 1982.

A. Kenneth Dunn

Director

Published in the Idaho World in Idaho City, Idaho on March 24 & 31, 1982.

STATE OF IDAHO,

County of Boise

Pat Bowers being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for 2 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

3-24, 1982 and ending

with the issue of 3-31

1982

Pat Bowers

Subscribed and sworn to before

me this 24 day of April, 1982

Kenneth Dunn

RECEIVED

APR 5 1982

Department of Water Resources
Western Regional Office

January 9, 1990

EARL S. OURADA
KATHLEEN M. OURADA
RT. 1
BOISE, ID 83703

RE: PERMIT NO. 63-09870

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 21 1990

Staff Analysis Sheet
for
Beneficial Use Field Report

63-9870
Permit No.

RECEIVED
DEC 18 1986

Department of Water Resources

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad

Check of P/D index SL 6/24/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Check of P/U index SL 6/26/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Aerial Photo

Required? ☐ yes ☒ no ☐ If yes, copy attached?

Scheduling Letter sent? SL 6/20/86 (Initials, date)

☒ Appointment made and telephone conversation memo attached?

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Stem Lester 6/26/86 (Signature of examiner and date)


Exam Reviewed by Senior Water Resource Agent BD 7-18-86 (Initial and date)

Exam Reviewed by Manager of Regional Office DRE 12/7/86 (Initial and date)

Exam Date Entered in Computer 12-10-86 (Initial and date)

Exam sent to State Office 12-18-86 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original Refiled in White File 12-16-86 (Initial and date)



63-9870

PD

63.9870

pu
(upper one)



63-9870

PU

(LOWER ONE)

WILSON/LEE

FEB 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RETURNED

A. GENERAL INFORMATION

Permit No. 63-9870

1. Owner: EARL S. AND/OR KATHLEEN M. OURADA

Phone No. 934-6694

Current Address: RT. 1, BOISE, IDAHO 83703

2. Accompanied by: EARL OURADA

EXAM. DATE: 6/26/86

Address: SAME AS ABOVE

Phone No. SAME AS ABOVE

Relationship to Permit Holder: OWNER

3. Source: SPRINGS tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2 SPRINGS AND
TANKS:
1 TANK 7'x3'
1 TANK 7'x2'
2nd SPRING IS
DOWNSLOPE ABOUT 1/8 MILE

MICROFILMED

FEB 21 1990

NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

BURIED 3/4" PIPE. LEADS FROM SPRING TO STOCKTANK ABOUT 100' DOWNHILL. GRAVITY FEED. STOCKTANK CAPACITY (7' DIAM., 3' DEEP) APPROX. 850 gallons. PIPE WAS PLUGGED AT TIME OF EXAM. MR. OURADA WORKED ON RESTORING FLOW BUT WAS NOT SUCCESSFUL BY TIME I LEFT. HE SAID FLOW IS USUALLY STRONG. 2nd SPRING DOWNHILL ABOUT 1/8 MILE IS OF SAME TYPE BUT STOCKTANK CAPACITY (7' DIAM., 2' DEEP) APPROX. 575 gallons. PARTIALLY BLOCKED PIPES ALSO PREVENTED AN ACCURATE MEASUREMENT. RUNS CATTLE ON RANGE 3 MONTHS/YEAR.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	26	5N	2E	BOISE	USGS 7 1/2' QUAD

6. Place(s) of Use:

Indicate Method of Determination USGS 7 1/2' QUAD

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	2E	26	X																—

MICROFILMED

FEB 22

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

120 CATTLE 365 DAYS/YEAR	120 HEAD @ 90 DAYS/YR.
$120 \times .0134 = 1.61 \text{ afa}$	$120 \times .0134 = 1.61 \text{ AFA}$ USES
$.05 \times 1.98 \times 365 = 36.14 \text{ afa}$	$.05 \times 1.98 \times 90 = 8.9 \text{ AFA}$ APPLIED FOR
$\therefore 1.61 \text{ afa} = 0.002 \text{ cfs}$	$1.61 \text{ AFA} / (1.98 \times 90) = .009 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: N/A UNABLE TO MEASURE IN FIELD

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

N/A

1. Volume Calculations for Irrigation:

 $V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{oa} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{ir} \text{ and } V_{oa} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

FEB 21 1990

1. Recommended Amounts

2. Recommended Amendments

- ## J. AUTHENTICATION

CONSULTANT SEAL

BD
12/9/86

...and the ...

FEB 21 1990

UNITED STATES
PARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

UNITED STATES
DEPARTMENT OF AGRICULTURE
FOREST SERVICE

2771 1 SW
(CARTWRIGHT CANYON)

9870-26


2 SPRINGS w/ pipe and
Trough

63-9870

T. 5N
R. 2E
S. 26

R. 2E R. 3E

7.5



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WESTERN REGIONAL OFFICE
450 W. STATE ST.
BOISE, IDAHO 83720
(208) 334-2190
JUNE 20, 1986

OURADA, EARL S. & KATHLEEN M.
RT. 1
BOISE, ID 83703

FIELD EXAM NOTICE

RE: PERMIT NO. 63-9870

DEAR PERMIT HOLDER:

WE ARE PLANNING TO CONDUCT WATER RIGHT EXAMINATIONS IN THE VICINITY OF THE ABOVE - REFERENCED PERMIT DURING THE WEEK OF JUNE 30, 1986. AN EXAMINATION IS NEEDED TO VERIFY YOUR WATER USE IN ORDER TO ISSUE A WATER RIGHT LICENSE.

IN ORDER TO CONDUCT YOUR EXAM AS EFFICIENTLY AS POSSIBLE WE ASK THAT YOU CALL THIS OFFICE TO SCHEDULE A DAY AND TIME CONVENIENT FOR YOU.

IF THERE IS A PROBLEM WITH SCHEDULING OR CONDUCTING THE EXAMINATION AT THIS TIME, PLEASE CALL AND OTHER ARRANGEMENTS CAN BE MADE.

SINCERELY,

JAN SHURTE
SENIOR WATER RESOURCE AGENT

RECORDED

FEB 21 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

December 13, 1982

Earl S. &/or Kathleen M. Ourada
Rt. 1
Boise, ID 83703

Re: 63-9870

Dear Mr. Ourada:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for
A examiner will contact you in the future.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES 63-9870

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____.

Name(s) of Permit Holder: Earl S. &/or Kathleen Ourada

Post Office Address: Rt 1 Boise Id 83103

Tel. No. 939-6694

Source of Water: Springs

Extent of Use: ☐ Domestic _____ (number of households)
☒ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb 3, 1982
Date

Earl S. Ourada
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

*Received
w/ Application
2-3-1982
RD*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

OURADA, EARL S. & KATHLEEN M.
RT. 1
BOISE, ID 83703

MAY 26, 1982

RE: PERMIT NO. 63-9870

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE SUPREME COURT'S REVIEW OF THE CASE OF IDAHO POWER COMPANY VS. STATE OF IDAHO, ET AL., ADA COUNTY CIVIL NO. 62237, CURRENTLY BEING APPEALED TO THE SUPREME COURT OF IDAHO. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE SUPREME COURT IS REVIEWING THIS CASE IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Juni

APPLICATION NUMBER: 63-9870

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/8/82 4/7/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4-5-82 ✓
☒ Application published correctly. If not, record action taken: Idaho World re-run
☒ Fee amount, receipt date & number, recorded on application. 30.00 # 21742
☒ Publication dates and paper, recorded on application. 2/18 & 2/25/82
☒ Protests, dates, withdrawal, etc., recorded on application. 3/24 & 3/31/82
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
✓ 2/3/82 Date of priority recommended.
✓ Special conditions of approval or cover letter. IP letter 05

By: 625

Date: 4/12/82

STATE OFFICE REVIEW:

SLW/LDS 05/63 Boise R.

- ☐ See attached sheet for more information.

By: Relph

Date: 4-22-82

APR 14 1982

Department of Water Resources

RECEIVED

Stock water only
see memo date 1/22/80

UPPER
Boise River
BASIN

RESTRICTED
AREA

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
NENE	26	05N	02E	--	--	001.4

IDAHO STREAM CODE INDEX

2720.3120.0630.0030.-----

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
NENE	26	05N	02E	--	--	001.7

IDAHO STREAM CODE INDEX

2720.3120.0630.0030.-----

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

FEBRUARY 11, 1982

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 8, 1982.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

11/11/82

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 8, 1982.

A. KENNETH DUNN

Director

Published 02/18 & 02/25/82.

DURADA, EARL S. &/or KATHLEEN M.

RT. 1, BOISE, ID 83703

Source: SPRINGS tributary to SINKS

Date Filed: 02/03/1982

Amount: 0.05 CFS

Diversion Point: NENE NENE Sec 26 T 05N R 02E, BOISE Co.

Use: STOCKWATER (0.05 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 26 T 05N R 02E

Diversion Means: PIPES & STOCK TANKS