


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Bruce W Walker
(Applicant)

RECEIVED
JAN 10 1964
IDAHO DEPT. OF AGRICULTURE
BOISE, IDAHO

IDAHO
STATE
PRISON

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

MICROFILMED
APR 18 1990

☒ None
☐ Other

Date 7/31/85
Date 1/16/86
ate 6/1/89

17855

Pleasant
Valley Rd.

Range 83634

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-09845

Priority: December 7, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:¹0.17 CFS
16.5 AFThis is to certify, that RICHARD E. WALKER
RUTH W. WALKERRT. 2 PLEASANT VALLEY RD.
KUNA, ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 7, 1981; and has submitted Proof of Beneficial Use on August 3, 1982. An examination indicates that the works have a diversion capacity of .170 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	13.5 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.0 AF
	Totals	0.17 CFS	16.5 AF

LOCATION OF POINT(S) OF DIVERSION:SENE , Sec. 8, Township 01N, Range 02E
ADA CountyPLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	02E	8	SENE	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION useCONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

APR 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09845

CONDITIONS/REMARKS:

5. 2 points of diversion located in SENE, S8, T1N, R2E.
6. Domestic use is for 5 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of APRIL, 1990.

ACTING FOR


R. Keith Higginson, Director

MICROFILMED

APR 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

12855 344-0912

1. Name of applicant Richard E. &/or Ruth W. Walker Phone 344-6285

Post office address Rt. 2, Apt. #1, Pleasant Valley Rd., Kuna, ID 83634

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 1N

Range 2E B.M. Ada County, additional points of diversion if any: _____

2 points

4. Water will be used for the following purposes:

Amount .11 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .09 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 wells with pumps and pipelines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____, inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 8 Township 1N
Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 5.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Beth W Walker
(Applicant)

Proposed Priority 12/7/81

Received by 6LS Date 12/7/81 Time 2:00 PM
Preliminary check by JS Fee \$ 30.00
Receipted by 6LS Date 12/7/81 # 20396
Publication prepared by JS Date 12/23/81
Published in Idaho Statesman
Publication dates 1/7 & 1/14/82
Publication approved JS Date 1-14-82
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by DBS Jui

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9845, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 9th day of February, 1982.

A. Glen Saylor
Chief, Operations Bureau

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9840
A.G.C. OPERATING ENGINEERS TRUST FUND
6613 APPLE ST., BOISE, ID 83705
Source: GROUNDWATER
Date Filed: 12/16/1981
Amount: 0.08 CFS
Diversion Point: SENE Sec 35 T 03N R 02E, ADA Co.
Use: COMMERCIAL (0.04 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SENE Sec 35 T 03N R 02E
Diversion Means: WELL, PUMP & PIPELINE

63-9842
GOEMAAT, JOHN
2504 W. IDAHO ST., BOISE, ID 83702
Source: GROUNDWATER
Date Filed: 12/14/1981
Amount: 0.08 CFS
Diversion Point: NWSE Sec 04 T 03N R 02E, ADA Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: NWSE Sec 04 T 03N R 02E
Diversion Means: PUMP & PIPELINE

63-9843
KUNZ, SR. VICTOR A.
KUNZ, ERMA
3335 S. EAGLE RD., MERIDIAN, ID 83642
Source: GROUNDWATER
Date Filed: 12/10/1981
Amount: 0.20 CFS
Diversion Point: NENE Sec 29 T 03N R 01E, ADA Co.
Use: IRRIGATION (0.16 CFS) from 03/15 to 11/15
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NENE Sec 29 T 03N R 01E SENE Sec 08 T 01N R 02E FOR 11 ACRES
Diversion Means: WELL, PUMP & PIPELINE
Diversion Means: WELLS, PUMPS & PIPELINES

63-9844
COONSE, JR., GAYLORD
2250 DOROTHY AVE., BOISE, ID 83706
Source: GROUNDWATER
Date Filed: 12/07/1981
Amount: 0.13 CFS
Diversion Point: SENE Sec 23 T 03N R 02E ADA Co.
Use: IRRIGATION (0.13 CFS) from 03/15 to 11/15
DOMESTIC (0.10 CFS) from 01/01 to 12/31
Place of Use: SENE Sec 23 T 03N R 02E FOR 1 ACRES
Diversion Means: WELL, PUMP & PIPELINE

63-9845
WALKER, RICHARD E. &/or RUTH W.
RT. 2 #1, PLEASANT VALLEY RD., KUNA, ID 83634
Source: GROUNDWATER
Date Filed: 12/07/1981
Amount: 0.20 CFS
Diversion Point: SENE Sec 08 T 01N R 02E, ADA Co.
Use: IRRIGATION (0.09 CFS) from 03/15 to 11/15
DOMESTIC (0.11 CFS) from 01/01 to 12/31
Place of Use: SENE Sec 08 T 01N R 02E FOR 3 ACRES

63-9846
JENSEN, RONALD R.
6450 GRANADA LN., MERIDIAN, ID 83642
Source: WASTE WATER tributary to DAVIS DRAIN
Date Filed: 11/23/1981
Amount: 0.06 CFS
Diversion Point: SESW Sec 21 T 04N R 01E, ADA Co.
Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15
Place of Use: SESW Sec 21 T 04N R 01E FOR 2 ACRES
Diversion Means: GRAVITY DITCH, PUMP & SPRINKLERS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JANUARY 25, 1982.

A. KENNETH DUNN
Director
Pub. Jan. 7, 14, 1982 2018

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verlyn Childers, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of January 7, 1982, and ending with the issue of January 14, 1982.

Verlyn Childers

Subscribed and sworn to before me this 14th day of January, 1982.

Donald E. Engman
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

JAN 15 1982

April 5, 1990

RICHARD E. WALKER
RUTH W. WALKER
RT. 2 PLEASANT VALLEY RD.
KUNA, ID 83634

RE: PERMIT NO. 63-09845

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 18 1990

September 27, 1989

RICHARD E. WALKER
RUTH W. WALKER
RT. 2 PLEASANT VALLEY RD.
KUNA, ID 83634

RE: PERMIT NO. 63-09845

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 18 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
6309845	01N	02E	8	SE	NE			GROUNDWATER	WALKER, RICHAR

MICROFILMED

APR 18 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

JAN 26 1986

63-9845

Permit No.

CONTACT WITH PERMIT HOLDER

DATE INIT Department of Water Resources REMARKS

- ☐ Appointment letter mailed: 1/3/83 ip no appointment made
- ☒ Telephone call made: 4/12/84 J
(List Telephone No. used) 344-6285
- ☒ Appointment scheduled for: 4/17/84 J
(Date, time, location) 9:00 - 3/4 MILES SOUTH OF PENITENTIARY ON PLEASANT VALLEY RD.

EXAMINATION

Date 4/17/84 Accompanied by MR. WALKER Total Q measured .17 cfs - CALC.
If source is surface water, estimate total flow of source
Methods of measurement Calculated Meets Permit requirements?

Measurement calculations:

$$\begin{aligned} \#1 & \frac{5 \text{ HP} \times 8.8 \times .80}{360' + (20' \times .433)} = \frac{35.2}{406.2} = 0.09 \text{ cfs} \\ \#2 & \frac{5 \text{ HP} \times 8.8 \times .80}{380' + (20' \times .433)} = \frac{35.2}{426.2} = 0.08 \text{ cfs} \end{aligned} \quad \left. \begin{array}{l} \\ \end{array} \right\} .17 \text{ cfs}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
#1	5	SUBMERGED						
#2	5	"	"					

System Description #1 Well w/ 2" PVC LINE TO HOMES & IRRIGATION. TWO 100 GALLON PRESSURE TANKS. THIS PUMP SET AT 360' - W. L. - 320'. 8,000 GALLON STORAGE TANKS w/ 1/2 HP PUMP IN TANK. ANOTHER 1/2 HP PUMP ON LINE FOR EMERGENCY. PUMP IN 3rd WELL SET AT 380' w/ 320' WATER LEVEL. 2" LINES TO ALL HOUSES. 120 gpm - owner estimate TOTAL flow.

RECOMMENDED AMOUNTS

Irrigation requirement = 4.5 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
DOMESTIC - 5 HOMES	0.08 cfs	2.0 af	1-1	12-31
IRR. - 3 ACRES.	0.09 cfs	13.5 af	3-15	11-15
Total	0.17 cfs	16.5 af		

Remarks

MICROFILMED

APR 18 1990

IDAHO
STATE
PRISON

A hand-drawn map on a grid background. The map shows a vertical road labeled "DASANT WALKER RD." with an arrow pointing upwards. A horizontal road crosses this vertical road. To the left of the vertical road, there is a label "TWP. 1N" and a "5" near the intersection. Above the intersection, there is a label "RGE. HWY" and a "32". Below the intersection, there is a label "P.O.S. 1/4 D. 1/4 OF 1/4". To the right of the vertical road, there is a label "2 1/2 MILES SOUTH OF PENNSYLVANIA".

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE 1/4 NE 1/4, S. 8, T. 1N, R. 2E, B.M.

Place(s) of Use

[illegible]

MICROFILMED
APR 18 1990

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by

Date 7/3/85
Date 1/16/86
Date 6/1/89

63-9845

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: Richard & Ruth Walker

Post Office Address: Rt #2 Apt #1 17855 Pleasant Valley Rd
Kona Idaho 83634 Tel. No. 344-6285

Source of Water: Ground water

Extent of Use: ☒ Domestic 9 (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☒ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-30-82

Ruth Walker
Signature of Permit Holder

RICHARD E. WALKER
RT2 PLSNT VLY RD.
KUNA, IDA.
83634



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WALKER, RICHARD E. & RUTH W.
RT. 2 B 1
PLEASANT VALLEY RD.
KUNA, ID 83634

FEBRUARY 17, 1982

RE: PERMIT NO. 63-9845

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Power

APPLICATION NUMBER: 63-9845

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: January 25 1982

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: Idaho Statesman 1/15/82
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application. 30.00/ 20396
☒ Publication dates and paper, recorded on application. 1/9 & 1/14/82
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
12/7/81 Date of priority recommended.

Special conditions of approval or cover letter. I.P. 600 letter

By: DBS

Date: 1/25/82

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: Jan

Date: 2/5/82

RECEIVED

JAN 28 1982

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

63-9845

WALKER, RICHARD E. &/or RUTH W.

RT. 2 # 1, PLEASANT VALLEY RD., KUNA, ID 83634

Source: GROUNDWATER

Date Filed: 12/07/1981

Amount: 0.20 CFS

Diversion Point: SENE Sec 08 T 01N R 02E, ADA Co.

Use: IRRIGATION	(0.09 CFS)	from 03/15 to 11/15
DOMESTIC	(0.11 CFS)	from 01/01 to 12/31

Place of Use: SENE Sec 08 T 01N R 02E FOR 3 ACRES

MICROFILMED