

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A grid of graph paper with handwritten notes. The notes are as follows:

- In the center-right area, the letters "RZE" are written.
- To the left of the center, the numbers "7", "3", and "14" are stacked vertically.
- To the right of the vertical stack of numbers, there is a small number "4" followed by "P.D" and "P.O ©" on separate lines.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John L. Lemoine
(Applicant)

(Applicant)





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

June 1, 1982

John Goemaat
2504 W. Idaho St.
Boise, Idaho 83702

RE: 63-9842

Dear Mr. Goemaat:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

R2E

T
3
N

4
P.D
P.V

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above ☒ None

☐ Add P.U. as reflected above ☐ Other

Examiner's Signature John X Meyer
Checked by [Signature] DBS
Approved by [Signature]

Date 3/31/82
Date 4/21/82
Date 4-29-82

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-9842 Priority December 14, 1981 Amount .08 cfs

THIS IS TO CERTIFY, that JOHN GOEMAAT
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-9842 issued pursuant to Application for Permit dated December 14, 1981,
and has submitted proof to the Department of Water Resources on December 15, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .08 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(3 units)</u>	from <u>January 1</u> to <u>December 31</u> at <u>.08</u> cfs and <u>3.6 acre feet</u>		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than _____ of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.6 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4, T. 3N,
R. 2E in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
<u>3N</u>	<u>2E</u>	<u>4</u>																	

Point of Diversion: Lot 10, Block 23, Fairview Addition Subdivision. Total number of acres irrigated _____
Point of Use: Lots 9, 10, 11, Block 23, Fairview Addition Subdivision.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24TH day of
May, 19 82.

Acting for the Director

Norman C Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John Goemaat Phone 343-8985

Post office address 2504 W. Idaho St., Boise, ID 83702

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4 Township 3N

Range 2E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Pump and piped to place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4 Township 3N

Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. none

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Well is located Lot 10, serves lots 9, 10, 11, Block 23, Fairview
addition, Boise.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A 20x20 grid with handwritten text. The text 'RZE' is located at row 10, column 10. The text 'T3N' is located at row 5, column 15. The text '4 P.D P.O.' is located at row 10, column 15.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Helmer
(Applicant)

Proposed Priority 12/14/81

Received by JKH Date 12/14/81 Time 11:05 AM

Preliminary check by GLS Fee \$ 30.00 # 21814

Receipted by JKH Date 12/14/81

Publication prepared by JS Date 12/23/81

Published in Idaho Statesman

Publication dates 1/7 & 1/14/82

Publication approved JS Date 1-18-82

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS JS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9842, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 9th day of February, 1982.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9840

A.G.C. OPERATING ENGINEERS
TRUST FUND
6613 APPLE ST., BOISE, ID 83705
Source: GROUNDWATER
Date Filed: 12/16/1981
Amount: 0.08 CFS
Diversion Point: SENE Sec 35 T 03N R
02E, ADA Co.
Use: COMMERCIAL (0.04 CFS)
from 01/01 to 12/31
DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: SENE Sec 35 T 03N R
02E
Diversion Means: WELL, PUMP &
PIPELINE

63-9842

GOEMAAT, JOHN
2504 W. IDAHO ST., BOISE, ID 83702
Source: GROUNDWATER
Date Filed: 12/14/1981
Amount: 0.08 CFS
Diversion Point: NWSE Sec 04 T 03N R
02E, ADA Co.
Use: DOMESTIC (0.08 CFS)
from 01/01 to 12/31
Place of Use: NWSE Sec 04 T 03N R
02E
Diversion Means: PUMP & PIPE-
LINE

63-9843

KUNZ, SR. VICTOR A.
KUNZ, ERMA
3335 S. EAGLE RD., MERIDIAN, ID
83642
Source: GROUNDWATER
Date Filed: 12/10/1981
Amount: 0.20 CFS
Diversion Point: NENE Sec 29 T 03N R
01E, ADA Co.
Use: IRRIGATION (0.16 CFS)
from 03/15 to 11/15
DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NENE Sec 29 T 03N R
01E SENE Sec 08 T 01N R 02E
FOR 11 ACRES
Diversion Means: WELL, PUMP &
PIPELINE
Diversion Means: WELLS, PUMPS &
PIPELINES

63-9844

COONSE, JR., GAYLORD
2250 DOROTHY AVE., BOISE, ID 83706
Source: GROUNDWATER
Date Filed: 12/07/1981
Amount: 0.13 CFS
Diversion Point: SENE Sec 23 T 03N R
02E ADA Co.
Use: IRRIGATION (0.13 CFS)
from 03/15 to 11/15
DOMESTIC (0.10 CFS)
from 01/01 to 12/31
Place of Use: SENE Sec 23 T 03N R
02E FOR 1 ACRES
Diversion Means: WELL, PUMP &
PIPELINE

63-9845

WALKER, RICHARD E. &/or RUTH W.
RT. 2 #1, PLEASANT VALLEY RD.,
KUNA, ID 83634
Source: GROUNDWATER
Date Filed: 12/07/1981
Amount: 0.20 CFS
Diversion Point: SENE Sec 08 T 01N R
02E, ADA Co.
Use: IRRIGATION (0.09 CFS)
from 03/15 to 11/15
DOMESTIC (0.11 CFS)
from 01/01 to 12/31
Place of Use: SENE Sec 08 T 01N R
02E FOR 3 ACRES

63-9846

JENSEN, RONALD R.
4450 GRANADA LN., MERIDIAN, ID
83642
Source: WASTE WATER tributary to
DAVIS DRAIN
Date Filed: 11/23/1981
Amount: 0.06 CFS
Diversion Point: SESW Sec 21 T 04N R
01E, ADA Co.
Use: IRRIGATION (0.06 CFS)
from 03/15 to 11/15
Place of Use: SESW Sec 21 T 04N R
01E FOR 2 ACRES
Diversion Means: GRAVITY DITCH,
PUMP & SPRINKLERS

If issued, the permit(s) will be sub-
ject to all prior water rights. Protests
against the granting of any permit must
be filed with the Director of the Idaho
Department of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709 on or be-
fore JANUARY 25, 1982.

A. KENNETH DUNN
Director
Pub. Jan. 7, 14, 1982 2018

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verlyn Childers, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for
two insertions, beginning with the
issue of January 7, 1982, and ending with the
issue of January 14, 1982.

Verlyn Childers

Subscribed and sworn to before me this 14th
day of January, 1982.

Donald E. Egan
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

JAN 15 1982

WATER RIGHT NUMBER 68-9842

OWNER LAST NAME - GOEMAAT FIRST NAME - JOHN ORIG OWNER -
ADDRESS LINE 1 - 2804 W. 104th ST. ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - ERIE STATE - ID ZIP CODE - 83702
SOURCE - GROUNDWATER TRIBUTARY OF -
STAGE - LICENCE STATUS - PRIORITY - 12-14-1981 COUNTY - ADA TOTAL DIV. RATE - .0800 -CFS
TOTAL DIV. VOLUME - 3.60 AFA TRF/AMEND - WATER DIST. - LLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - NWSE 04 03N 02E LIT EROIV - 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
FROM - 01-01-78 - 12-31- USE - DOMESTIC USE DIV. RATE - .0800 -CFS USE DIV. VOLUME - 3.60 AFA
USE - DOMESTIC PLACE OF USE - TWN 03N RNG 02E SEC 04 TRACT NWSE LOT AC
DEGREE NAME - DATE - TOTAL ACRES 0
REMARKS - P/L: LIT 10, ELK. 23, FAIRVIEW ADD. SURD.
P/U: LOTS 9, 10, 11, ELK. 23, FAIRVIEW ADD. SURD.
NON IRRIG USE - D/B HOMES
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 03-01-1983 PERMIT/DENIED - PROTESTED - HEARING - OLD NO. -
PROOF MADE - FLE EXAM - COND. OF APPROVAL -
DIVERSION MEANS - PUMP & PIPELINE

June 9, 1982

RE: Permit No. 63-9842

John Goemaat
2504 W. Idaho St.
Boise, ID 83702

Dear Mr. Goemaat:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
JUN 10 1982
WATER DIVISION



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn

Director

(208) 334-2190

RE:

Dear

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

63-9842
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	3/31/82	JS	no appointment made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 3/30/82 Accompanied by John Solomon Total Q measured .08
If source is surface water, estimate total flow of source
Methods of measurement Horse Power Meets Permit requirements?

Measurement calculations:
 $.75 \text{ HP} \times 8.8 \times 80\% \text{ eff} = 5.28$
 $20' \text{ lift} + .43 \text{ PSI} (45.6) = 65.6 / 5.28 = .08 \text{ cfs}$
 $3 \text{ domestic} \times 1.2 = 3.6 \text{ AFA}$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	.75	F&M	-	F&M	-	-	-	Interruption

System Description .75 HP motor - 8" casing 32' deep - PVC pipelines to place of use - 3 houses lawn + gardens.

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
Domestic (3 units)	.08 ✓	3.6 ✓	1/1	12/31
Total	.08 ✓	3.6 ✓	1/1	12/31

Remarks Well located on lot 10 House located on lots, 9, 10 & 11 Fairview addition

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 3E Sec 4 T3N R2E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	4														1			

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature John X Meyer
Checked by DBS
Approved by [Signature]

Date 3/31/82
Date 4/21/82
Date 4-29-82

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit 63-9842

Name(s) of Permit Holder: John Goemaat

Post Office Address: 2504 W. Idaho St

Boise, Idaho 83702

Tel. No. 343-5985

Source of water:

Extent of use:

☒ Domestic	<u>3</u>	(number of households)
☐ Stockwater		(number and type of stock)
☐ Irrigation		(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/2/82
Date

John Goemaat
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

MAR 3 1982

Department of Water Resources

RECEIVED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

POSTAGE
PAID

DEC 15 1981

Department of Water Resources

DEPARTMENT OF WATER RESOURCES 63-1042

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit

Name(s) of Permit Holder: John Goemaat

Post Office Address: 2504 W Ida

Boise, Ida 83702 Tel. No. 343-8985

Source of Water: Groundwater

Extent of Use: ☒ Domestic 3 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/14/81
Date

John Goemaat
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GUENAAT, JOHN
2504 W. IDAHO ST.
BOISE, ID 83702

FEBRUARY 17, 1982

RE: PERMIT NO. 63-9842

DEAR PERMIT HOLDER:


ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: 63-9842

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising.
Final date for protests: JANUARY 25 1982
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/15/82 Idaho Statesman
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30.00 / 21814
☒ Publication dates and paper, recorded on application. 1/14/82
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12/14/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS

Date: 1/25/82

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: [Signature]

Date: 2/5/82

RECEIVED
JAN 28 1982

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

IDENT. NO. 63-9842

WATER RIGHT
DATA ENTRY LOG

[illegible]

63-9842-

GOEMART, JOHN

2504 W. IDAHO ST., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 12/14/1981

Amount: 0.08 CFS

Diversion Point: NWSE Sec 04 T 03N R 02E, ADA Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 04 T 03N R 02E

Diversion Means: PUMP & PIPELINE