



Jerry Inama
P.O. Box 131
Atlanta, Ga.
83601

PLACE OF USE

T. 6 N., R. 4 E. B.M.
Sec 34 SE 1/4 SW 1/4
SW 1/4 SW 1/4

(ROCKY BAR 1 SE)
(217-4 1)

T. 6 N.
T. 5 N.

Department of Water Resources
Western Regional Office

JUN 29 1981

RECEIVED

MICROFILMED


X's mark points of diversion

TU
Sec.

(ROCKY BAR 1 SE)
(217-4)

T. 6 N.
T. 5 N.

47°30'



NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 63-9750 in the name of Jerry Inama was published in error on 7/9 and 7/16/81.

The Place of Use was advertised as being within the SWSE, SWSW, SESW, S. 34, T6N, R11E. Whereas, the actual Place of Use is within the SWSE, SWSW, SESW, S34, T6N, R11E. Also NENW, S03, T5N, R11E.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before August 24, 1981.

A. KENNETH DUNN
DIRECTOR

Published in the Mountain Home News on August 6 and August 13, 1981.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, ... Floyd S. Waters ... do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

... 2 ... consecutive weeks, the first publica-
tion having been made on the ... 6 ... day
of ... August ..., 19. 81, and
the last publication having been made on the
... 13 ... day of ... August..
19... 81...; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Floyd S. Waters

Subscribed and sworn to me this ... 13th ...
day of ... August ..., 1981.

Deon M. Waters
Notary Public

RECEIVED

AUG 17 1981

Department of Water Resources
Western Regional Office

MICROFILMED

NOTICE OF APPLICATIONS FOR WATER RIGHTS

Notice is hereby given that the following applications have been submitted for water to appropriate the public waters of the State of Idaho:

61-7452

CASTLE, W.H.
BELLEVUE, ID 83313
Source: UNNAMED DRAIN
tributary to LITTLE CANYON
CREEK

Date Filed: 06/18/1981

Amount: 2.00 CFS

Diversion Point: SWSE Sec 19 T 05S

R 10E, ELMORE Co.

Use: IRRIGATION (2.00 CFS) from
04/01 to 11/01; RECREATION (2.00
CFS) from 01/01 to 12/31

Place of Use: NESW NWSW SWSW
SESW NWSE SWSE Sec 19 T 05S R
10E NENE NWNE SWNE SENE
NENW SENW Sec 25 T 05S R 09E
NWNE SWNE SENE NENW
NWNW SENW Sec 30 T 05S R 10E
FOR 553 ACRES

Diversion Means: PUMP &
SPRINKLER

63-9750

INAMA, JERRY
P.O. BOX 131, ATLANTA, ID
83601

Source: BIG GULCH tributary to
BOISE RIVER; SAWMILL CREEK
tributary to BOISE RIVER

Date Filed: 06/19/1981

Amount: 1.00 CFS

Diversion Point: NWSW NESW
SESW SENE Sec 34 T 06N R 11E
NENW Sec 03 T 05N R 11E, ELMORE
Co.

Use: MINING (1.00 CFS) from 04/01
to 12/31; DOMESTIC (0.04 CFS) from
04/01 to 12/31

Place of Use: SWSE SWSW SESW
Sec 34 T 06N R 11E

Diversion Means: EXISTING DIT-
CHES

63-9754

THE PHENIX-OMEGA CO.
HALL, HOWARD
5608 ALMEDA-GENOA RD.,
HOUSTON, TX 77048

Source: BOISE RIVER, MIDDLE
FORK tributary to BOISE RIVER

Date Filed: 06/29/1981

Amount: 1.57 CFS

Diversion Point: SWSE Sec 31 T 06N
R 11E, ELMORE Co.

Use: MINING (1.57 CFS) from 04/01
to 10/31

Place of Use: SWSE Sec 31 T 06N R
11E

Diversion Means: SUBMERCABLE
PUMP & PIPELINE

If issued, the permits will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Resources,
92 S. Cole Road, Boise, Idaho 83709 on
or before JULY 27, 1981.

A. KENNETH DUNN
Director

Published 7/9 & 7/16/81.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Martin D. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

2 consecutive weeks, the first publica-
tion having been made on the 9 day
of July, 1981, and
the last publication having been made on the
16 day of July,
1981; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Martin D. Waters
Subscribed and sworn to me this 16th
day of July, 1981.
Allen M. Wade
Notary Public

RECEIVED


JUL 22 1981

Department of Water Resources
Western Regional Office

↑ ↑



Idaho Dept. of Water Resources
Place of Use Comparison Report



Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Claim	63 2063	ATLANTA POWER COMPANY,	BOISE RIVER	05N11E4																	0
Right	63 9750	JERRY INAMA,	SAWMILL CREEK	05N11E4	X																0
Right	63 4812	STEPHEN LANE, H B RUSSELL, VIRGINIA LANE,	SPRING	05N11E4							X	X									0
Claim	63 24370	UNITED STATES OF AMERICA ACTING THROUGH,	YUBA RIVER	05N11E4							X										0
Rec	63 24370	UNITED STATES OF AMERICA ACTING THROUGH,	YUBA RIVER	05N11E4							X			X	X						0

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Permit	63 2532	ALVA D GREENE,	GREYLOCK CREEK	06N11E34													X			X	0
Claim	63 9750	JERRY INAMA,	SAWMILL CREEK	06N11E34											X	X			X		0
Permit	63 9750	JERRY INAMA,	SAWMILL CREEK	06N11E34											X	X			X		0
Right	63 9750	JERRY INAMA,	SAWMILL CREEK	06N11E34									X	X	X	X		X	X	X	0



Sec. 33

STANDARD


Sec. 34

PARALLEL

Sec

NORTH

EAST



N. 89° 54' W.

80.20

N. 89° 54' W.

80.00

N. 89° 54'

80.00

MICROFILMED
SEP 07 2001

63-09750

Sec. 33

640

Sec. 34

640

Sec. 3

640

N. 0° 02' W.

N. 0° 02' W.

S. 89° 54' E.

c 10.64

10.64

c 10.70

10.78 1/2

c 10.87

Sec. 4

Sec. 3

T6N R11E S34

P/D

P/D

SAWMILL CREEK

T5N R11E S4

T5N R11E S4

P/U

MICROFILMED

SEP 17

~~Mile 132.4~~

Forest Se
Sta

63-0975-2

T6N R11E S34

P/D

P/D

SAWMILL CREEK

T5N R11E S4


P/U

T5N R11E S4

SEP 07 2001

63-09750

63-09750





PHOTOGRAPHER AND DATE OF PHOTOS OAN 10-12-00

FILE NO. 63-09750



These are
photo's of
the current
working pond
not seen in
previous photos

This pond
is approx

~~20' x 30'~~

20' wide x 30' long
and 2-3 ft deep.



SEP 07 2001

63-09750



PHOTOGRAPHER AND DATE OF PHOTOS

DAN 10-12-00

FILE NO. AND LEGAL DESCR.

63-09750

63-09750



MICROFILMED

SEP 07 2001

These are photos of the
work area. The Trammel was
in town being worked on.



SE $\frac{1}{4}$ SW $\frac{1}{4}$ SEC 34

where TRAIL crosses SAWMILL CREEK.

Small impoundment (Dike) Allows Permit Holder
to DIVERT WATER DOWN SAWMILL CREEK OR
OFF toward BIG GULCH DRAINAGE.

MICROFILMED
SEP 07 2001

63-9750



CULVERT INLET
AND Secondary
DIVERSION POINT
ARONA SAWMILL
CREEK.

SW 1/4 SW 1/4 SE 1/4
SEC 34



CULVERT OUTLET
AND channel →
to HARDING POND
ARONA SAWMILL
CREEK.

MICROFILMED

SEP 07 2001



63-09750



GAS
POWERED
PUMP
MOUNTAIN
PAD →

← Inflow
from
SAWMILL
CREEK.

WATER SUPPLY POND FOR MINING ACTIVITY



MICROFILMED OUTLET FOR LOWER SETTLING POND

SEP 07 2001 FROM WATER DIVERTED FROM SAWMILL CREEK.

63-9750



Water
Diverted
from
Sawmill
Creek
to
this
Point
Will flow
into the
Big Gulch
Creek
Drainage.

SITE of MOST Recent WORKINGS.



← Trommel


← SHUCE
Box

MICROFILMED

SEP 07 2001

63-09750

H.



2 sediment
Ponds

P10

Pest

Current

Area

ing

over

lower

part

cut

the

the

the

the

the

the

the

the

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-9750

1. Owner: RAY INAMA

Phone No. 864-2128

Current Address: P.O. Box 131 ATLANTA, ID

2. Accompanied by: MRS. INAMA

EXAM. DATE: 7/20/88

Address: SAME

Phone No. _____

Relationship to Permit Holder: wife

3. Source: SAWMILL CREEK tributary to MIDDLE FORK BOISE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE SHOWN FOR SEC. 34 ON 1/3/88 PRINT OUT.
LIKewise for Sec. 3

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




⑤ are conditions
of permit met?

Scale: 1" = 0.5 MILE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



63-09750


T6N
T5N


S34

S3

R11E

MICROFILMED
SEP 07 2001





WATER RIGHTS ON
JOE DAILY CREEK
Big Bend
Sawmill Creek
APPLIED FOR June 5/81
ISSUED June 25/

Water Rights
PERMIT II 63-9750

X's mark pts.
of DIVERSION

old ditch put to use
and new ones

T. 6 N., R. 14 E. B.M.
Sec 34 SE $\frac{1}{4}$ SW $\frac{1}{4}$
SW $\frac{1}{4}$ SW $\frac{1}{4}$

(ROCKY BAR 1 SE)
(217-4 1)

T. 6 N.
T. 5 N.



State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-09750

Priority: August 10, 1987

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 91.0 AF

It is hereby certified that JERRY INAMA
PO BOX 751
GARDEN VALLEY ID 83622 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 19, 1981; and has
submitted Proof of Beneficial Use on August 10, 1987. An examination indicates that the works have a
diversion capacity of 1.18 cfs of water from:

SOURCE

SAWMILL CREEK

Tributary: MIDDLE FORK BOISE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
MINING	05/01 to 09/01	1.00 CFS	91.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SAWMILL CREEK	SE $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 34, Twp 06N, Rge 11E, B.M., ELMORE County
SAWMILL CREEK	SE $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 34, Twp 06N, Rge 11E, B.M., ELMORE County

PLACE OF USE: MINING

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N 11E 3					X	X											
05N 11E 4	X				L5	L3											
	L8																
06N 11E 34									X	X	X	X		X	X	X	

CONDITIONS OF APPROVAL

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 27th day of July, 2001.

MICROFILMED for

SEP 07 2001

David R. Tuttle
KARL J. DREHER
Director

RECEIVED

JUL 27 2001

Department of Water Resources

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-09750

Date of Priority: August 10, 1987

Maximum Diversion Rate: 1.00 CFS

Maximum Diversion Volume: 91.0 AF

Comes now JERRY INAMA

PO BOX 751 *Valley*

GARDEN CITY ID 83622

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-09750, and requests that the permit be changed as follows:

Source: SAWMILL CREEK

Tributary: MIDDLE FORK BOISE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MINING	05/01 to 09/01	1.00 CFS	91.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SAWMILL CREEK SE 1/4 SW 1/4 Sec. 34, Twp 06N, Rge 11E, B.M., ELMORE County

SAWMILL CREEK SE 1/4 SW 1/4 Sec. 34, Twp 06N, Rge 11E, B.M., ELMORE County

PLACE OF USE: MINING

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N 11E 3					X	X											
					L2	L3											
					L5	L4											
05N 11E 4	X																
	L1																
	L8																
06N 11E 34									X	X	X	X		X	X	X	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 26th day of July, 2001.

Jerry Lee Inama "MIK"
(Signature)

MICROFILMED

SEP 07 2001

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09750

.....
FOR DEPARTMENT USE ONLY
Preliminary check by kw Fee = \$50⁰⁰ Receipted by Mei # 055161 Date 7/27/01

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09750 with the following:

CONDITIONS OF APPROVAL

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.

Witness my hand this 27th day of July, 2001.

David L. Tuttle
for KARL J. DREHER
Director

MICROFILMED
SEP 07 2001

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 63-9750 IN THE NAME OF) ORDER
JERRY INAMA)
_____)

This matter having come before the Idaho Department of Water Resources (Department) the Department finds as follows:

FINDINGS OF FACT

1. On September 24, 1981, the Director of the Department of Water Resources issued Permit No. 63-9750 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before September 1, 1986.

2. On June 30, 1986 the Department sent a proof due notice to the permit holder.

3. On September 29, 1986 the Department sent a lapse notice to the permit holder since neither proof of beneficial use nor a request for extension of time had been received from the permit holder.

4. On August 10, 1987 Proof of Beneficial Use was received by the Department from the permit holder.

5. Section 42-218a, Idaho Code, authorizes the Department to reinstate a lapsed permit, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

NOT RECALLED
MAR 14 1988

6. The permit holder submitted photos of the water system used for mining purposes giving evidence that water has been put to beneficial use.

7. The permit holder has stated that due to lack of funds for the proof fee, the proof due notice was not handled in a timely manner.

CONCLUSIONS OF LAW

1. The permit holder has submitted proof of beneficial use along with supporting evidence which establish that water was in fact beneficially used.

2. The permit holder has shown sufficient cause why the proof of beneficial use was not submitted in a timely manner.

3. The permit can be reinstated with the date of priority advanced to the date proof of beneficial use was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit No. 63-9750 is reinstated.

IT IS FURTHER ORDERED that the date of priority of this permit is advanced to August 10, 1987.

Dated this 21st day of January, 1988.


L. GLEN SAXTON
Chief, Operations Bureau

RECORDED

MAR 14 1988

RECEIVED
OCT 2 1986

For Office Use Only
Fee Received 8102
Date 8-11-87
Receipt # 44410
Receipt by [Signature]
Reviewed by [Signature]
Sent to region

RECEIVED
AUG 10 1987

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63 9750

Name(s) of Permit Holder: JERRY L. INAMA

Post Office Address: P.O. BOX 131

ATLANTA, IDAHO Telephone No. 344-8688-1875

Source of Water: BIG GULCH, SAWMILL CREEKS

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark MINING USE

Total rate and/or volume for which proof is submitted 1.00 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9-1-81

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No
Fee enclosed \$ 15.00 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

JERRY L. Inama 344-8688-1875
(Name) (Telephone Number)

P.O. BOX 131 ATLANTA IDAHO 83601-0131
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

9/30/86
Date

Jerry L. Inama
Signature of Permit Holder (and title, if appropriate)

MAR 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JERRY INAMA Phone 344-8688 UNIT 6132 MESSAGE
- Post office address P.O. BOX 131 ATLANTA, IDAHO 83601
2. Source of water supply BIG GULCH SAWMILL CREEK which is a tributary of BOISE RIVER
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 34 Township 6N
Range 11E B.M. ELMORE County, additional points of diversion if any: NESW, SESW, SENE Sec 34, T6N R11E, NENW Sec 3 T5N R11E
4. Water will be used for the following purposes:
- Amount 1.0 for MINING purposes from 4-1 to 12-1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .04 for DOMESTIC purposes from 4-1 to 12-1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
- a. 1.00 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. OLD EXISTING DITCHES
- b. Height of storage dam 3' feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
- a. If water is not for irrigation:
- (1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 6N
SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 5N
Range 11E B.M. 11E
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.
- (5) If water is to be used for other purposes describe: OPERATION OF MINING CLAIMS

MICROFILMED

£

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion *USES*

b. Who owns the land to be irrigated or place of use USFS - APPLICANTS MINING CLAIMS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving a small margin at the top and bottom.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

5-25-81 Jerry L. Frank
(Applicant)

Proposed Priority 6/19/1981

Received by mm Date 6-19-81 Time 11:00
Preliminary check by bhs Fee \$ \$45.00 # 19488
Receipted by mm Date 6-25-81
Publication prepared by JS Date 7-2-81
Published in Mountain Home News
Publication dates 7/9/81 & 7/16/81, 8/6 & 8/13/81
Publication approved JS Date 8-2-81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9750, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.
In the event that water used under this permit should be discharged into a natural channel, settling ponds will be required which are capable of reducing the silt load to such a level that the quality of the water would not be impaired for other beneficial uses.
No structure shall be placed in the stream which will impede fish passage.
The diversion of water under this permit shall not reduce the flow of the Boise River during the period from June 15 to November 15.
Witness my hand this 24th day of September, 1981.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED




X's mark points of diversion

T. 1
Sec.

(ROCKY BAR 1 SE)
(217-4 1)

T. 6 N.
T. 5 N.

47°30"



Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, ...*Floyd S. Waters*... do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

...*2*... consecutive weeks, the first publica-
tion having been made on the ...*6*... day
of ...*August*..., 19*81*, and
the last publication having been made on the
...*13*... day of ...*August*..
19...*81*...; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Floyd S. Waters

Subscribed and sworn to me this ...*13th*...

day of ...*August*..., 19*81*.

Deann M. Waters
Notary Public

RECEIVED
AUG 17 1981

Department of Water Resources
Western Regional Office

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for a Water Right Permit No. 63-9750 in the name of Jerry Inama was published in error on 7/9 and 7/16/81.

The Place of Use was advertised as being within the SWSE, SWSW, SESW, S. 34, T6N, R11E. Whereas, the actual Place of Use, is within the SWSE, SWSW, SESW, S34, T6N, R11E. also NE1W, S03, T5N, R11E.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before August 24, 1981.

A. KENNETH DUNN

DIRECTOR

Published in the Mountain Home News
on August 6 and August 13, 1981.

1000

**NOTICE OF APPLICATIONS
FOR WATER RIGHTS**

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:
61-7452

CASTLE, W.H.
ELLEVUE, ID 83313
Source: UNNAMED DRAIN
tributary to LITTLE CANYON
CREEK

Date Filed: 06/18/1981
Amount: 2.00 CFS
Diversion Point: SWSE Sec 19 T 05S
R 10E, ELMORE Co.
Use: IRRIGATION (2.00 CFS) from
04/01 to 11/01; RECREATION (2.00
CFS) from 01/01 to 12/31

Place of Use: NESW NWSW SWSW
SESW NWSE SWSE Sec 19 T 05S R
10E NENE NWNE SWNE SENE
NENW SENW Sec 25 T 05S R 09E
NWNE SWNE SENE NENW
NWNW SENW Sec 30 T 05S R 10E
FOR 553 ACRES

Diversion Means: PUMP &
SPRINKLER

63-9750 ✓

INAMA, JERRY
P.O. BOX 131, ATLANTA, ID
83601

Source: BIG GULCH tributary to
BOISE RIVER; SAWMILL CREEK
tributary to BOISE RIVER

Date Filed: 06/19/1981
Amount: 1.00 CFS
Diversion Point: NWSW NESW
SESW SENE Sec 34 T 06N R 11E
NENW Sec 03 T 06N R 11E, ELMORE
Co.

Use: MINING (1.00 CFS) from 04/01
to 12/31; DOMESTIC (0.04 CFS) from
04/01 to 12/31

Place of Use: SWSE SWSW SESW
Sec 34 T 06N R 11E

Diversion Means: EXISTING DIT-
CHES

63-9754

THE PHENIX-OMEGA CO.
HALL, HOWARD
5608 ALMEDA-GENOA RD.,
HOUSTON, TX 77048

Source: BOISE RIVER, MIDDLE
FORK tributary to BOISE RIVER

Date Filed: 06/29/1981
Amount: 1.57 CFS
Diversion Point: SWSE Sec 31 T 06N
R 11E, ELMORE Co.

Use: MINING (1.57 CFS) from 04/01
to 10/31

Place of Use: SWSE Sec 31 T 06N R
11E

Diversion Means: SUBMERCABLE
PUMP & PIPELINE

If issued, the permits will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water Resources,
92 S. Cole Road, Boise, Idaho 83709 on
or before JULY 27, 1981.

A. KENNETH DUNN
Director

Published 7/9 & 7/16/81.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Ma. tin D. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

2 consecutive weeks, the first publica-
tion having been made on the 9 day
of July, 1981, and
the last publication having been made on the
16 day of July,
1981; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Ma. tin D. Waters
Subscribed and sworn to me this 16th
day of July, 1981.
Allen M. Waters
Notary Public

RECEIVED
JUL 22 1981

Department of Water Resources
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 31, 2001

JERRY INAMA
PO BOX 751
GARDEN VALLEY ID 83622

RE: License No. 63-9750 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.


The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,


for Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


SEP 07 2001

CERTIFICATE OF MAILING

I hereby certify that on July 31, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-9750

**JERRY INAMA
PO BOX 751
GARDEN VALLEY ID 83622**


Kari Lynn Townsend
Secretary

**MICROFILMED
SEP 07 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 23, 2001

JERRY INAMA
PO BOX 751
GARDEN CITY ID 83622

Valley

(fixed database)
per phone
conversation
7/26/01 - he
will submit
amendment &
fee right away.
KW

RE: Water Right Permit No. 63-09750

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED
SEP 07 2001

LICENSE REVIEW CHECKLIST

Permit No. 63-09750 Date: 7-23-2001 Reviewer: Kay Walker

topo W67

Change/OK

Name/Address

change address per exam.

Source

Point of Diversion:

OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Pace of Use

add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

none

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 1.0 cfs

Fee Limit 1.0 cfs

Measured 1.18 cfs

Theoretical 1.18 cfs

Recommended Total Diversion Rate 1.0

Water Uses

OK

Change (P46)

Season of Use per new Standards

Irrigation cfs af

Stockwater cfs af

Domestic cfs af

Mining 1.0 cfs 91.0 af

cfs af

Total 1.0 cfs 91.0 af

~~Irrigation~~ - overlap (R58-R61, R62-R65, R66-R69)

~~supp. Gw~~ (WB7/065/104)

~~overlap spec combined rts~~ (W35)

~~1 acre~~ (W31)

~~Domestic~~ (W01/wb5/070/071/075)

~~Power~~ (W42 or W43/025/027/R22 or R23)

~~Fish~~ (042)

~~Fish~~ (077)

~~Water Quality~~ (081/R07) *N/A*

~~Payette~~ - (W22/047/27A)

~~Stockwater for US~~ (R37)

Volume Determination

1.0 cfs x 1.9835 x 46 days = 91.0 af (vs) 91.0 acres x 1.0 (FHR) = 91.0 af

Remarks:

Additional Conditions

63

Watermaster Control

R43

GW Measurement/Measuring Device

~~Other~~

~~Trust R56~~ - remove 051)

~~Non-trust~~ (048/049)

GW Dist? ---

Water Msmt. Dist? ---

Crit. GWMA? ---

GWMA? ---

Government Lots? *yes*

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

yes - pending review & rec.

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

P44

S06

[illegible]

↑ ↑

Idaho Dept. of Water Resources
Place of Use Comparison Report

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----



7/23/01

Idaho Dept. of Water Resources
Place of Use Comparison Report

Page1

[illegible]

7/23/01

Idaho Dept. of Water Resources
Place of Use Comparison Report

Page1

Type	WR #	Owner	Source	TRs	NE NE	NW NE	SW NE	SE NE	NENW	NWNW	SWNW	SE NW	NE SW	NW SW	SW SW	SE SW	NE SE	NW SE	SW SE	SE SE	Total



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 30 2000

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-09750

1. Owner: JERRY INAMA Phone No. (208) 462-2128

Current Address: PO BOX 751, GARDEN CITY, ID 83622

2. Accompanied by: OWNER EXAM DATE: 10/12/2000

Address: SAME AS ABOVE Phone No. SAME AS ABOVE

Relationship to Permit Holder: OWNER

3. Source: SAWMILL CREEK tributary to BOISE RIVER, MIDDLE FORK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
P/D			SE	SW	34	6N	11E	ELMORE	2 POINTS OF DIVERSION VISUAL INSPECTION USING USGS QUADANGLE MAP AND 1987 AERIAL PHOTO

2. Place(s) of Use:

Indicate Method of Determination SAME AS POINT OF DIVERSION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	11E	3					M LT2 LT5	M LT3 LT4											
05N	11E	4	M LT1 LT8																
06N	11E	34									M	M	M	M		M	M	M	

PLEASE NOTE: The 1/4 1/4 sections in S3 and S4 have 2 government 1/4 1/4. This permit is for mining and the M denotes where the water maybe used for mining purposes.

NOT RECORDED
SEP 12 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP	GENERAL ELECTRIC	5 Hp	5K215 16331	WORTHINGTON	4" DISCHARGE SN - VIP18443

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
THEORETICAL	N/A	N/A	N/A	N/A	N/A	N/A

2. **Measurements:** Pump had been disconnected from power, so only a theoretical calculation could be used.

MICROFILMED
SEP 07 2001

63-09750

E. NARRATIVE/REMARKS/COMMENTS:

In this operation, an area is excavated along the creek and the rocks, sand, and soil are run through a trammel/sluiice box to extract gold. This excavation creates a small pond from which the water is diverted by a turbine pump that has a 3-ft intake into the pond. Currently there are 2 working ponds and 2 sediment retention basins. The water from the pond is pumped to the trammel/sluiice box used for processing gold. The water in the ponds is designed to overflow any excess water back to the stream through natural flow or through seepage through the ground. Therefore, the only water actually being used in this process is the water being pumped from the turbine pump. The ponds are very small per EPA regulations so evaporation and seepage loss are negligible. EPA begins to regulate when the combination of ponds being used exceeds ½ acre in size. The applicant runs a small operation and does not wish to be under EPA regulation. The applicant generally runs one pond or the other throughout the year and never works both ponds at the same time. The water from the trammel/sluiice box is recycled through the sediment retention ponds to prevent any sediment from getting into the river. Which shows that the only true diversion rate for this water right would be the water pumped from the turbine pump. The pump can pump a ½ acre ft of water in approximately 5 hours, making the ponds an incidental use to the mining operation. The mining operation is operated 10 hours a day 5 days a week from May 1 to September 30. The pump is run continually during this time, except for breakdowns or other various reasons.

No domestic use was found and should not be licensed under this permit.

There are no overlapping rights on this ground or on the creek. Therefore, I do not see any reason that this permit should not be licensed.

Have conditions of permit approval been met? ☒ yes* ☐ no

* This pump open discharges into the trammel and is either on or off. The pump itself can be locked out and disconnected from the power supply. Therefore, I feel that this pump can be easily regulated and measured if needed without installing an expensive flow meter.

MICROFILMED

SEP 07 2001

63-09750

F. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

1.18 cfs (see attached sheet)

PLEASE NOTE: The permit limits the diversion to 1.00 cfs so that will be the limiting factor.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

B

2. Volume Calculations for Other Uses:

The mining operation is operated 10 hours per day 5 days a week from May 1 to September 30 (22 weeks)

 $(1.00 \text{ cfs}) \times (3600 \text{ sec/hrs}) \times (10 \text{ Hrs}) \times (5 \text{ days}) \times (22 \text{ wks}) / 43560 = 91 \text{ acre-feet of volume used per year.}$ **H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>MINING</u>	<u>5/1</u>	<u>9/1</u>	<u>1.00 CFS</u>	<u>91 AFA</u>

Totals: 1.00 CFS 91 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**

DANIEL A. NELSON – SENIOR AGENT

Field Examiner's Name Daniel A. Nelson Date 10-18-00


Reviewer _____ Date _____

SEAL

MICROFILMED

SEP 07 2001

63-09750




STANDARD

PARALLEL

Sec

NORTH



N. 89° 54' W.

80.20

N. 89° 54' W.

80.00

N. 89° 54'

80.00

MICROFILMED

SEP 27 2001

63-09750

Sec. 33

640

N. 0° 02' W.

Sec. 34

640

N. 0° 02' W.

Sec. 3

640

S. 89° 54' E.

10.64

10.64

10.70

10.78 1/2

10.87

Sec. 4

Sec. 3

T6N R11E S34

P/D

P/D

SAWMILL CREEK

T5N R11E S4

T5N R11E S4

P/D

5400

163-00000

2003


SAWMILL CREEK

15N RT 1E S

15N RT 2E S

15N RT 3E S

63-09750



P/D

P/D

OLD SAWMILL DITCH

OLD WORKING POND

CURRENT WORKING POND ON CREEK

PIPE TO SETTLING POND

PIPE TO SETTLING POND

SETTLING POND

T6N R11E S34

SAWMILL CREEK

T5N R11E S4

SAFETY POND TO PREVENT SEDIMENTS FROM ENTERING RIVER

DITCH RETURNING TO CREEK

MICROFILMED
SEP 07 2001

GROUNDWATER THEORETICAL ANNALYSIS

FILE: 63-09750

DATE: 10/16/2000

BY: Daniel A. Nelson

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

Q = CFS

HP = Total Brake Horsepower of pumping plant (including booster)

Eff. = Pumping plant efficiency (assume 70% or 0.70)

TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = Depth to water in FEET from land surface to pumping water level

PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (5 \text{ Hp}) \times (0.70) = 30.8}{\quad\quad\quad} = \underline{1.18 \text{ cfs}}$$

$$[(3 \text{ ft}) + (10 \text{ psi} \times 2.31)] = 26.1 \quad\quad\quad \text{or } 530 \text{ gpm}$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
Measurement (X)	Measurement ()	Motor Make, Serial or ID
Owner ()	Owner ()	
Area estimate ()	Estimate (X)	Pump Make, Serial or ID, rating
Well Logs ()	Owner Gage ()	
Booster (Y) (N)		

REMARKS: This is a turbine pump that has a 3-ft intake into the pond. The water from the pond is pumped to a trammel/slucice box that process the gold sought after in this operation. The pond is on stream and the only water used for industrial purposes. The water in the ponds is designed to overflow any excess water back to the stream through natural flow or through seepage through the ground. Therefore, the only water actually being used in this process is the water being pumped from the turbine pump. The ponds are very small per EPA regulations so evaporation and seepage loss are barely negligible. EPA begins to regulate ponds that are over 1/2 acre in size. The applicant runs a small operation and does not wish to be under EPA regulation. The applicant generally runs one pond or the other throughout the year and never works both ponds at the same time. The water from the trammel/slucice box is recycled through the sediment retention ponds to prevent any sediment from getting into the river. Therefore, the only true diversion rate for this water right would be the water pumped from the turbine pump. The pump can pump a 1/2 acre ft of water in approximately 5 hours, making the ponds an incidental use.

MICROFILMED


100 97 2000

63-09750



PHOTOGRAPHER AND DATE OF PHOTOS DAN 10-12-00

FILE NO. 63-09750



These are
photo's of
the current
working pond
not seen in
previous photos
This pond
is approx
~~20' x 30'~~
20' wide x 30' long
and 2-3 ft deep.



63-09760




PHOTOGRAPHER AND DATE OF PHOTOS

DAN 10-12-00

FILE NO. AND LEGAL DESCR.

63-09750



These are photos of the
oak area. The tram was
in town being worked on.

MICROFILMED

SEP 07 2001

63-09750



SE $\frac{1}{4}$ SW $\frac{1}{4}$ SEC 34

where TRAIL CROSSES SAWMILL CREEK.

SMALL IMPONDMENT (DAM) ALLOWS PERMIT HOLDER
TO DIVERT WATER DOWN SAWMILL CREEK OR
OFF TOWARD BIG GULCH DRAINAGE.

MICROFILMED
SEP 07 2001



↗
 CULVERT INLET
 AND SECONDARY
 DIVERSION POINT
 ALONG SAWMILL
 CREEK.

SW 1/4 SW 1/4 SE 1/4
 SEC 34



CULVERT OUTLET
 AND CHANNEL →
 TO HARDING POND
 ALONG SAWMILL
 CREEK.

MICROFILMED

SEP 07 2001



GAS
POWERED
PUMP
MOUNTING
PAD →

← Inflow
from
SAWMILL
CREEK.

WATER SUPPLY POND FOR MINING ACTIVITY




MIDDLE OUTLET FOR LOWER SETTLING POND

SEP 07 2001 FROM WATER DIVERTED FROM SAWMILL CREEK.



SITE of MOST RECENT WORKINGS.

WATER
DIVERTED
FROM
SAWMILL
CREEK
TO
THIS
POINT
WILL FLOW
INTO THE
BIG GULCH
CREEK
DRAINAGE.



← TROMMEL

← SLUICE
BOX

MICROFILMED

SEP 07 2001

FIELD NOTES

PERMIT NUMBER ⁶³~~66~~-09750

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

MICROFILMED

SEP 07 2001

Pump

RUN

10 hrs / day

5 days / WK

General Electric

may 1 - Sept 31

5 HP

1.15

SK 215 16331

Pump


WORTHINGTON

4" OIC

VID 18443

MICROFILMED

SEP 07 2001



DEPT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Apr 8 2 45 PM '99

10000
x 6970

S E

6200

6242

6000

6000

6000

6000

6000

6000

6000

6000

6000

6000

6000

6000

6000

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

Atlanta

2 Set into
POND



Naeel

PL 3/21/90

- ① Some info to support ckr rate recommended.
measure when flow occurs?
Manning's equation or other estimate of creek
flow?
 - ② Volume - what is average hrs./day H₂O used.
Report shows use 240 clogs/yr. Is this
reasonable?
 - ③ Pinpoint pld, plu on tops. In 5.3, pld, plu
in Lot 2 & on Lot 5?
 - ④ IF no use of Bij gulch > 5 yrs, leave source off
of license? _
-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-9750

1. Owner: RAY INAMA Phone No. 864-2128

Current Address: P.O. Box 131 ATLANTA, ID

2. Accompanied by: MRS. INAMA EXAM. DATE: 7/20/88

Address: SAME Phone No. _____

Relationship to Permit Holder: wife

3. Source: Sawmill Creek tributary to Middle fork Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: None shown for Sec. 34 on 1/3/88 Print Out.
Likewise for Sec. 3

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



⑤ are conditions of permit met?

Scale: 1" = 0.5 MILE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water from Sawmill Creek Diverted to Holding Pond.
~~Booster~~ Pump AT Pond used to Pipe Water to Trammel
 And Shuice Box.
 Old Ditch from Chinamen could intercept Big Gulch Creek
 Water for use AT SITE BUT HAS NOT BEEN Done IN the LAST
 5 YEARS. Will Recommend this Point of Diversion be cancelled.
 Wife mentioned \$7000⁰⁰ worth of Gold was Recovered last Year.
 NO Domestic use is made of the Water.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Booster Pump Not Present AT time of Exam.				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
-			NE	SW	34	6N	11E	Elmore	U.S.G.S. MAP
-			SE	SW	34	6N	11E	Elmore	" "
5			NE	NW	3	5N	11E	Elmore	" "

6. Place(s) of Use:

Indicate Method of Determination U.S.G.S. map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	11E	3					X												
6N	11E	34								X	X	X			X				

MICROFILMED

Do not use this space
 SEP 8 7 2001

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No Flow Measured since creek was dry. Had water been present the bucket/stopwatch could have been used to measure the flow from the pump to the trimmer. The operation is non-consumptive in nature and the measuring device requirement in the permit is unnecessary.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 cfs x 8 mo. x 30 days x 1.9835 = 476.04 AFA
MICROFILMED
SEP 07 2001

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO overlap AT Point of Diversion or Place of Use EXISTS.
The SE 1/4 of NE 1/4 of SEC. 34 T6N R11E HAS NOT BEEN USED
IN THE LAST 5 YEARS.

A fee for 1 cfs was paid. Owner CLAIMS HE IS ABLE TO UTILIZE
1 cfs. SINCE MR. INAMA IS THE ONLY OPERATOR ON THIS CREEK
I RECOMMEND HE BE ALLOWED TO UTILIZE THE AMOUNT HE
CLAIMS TO BE ABLE TO USE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
MINING	1/1	12/31	1.0 cfs	476 AFA
Totals:			1.0 cfs	476 AFA

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


J. AUTHENTICATION

Field Examiner's Name RANDALL J. PFaff
Signature RJ Pfaff
Certification Date _____
Field Report Preparation Date 7/27/88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
SEP 07 2001



63-09750

S34

P14

T6N

T5N

S3

R11E

MICROFILMED

FR 07 2001

-LEGAL DESCRIPTION-- GEO BLM SERIAL CASE							LEAD	COUNTY	LOCATION	LAST	CASE		
WNSHP	RANGE	SEC	SUBDV	CTY	DIST	NO. TYPE	CLAIM NAME/NUMBER	CLAIMANT(S)	FILE	BOOK/PAGE	DATE	ASST-YR	CLOSED
6 N	11 E	34 NW			1	163237*LD	PAYCHECK #33	INAMA RAEDEAN	163209	;	11/04/1990	1991	3/29/1993
		NW	39			163238*LD	PAYCHECK #34	INAMA JERRY L	163209	;	11/04/1990	1991	3/29/1993
		35 SW	39			117189 LD	AGC NO 58	INAMA RAEDEAN	117164	;	12/10/1986	1989	3/07/1991
		SW	39			117190 LD	AGC NO 59	ATLANTA GOLD CORP	117164	;	12/10/1986	1989	3/07/1991
		36 NE	39			34832 MS	TILLMAN	LANNING HAROLD L	34826		8/15/1907	1990	3/24/1992
		NE	39			110845*PL	MIDDLE FORK #1	BERNAL JOHN	110845	0:0	7/28/1986	0000	4/25/1988
		NE	39			110846*PL	MIDDLE FORK #2	BERNAL JOHN	110845	0:0	7/28/1986	0000	4/25/1988
								BLEVINS ERIC					
								BERNAL JOHN					
								BLEVINS ERIC					
7 N	11 E	8 SW	39			56788 LD	G-447	STIMPEL E F	56398	0:0	10/13/1980	0000	12/31/1981
		SW	39			56789 LD	G-448		56398	0:0	10/13/1980	0000	12/31/1981
		17 SW	39			26826*LD	LONE CABIN # 3	STOREY BYRL	26924		7/01/1953	1995	
								STOREY W D					
								STOREY WALTER					
								STOREY BYRL	26824		7/01/1953	1995	
		SW	39			26827*LD	LONE CABIN # 4	STOREY W D					

SE	39	127041 LD	CHECKMATE QUARTZ #12	127030	0:0	8/31/1987	1989	3/12/1991
SE	39	127042 LD	CHECKMATE QUARTZ #13	127030	0:0	8/31/1987	1989	3/12/1991
SW	39	127638 LD	OTH #32	127	0:0	10/10/1987	1989	3/12/1991
SW	39	127639 LD	OTH #33	127	0:0	10/10/1987	1989	3/12/1991
W2	39	127640 LD	SAWTOOTH #34	127630	0:0	10/10/1987	1989	3/12/1991
W2	39	127641 LD	SAWTOOTH #35	127632	0:0	10/10/1987	1989	3/12/1991
NW	39	127642 LD	SAWTOOTH #36	127632	0:0	10/10/1987	1989	3/12/1991
NW	39	127643 LD	SAWTOOTH #37	127632	0:0	10/10/1987	1989	3/12/1991
NW	39	127644 LD	SAWTOOTH #38	127632	0:0	10/10/1987	1989	3/12/1991
E2	39	129700 LD	M&M CHINA LOOSE #3 INAMA JERRY L	129707	0:0	1/02/1988	1989	3/25/1991
E2	39	129709 LD	SAWTOOTH #2	129707	0:0	1/02/1988	1995	
NW	39	129710 LD	SAWTOOTH #3	129707	0:0	1/02/1988	1991	3/29/1993
NE	39	129711 LD	SAWTOOTH #4	129707	0:0	1/02/1988	1991	3/29/1993
SE	39	129714 LD	SAWTOOTH #7	129707	0:0	1/02/1988	1991	3/29/1993
SE	39	129715 LD	SAWTOOTH #8	129707	0:0	1/02/1988	1995	
E2	39	129716 LD	SAWTOOTH #9	129707	0:0	1/02/1988	1992	8/11/1993
NE	39	129717 LD	SAWTOOTH #10	129707	0:0	1/02/1988	1991	3/29/1993
NW	39	129718 LD	SAWTOOTH #11	129707	0:0	1/02/1988	1991	3/29/1993
SW	39	132917 LD	SAWTOOTH #38 SAWTOOTH RESOURCES	132911	0:0	6/12/1988	1991	2/12/1993
SW	39	132918 LD	SAWTOOTH #39	132911	0:0	6/10/1988	1991	2/12/1993
SW	39	132921 LD	SAWTOOTH #42	132911	0:0	6/10/1988	1991	2/12/1993
SW	39	132922 LD	SAWTOOTH #43	132911	0:0	6/10/1988	1991	2/12/1993
SW	39	132923 LD	SAWTOOTH #44	132911	0:0	6/10/1988	1991	2/12/1993
S2	39	132924 LD	SAWTOOTH #45	132911	0:0	6/12/1988	1991	2/12/1993
SE	39	163220 LD	PAYCHECK #14 INAMA JERRY L	163209		11/02/1990	1991	3/29/1993
SE	39	163222 LD	PAYCHECK #17 INAMA RADEAN	163209		11/02/1990	1991	3/29/1993
SE	39	163224 LD	PAYCHECK #20 INAMA JERRY L	163209		11/02/1990	1991	3/29/1993

* DISCLOSURE * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/H INDICATES LAND STATUS CHECKED.

6 N 11 E 33 SE

B 09

REPORT DATE: MAY 16, 1996
ADMINISTRATIVE STATE: IDAHO

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PAGE NO: 3070
PCR: LT892PPI

GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: BOISE

LEGAL DESCRIPTION - GEO BLM SERIAL CASE	FILE	COUNTY	LOCATION	LATEST	CASE
RANGE SEC SUBDV CTY DIST NO. TYPE CLAIM NAME/NUMBER CLAIMANT(S)	BOOK/PAGE	DATE	ASSMT-YR	CLOSED	
6 N 11 E 33 SE 1 163224 LD PAYCHECK #20 INAMA RADEAN	163209	11/02/1990	1991	3/29/1993	
SE 39 163225 LD PAYCHECK #21 INAMA JERRY L	163209	11/03/1990	1991	3/29/1993	
SE 39 163226 LD PAYCHECK #22 INAMA RADEAN	163209	11/03/1990	1991	3/29/1993	
SW 39 163227 LD PAYCHECK #23 INAMA JERRY L	163209	11/03/1990	1991	3/29/1993	
NE 39 163233 LD PAYCHECK #29 INAMA RADEAN	163209	11/04/1990	1991	3/29/1993	
NE 39 163234 LD PAYCHECK #30 INAMA JERRY L	163209	11/04/1990	1991	3/29/1993	
NE 39 163235 LD PAYCHECK #31 INAMA RADEAN	163209	11/04/1990	1991	3/29/1993	
NE 39 163239 LD PAYCHECK #35 INAMA JERRY L	163209	11/04/1990	1991	3/29/1993	
NE 39 163240 LD PAYCHECK #36 INAMA RADEAN	163209	11/05/1990	1991	3/29/1993	
NE 39 163241 LD PAYCHECK #37 INAMA JERRY L	163209	11/05/1990	1991	3/29/1993	
NE 39 163242 LD PAYCHECK #38 INAMA RADEAN	163209	11/05/1990	1991	3/29/1993	
NE 39 163243 LD PAYCHECK #39 INAMA JERRY L	163209	11/05/1990	1991	3/29/1993	
SE 39 163244 LD PAYCHECK #40 INAMA RADEAN	163209	11/05/1990	1991	3/29/1993	
34 S2 39 59928 PL CHINA CHOICE INAMA MATTHEW	59928	0:0	2/08/1981	1995	
SW 39 60509 PL CHINA CHINA #1 INAMA JERRY L	60509	0:0	5/12/1981	1991	3/29/1993
SW 39 60510 PL CHINA CHINA #2 BEVAN ROBERT L	60509	0:0	5/12/1981	1991	3/29/1993
SE 39 61396 PL ATLANTA NUGGET BEAVERS ROBERT D	61396	0:0	4/08/1981	1988	5/04/1990
SW 39 64025 PL GOLD BUG #1 MILLER J L	64025	0:0	8/24/1981	1982	12/31/1983
					MILLER RITA
					MILLER JACK
					MILLER SHIRLEY
					MILLER MARVIN
					ANDREWS MARITA
					MILLER ROY J
SW 39 100556 LD SAWTOOTH #1 INAMA JERRY L	100556	0:0	10/10/1984	1995	

* DISCLOSURE * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/H INDICATES LAND STATUS CHECKED.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 10, 1988

RE: Permit No. 63-9750

Jerry Inama
Box 131
Atlanta, ID 83601

Dear Permit Holder(s):

We acknowledge receipt of the statement of beneficial use and the supporting documentation for reinstating the above referenced permit. Enclosed is a copy of the Order of Reinstatement. Please note that the priority date has been advanced to August 10, 1987.

Before a license can be issued, a field examination will be made by a representative of this Department.

If you have any questions regarding this matter, please contact this office or our Western Regional Office at 334-2190.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

RECEIVED
MAR 14 1988

MEMORANDUM

TO: File 63-9750
FROM: Jim Johnson
DATE: January 12, 1988
RE: Reinstatement

I have reviewed the information provided to evidence commencement of beneficial use of water under this permit. Although the information is brief, I do believe water was used during the authorized permit period and recommend that it be reinstated.

RECEIVED

MAR 14 1988

12/8/87

To: Jim Johnson



This info is submitted to provide background as to the development of the H₂O use under this permit and to explain why we did not submit 100⁰⁰ filing fee until Aug 11 1987.

The enclosed pictures show the diverting structure and location of the pond used under this operation. Pictures taken 10/87 and that is why there is no water shown in the photos. This system was installed + in use and used during summer of '82 and in operation every year since then. Water is not available from Sept. to Apr. every year. Mining operations discontinue during this time also.

The reason we didn't submit 100⁰⁰ fee before Aug. 11, 1987 is because we simply did not have sufficient funds to cover the filing fee at this time

RECEIVED

MAR 14 1988



Diversion point #2 of Sawmill creek
Dry as of 87 Drought

Photo taken
1987 Oct

Dry creek because of 87 Drought

Photo taken
Oct 1987

Pump Platform Dry because of Drought

Photo taken
Oct. 1987

Pond we Built To Store Water and Pump
silo on platform and we Pump To Tromel screen
Diversion #
Pond were installed Summer
1982.

Photo taken
10. 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

September 18, 1987

RE: Permit No. 63-9750

Jerry L. Inama
Box 131
Atlanta, ID 83601

Dear Permit Holder(s):

The Department received your proof of beneficial use statement for the above referenced permit on August 10, 1987. The permit lapsed September 1, 1986, so the 60-day late period during which the permit can be readily reinstated has passed.

Pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can now be reinstated only if you submit the following:

- a) Evidence to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date. This evidence could be in several forms such as a convincing combination of affidavits, receipts, etc.
- b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use statement will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

Please feel free to contact this office if you have additional questions.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

MAR 14 1988

I certify that file No. 63-9750 has been reviewed and is ready to be **MICROFILMED** and **DESTROYED**.

K. Walker

Signature

3-13-87

Date

MICROFILMED

MAR 23 1987

October 3, 1986

Jerry Inama
P. O. Box 131
Atlanta, ID 83601

Dear Mr. Inama:

Re: Permit No. 63-9750

Returned is the proof of beneficial use form submitted to this office on October 2, 1986. Also enclosed is your check No. 4921 (92-6/1241) in the amount of \$15.

Enclosed is a proof of beneficial use instruction sheet. Note that for one cfs the fee is \$100.

The permit lapsed on September 1, 1986. To stop the advance of priority and to have the permit reinstated, please return the proof and fee.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

cc: Encl.

MICROFILMED

MAR 23 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
SEPTEMBER 13, 1986

INAMA, JERRY
P.O. BOX 131
ATLANTA, ID 83601

LAPSE NOTICE

RE: PERMIT NO. 63-9750

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED JUNE 30, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 9-29-1986
a first class document was
deposited in the United States mail,
properly addressed to the
individual(s) named above.

Rita Fluck

RECEIVED

MAR 23 1987

T A T E O F I D A H
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
JUNE 30, 1986

138862

INAMA, JERRY
P.O. BOX 131
ATLANTA, ID 83601

PROOF DUE NOTICE

RE: PERMIT NO. 63-9750

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

MAR 23 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-9750
Name(s) of Permit Holder(s): JERRY INANA
Post Office Address: P.O. # 131
ACIANTA IDAHO Tel. No.

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on April 7 1982. I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.


7/1/82
Date

Jerry Inana
Signature of Permit Holder

Jerry L. Hara
P.O. # 131

Atlanta Idaho

83601



JUL 12 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

INAMA, JERRY
P.O. BOX 131
ATLANTA, ID 83601

SEPTEMBER 29, 1981

RE: PERMIT NO. 63-9750

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID F. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 63-9750
INAMA

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: 30 Date: 7-20-81
30 7-20-81
30 7-20-81

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 9/27/81 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8-12-81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45.00 10488 6 45 81
☒ Publication dates and paper, recorded on application. 7-29-81 10488
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
6/19/81 Date of priority recommended.
Special conditions of approval or cover letter. Right-of-way clause
w.m. condition
No consumptive use 6/15-11/15
State water quality stds.
No structure shall be place in the stream
which will impede fish passage.

By: DBS Date: 8/31/81

STATE OFFICE REVIEW:

return receipt w/cover letter
SLW/L02 01, 04, 05 (63 Boise R.), 06 & the 2 special
☐ See attached sheet for more information.
By: Relph Date: 9/21/81 cond

#2 { The diversion of water under this permit shall not reduce the flow of the Boise River during the period from June 15 to Nov 15.



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment - 801 Reserve Street, Boise, Idaho 83702

August 6, 1981

RE: 63-9752 (Viani)
63-9754 (Inama)
63-9750 (Hall)

Gentlemen:

This office has recently reviewed your application to appropriate public waters of the State Of Idaho. Your application was originally filed with the Department of Water Resources. That Department has solicited comments from this office about the application. Since there is a mining activity associated with the operation, I would like to take this opportunity to advise you that the discharge of mine related wastewater into Idaho's streams may constitute a violation of Idaho's Water Quality Standards.

If you have any questions about your particular operation and treatment needs, please feel free to contact me in Boise at (208) 334-3823.

Sincerely,

Jon Wroten
Sr. Environmental Specialist

JW/bg

UNCLASSIFIED



U.S. DEPARTMENT OF JUSTICE
Western Regional Office

DBS



STATE OF IDAHO

DEPARTMENT OF FISH AND GAME

REGION 3
109 WEST 44TH
GARDEN CITY, IDAHO 83704

July 7, 1981

Mr. David B. Shaw
Western Region Supervisor
Department of Water Resources
92 South Cole Road
Boise, ID 83705

RE: 63-9754 (Howard Hall and/or the Phenix-Omega Co.)
Middle Fork Boise River, tributary to Boise River
63-9750 (Jerry Inama)
Big Gulch, Sawmill Creek, a tributary to Boise River
63-9752 (L.G. Viani)
West Fork Granite Creek, tributary to Granite Creek

Dear Dave:

The Idaho Department of Fish and Game has no objection to issuance of a permit for the above referenced applications provided that placement of diversion structures in the stream shall be specifically exempted from the permit.

Sincerely,


James F. Keating
Regional Supervisor
Region 3/Boise

cc: Bureau of Program Coordination

UNRECORDED

RECEIVED

AUG 10 1981

Department of Water Resources
Western Regional Office

EQUAL OPPORTUNITY EMPLOYER



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment-801 Reserve Street, Boise, Idaho 83702

DIVISION OF ENVIRONMENT
Statehouse
Boise, Idaho 83720

August 6, 1981

Mr. David B. Shaw
Western Region Supervisor
Idaho Department of Water Resources
92 South Cole Road
Boise, Idaho 83708
Statehouse Mail

RE: 63-9752 (Viani)
63-9754 (Inama)
63-9750 (Hall)

Dear Mr. Shaw:

This office has reviewed the above described applications and has no objections to these appropriations.

Sincerely,

A handwritten signature in cursive script that reads "Jon Wroten".

Jon Wroten
Sr. Environmental Specialist

JW/bg

Enclosure

RECEIVED
AUG 7 1981

Department of Water Resources
Western Regional Office

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 27, 1981.

A. KENNETH DUNN

Director

Published 7/9 & 7/16.

INAMA, JERRY

P.O. BOX 131, ATLANTA, ID 83601

Source: BIG GULCH tributary to BOISE RIVER
SAWMILL CREEK tributary to BOISE RIVER

Date Filed: 06/19/1981

Amount: 1.00 CFS

Diversion Point: NWSW NESW SESW SENE Sec 34 T 06N R 11E
NENW Sec 03 T 05N R 11E, ELMORE Co.

Use: MINING	(1.00 CFS)	from 04/01 to 12/31
DOMESTIC	(0.04 CFS)	from 04/01 to 12/31

Place of Use: SWSE SWSW SESW Sec 34 T 06N R 11E

Diversion Means: EXISTING DITCHES

MICROFILMED