


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nile G. Letta
Nile G. Letta (Applicant)
Riverside Village Associates-City Corp.
Managing Partner

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verlyn Childers, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of April 23, 1981, and ending with the
issue of April 30, 1981.

Verlyn Childers
Subscribed and sworn to before me this 30th
day of April, 1981.

Roxie Eguren
Notary Public for Idaho, Residing at Boise, Idaho

ok, pass

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9718

RIVERSIDE VILLAGE ASSC.
c/o NILE G. LETTA, P.O. BOX 8866,
BOISE, ID 83707

Source: VILLAGE LAKE tributary to
BOISE RIVER

Date Filed: 04/03/1981

Amount: 4.44 CFS

Diversion Point: SWSE Sec 24 T 04N
R 01E, ADA Co.

Use: IRRIGATION (0.44 CFS)
from 04/01 to 11/01
AESTHETICS (4.00 CFS)
from 01/01 to 12/31

Place of Use: SWSW Sec 24 T 04N R 01E
SESE Sec 23 T 04N R 01E SWSW
SESW SWSE Sec 24 T 04 N R 01E
NWNE NENW Sec 25 T 04N R 01E
for 11 ACRES

Diversion Means: Pump & Pipeline.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 11, 1981.

A. KENNETH DUNN
Director

Pub. ID 23.30, 1981

242

MICROFILMED


RECEIVED
MAY 1 1981

Department of Water Resources
Western Regional Office

63-9718

Point of diversion.

Pipe leads from
lake ~~to~~ ~~under~~ under-
ground to lake
system in subdivision.



Typical lake
at Riverside Village.
(One of seven lakes)



MICROFILMED

MAY 19 1992

Water from the lake
system discharges
into Riverside Cr.,
which discharges
into the Boise R.



63-9718



P.D. # 1
(Irrigation &
re-diversion)



P.D. # 2
(Irrigation &
re-diversion)

Both photos show typical irrigated
strips surrounding lakes.

MICROFILMED
MAY 19 1992

63-9718

14 13
23 24

13 18
24 19

0300
T447
32.1

0534
T572
15.0

State

Street

0518
T558
28.5
26.9

0349
T465
33.3

4.
11.4

0312
T453
1.7
6.7

P.D. #1
(Circled)

P.D.

45
Poomwang
St.

23 24
26 25

P.D. #2
(Circled)

0314
T454
15.0

24 19
25 30

Measurement
point

pipe

Village
Lake

D 9

NOT TO SCALE

MICROFILMED

MAY 19 1992

63-9718




19 1992

Scale: 1" = 300'
0 100 200 300 400 500 feet

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale $\frac{1}{2}$ in. = 1 ft.



10 cells

#2-9 ARE 1' wide, i.e. 4.3' - 5.3' with measurement at 4.8'
 #1 is .3' wide
 #10 is .1' wide } NO FLOW

D. SUMMARY INFORMATION

1. Measurement rated _____ excellent _____ good ^{to fair} _____ fair _____ poor

2. Remarks: _____


3. Width: 8.4 ft Area: 11.1 ft² Discharge in cubic feet per second: 3.21


DATE 5/26/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT
Steve Lester

MICROFILMED

MAY 19 1992





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09718

Priority: April 3, 1981

Maximum Diversion Rate: 3.21 CFS
Maximum Diversion Volume: 127.5 AF

This is to certify, that IDAHO FOREST INDUSTRIES INC.
P.O. BOX 1020

COEUR D ALENE ID 838140000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 3, 1981; and
has submitted Proof of Beneficial Use on June 28, 1982. An examination indicates
that the works have a diversion capacity of 3.210 cfs of water from:

VILLAGE LAKE tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.44 CFS	49.5 AF
AESTHETIC STORAGE	01/01 to 12/31		78.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	3.21 CFS	
	Totals	3.21 CFS	127.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWSE), Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01E	23	Lot 11(SESE) 1			1
		24	Lot 4(SWSW) 3	Lot 3(SESW) 3	Lot 2(SWSE) 1	7
		25	Lot 3(NWNE) 2	Lot 4(NENW) 1		3
			Total number of acres irrigated:			11

PLACE OF USE: AESTHETIC STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
04N	01E	24	Lot 4(SWSW) Lot 3(SESW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED

MAY 19 1992

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-09718

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
8. Upon a future determination by the Department that water is lost, to the injury of prior right holders, the losses shall be replaced by a source acceptable to the Department.
9. The place of use for irrigation is a greenbelt.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7th
day of MAY, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

MAY 19 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09718

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 23 day of September, 1991.

Idaho Forest Industries, Inc.

(Signature)

John L. Evans
(Site Manager)

MICROFILMED

MAY 19 1992

State of Idaho
Department of Water Resources

RECEIVED
SEP 24 1991

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-09718

Department of Water Resources

Date of Priority: April 3, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:¹

3.21 CFS
127.5 AF

Comes now

IDAHO FOREST INDUSTRIES INC.

APPROVED

P.O. BOX 1020

COEUR D'ALENE ID 838140000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-09718, and requests that the permit be changed as follows:

Source: VILLAGE LAKE

tributary to BOISE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.44 CFS	49.5 AF
AESTHETIC STORAGE	01/01 to 12/31		78.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	3.21 CFS	
	Totals	3.21 CFS	127.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 2(SWSE), Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01E	23	LOT 11(SESE) 1			1
		24	LOT 4(SWSW) 3	LOT 3(SES) 3	LOT 2(SWSE) 1	7
		25	LOT 3(NWNE) 2	LOT 4(NENW) 1		3
			Total number of acres irrigated:			11

PLACE OF USE: AESTHETIC STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
04N	01E	24	LOT 4(SWSW) LOT 3(SES)

RECORDED
MAY 19 1992

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	63-9718	Riverside Village Associates	4.44
Full Assignment	63-9718	Idaho Forest Industries, Inc.	4.44

MICROFILMED

State of Idaho
Department of Water Resources

RECEIVED
JUN 27 1986

ASSIGNMENT OF PERMIT

Riverside Village Associates - City Corp.
I, Managing Partner, hereby assign to Idaho Forest Industries, Inc.
Department of Water Resources
Western Regional Office

of P.O. Box 1030, Coeur d'Alene, Idaho 83814
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 63-9718
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within each 40 acre subdivision, the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 10th day of June, 1986.

Riverside Village Associates City Corp.
Managing Partner
Permit Holder

By: [Signature]
Spouse of Permit Holder

State of Idaho)
County of Ada) ss.

On this 10th day of June, 1986, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

seal

[Signature]
Notary Public residing at

3566 Yorktown Way
Boise, Idaho

My commission expires:

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09718

FOR DEPARTMENT USE ONLY

Preliminary check by GA Fee = \$20.00

Received by JJ

Date 9-24-91

#C021838

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09718 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
5. Place of use for irrigation is a greenbelt.

Witness my hand this 7th day of MAY, 1992.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MAY 19 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Riverside Village Associates Phone 345-8111

Post office address P. O. Box 8866 Boise, Id. 83707

2. Source of water supply Village Lake (new) which is a tributary of Boise River

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 4N

Range 1E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 4.0 for Aesthetics purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .44 for irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.44 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

1. A pipe insert below lake surface. 2. Pump to be located adjacent to the lake
and irrigation pipe used to irrigate greenbelt along river.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is one years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SW SW 24
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 4N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: to provide continuous flow of waterway.
No water is to be extracted and water that is diverted will be discharged into
the river after it leaves waterway. This amount of water is required to keep
the waterway flowing and prevent stagnant algee water from developing.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	1E	24											2	1			1		4±
4N	1E	23																3	3±
4N	1E	25		2			2												4±

Total number of acres to be irrigated 11 Acres

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion State Department of Lands

b. Who owns the land to be irrigated or place of use Riverside Village Associates, State Dept. of Lands - greenbelt lands to be transferred to Garden City.


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing see previous agreement with State Department of Lands

10. Remarks ① Attached maps outline the location of the lake, stream system to be developed along Riverside Drive. A pipe will be located from Village Lake to Riverside Creek to allow the water to flow to the start of the lake-stream system to be built. The lake-stream system are for aesthetic purposes and will have fish located within it.

② The greenbelt and dike face is to be irrigated to insure grass gets established along these areas. Also, some areas of the irrigation system will remain to keep greenbelt and grasses under irrigation where high public use is anticipated. The diversion rate is .44 or two inches per acre because of the public use of the greenbelt area, the irrigation will occur during none use periods.


MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Nile G. Letta (Applicant)
Riverside Village Associates-City Corp.
Managing Partner

Proposed Priority

4/3/81

Received by nea Date 4/3/81 Time 11:30

Preliminary check by CLS Fee \$ 125.00

Receipted by nea Date 4/3/81 # 17396

Publication prepared by nea Date 4/16/81

Published in Idaho Statesman

Publication dates 4/23 & 4/30/81

Publication approved nea Date 5/7/81

Protests filed by: nea

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9718, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS ON THE BOISE RIVER.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District # 63, Boise River.

Witness my hand this 8th day of July, 1981.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

<

two insertions, beginning with the
issue of April 23, 1981, and ending with the
issue of April 30, 1981.

Keslyn Childers

Subscribed and sworn to before me this 30th
day of April, 1981.

Rosely Eguren
Notary Public for Idaho, Residing at _____

OK, man

MICROFILMED

RECEIVED

MAY 1 1981

**Department of Water Resources
Western Regional Office**

May 19, 1992

IDAHO FOREST INDUSTRIES INC.
P.O. BOX 1020
COEUR D ALENE ID 83814-0000

RE: Water Right No. 63-09718

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

May 11, 1992

IDAHO FOREST INDUSTRIES INC.
P.O. BOX 1020
COEUR D ALENE ID 838140000

RE: WATER RIGHT NO. 63-09718

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

MICROFILMED
MAY 19 1992

September 6, 1991

IDAHO FOREST INDUSTRIES INC.
P.O. BOX 1020
COEUR D'ALENE ID 838140000

RE: WATER RIGHT NO. 63-09718

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

UNRECORDED
MAY 19 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEYPUNCHED

A. GENERAL INFORMATION

- Permit No. 63-9718
1. Owner: Idaho Forest Industries, Inc. Phone No. 765-1414
Current Address: Box 1020, Coeur d'Alene, ID 83814
2. Accompanied by: John Evans EXAM. DATE: 12/16/86
Address: 4912 Riverfront Place, Boise, ID 83703 Phone No. 336-0383
Relationship to Permit Holder: site manager
3. Source: Village Lake tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9751 (aesthetics only)
☐ Copies Attached
2. Other water rights with same point of diversion: none
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

- see attached aerial photographs and diagrams

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
MAY 19 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is diverted from Village Lake via ~~an~~ a subsurface pipe to a series of seven lakes in Riverside Village. These lakes are interconnected with underground pipe and are used for aesthetics. Water from these lakes is used to irrigate a strip of land about 20 ft. wide around each lake. Water from the lake system drains via ditches to Riverside Cr. which discharges into the Boise R.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	Century	10	6-333658-03		2"
#2	Berkely	7	8148456		2"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		SW	SE	24	4N	1E	Ada	Aerial photo.

6. **Place(s) of Use:**

Indicate Method of Determination Aerial photo.

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	24										(1.4)	(2.3)						
												A	A						
4N	1E	23																(1.1)	1
		24										3	3				(1.2)		7
		25										(1.1)	(1.3)						3
																			11 tot.

FILMED

19 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5/26/88: measured 3.21 cfs flowing into pond system from Boise River;
1.77 cfs measured flowing from lake system back to river (45% loss)
86 7/88: B&A Engineers (Joe Canning) measured 2.68 cfs inflow;
1.09 cfs outflow (59% loss)
Irrigation: no measurement; allow .44 cfs (see permit requesting
.04 cfs per acre)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 11 \text{ acres} \times 4.5 \text{ afa} = 49.5 \text{ afa}$

$V_{D.R.} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 = .44 \times 214 \times 1.9835 = 93.4 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 49.5 \text{ afa}$

2. Volume Calculations for Other Uses:

Aesthetics: area of lakes is 5.2 acres; avg. depth 15 ft.

Volume = 5.2 acres x 15 ft = 78.0 a-f

MICROFILMED
MAY 19 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Land also is irrigated located along the Boise River
(what Riverside Village calls a "private green belt")

DN
Note: The recommendations below best describe the actual use and require an amendment. However, I recommend that no amendment ~~to~~ fee be charged to the permit holder. The original application was approved by IDWR as a simple direct flow, yet the application describes a lake system (i.e. ~~to~~ storage)

Note: see attached evaporative loss calculation sheet.

I. RECOMMENDATIONS (see remarks)

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~aesthetics~~	~~Jan 1~~	~~Dec 31~~	~~3.21~~	
irrigation	April 1	Nov. 1	.44	49.5
div. to storage	1/1	12/31	3.21	
aesthetics storage	1/1	12/31		78.0
Totals:			3.21	127.5

2. Recommended Amendments (see remarks)

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other nature of

use
(see remarks)

J. AUTHENTICATION

Field Examiner's Name

Brad E. Dingee

Signature

Brad E. Dingee


Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JOM 1/4/89



MAY 19 1992

Point of diversion.

Pipe leads from
lake ~~through~~ under-
ground to lake
system in subdivision.


Typical lake
at Riverside Village.
(One of seven lakes)

NOT FILMED

MAY 19 1992

Water from the lake
system discharges
into Riverside Cr.,
which discharges
into the Boise R.

63-9713



P.D. # 1
(irrigation &
re-diversion)



P.D. # 2
(irrigation &
re-diversion)

Both photos show typical irrigated
strips surrounding lakes.

MICROFILMED
MAY 19 1992

63-9718

14 43
23 04

73 18
24 19

652
157
15

61
74
23.3

6518
285
14

irrigated

P.D.

pipes

Reservoir
1000

D 9

NOT TO SCALE

63-971

19 1900

scale 1" = 300'



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-

Water Right No.
(if applicable)

Open Channel Discharge Measurement Notes

A. GENERAL INFORMATION

1. Name of stream or ditch: _____ .92
2. Location: T. 4 N., R. 1 E., S. 25 NW 1/4 NE 1/4 _____
3. Person conducting measurement: Steve Lester _____ .94
4. Date and time of measurement: 5/26/88 2:00 _____
5. Accompanied by: Quentin Nesbitt and regional summer examiners _____ .96
6. Measuring device size and ID no.: Pygmy meter # 090184 _____
7. Spin test before measurement OK? yes after measurement OK? yes _____ .97
8. Purpose of measurement: Beneficial use exam and training for new examiners _____ .98

B. MEASUREMENT DATA

Angle co-efficient	Dist. from initial point ft.	Width ft	Depth ft	Observation depth ft	Revolutions	Time in seconds	VELOCITY		Adjusted for hor. angle or	Area ft ²	Discharge cfs
							At point ft/s	Mean in vertical			
LEW	3.0	—	—	—	—	—	—	—	—	—	1.00
	3.15	.3	.15	—	—	—	—	—	—	.045	No Flow
	3.8	1.0	.5	.6	6	60	.100	—	—	.500	.050
	4.8	1.0	1.2	.6	9	46	.196	—	—	1.200	.235
	5.8	1.0	1.7	.6	12	45	.267	—	—	1.700	.454
	6.8	1.0	1.9	.6	15	46	.326	—	—	1.900	.619
	7.8	1.0	1.95	.6	15	44	.341	—	—	1.950	.665
	8.8	1.0	1.7	.6	15	42	.357	—	—	1.700	.607
	9.8	1.0	1.25	.6	16	45	.356	—	—	1.250	.445
	10.8	1.0	.85	.6	7	44	.159	—	—	.850	.135
	11.35	.1	.10	—	—	—	—	—	—	.010	No Flow
REW	11.4	—	—	—	—	—	—	—	—	—	—
									TOTAL	=	3.210


MICROFILMED
MAY 18 1992

MICROFILMED
MAY 18 1992

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale $\frac{1}{2}$ in. = 1 ft.



10 cells

2-9 ARE 1' wide, i.e. 4.3' - 5.3' with measurement at 4.8'
 # 1 is .3' wide
 # 10 is .1' wide } NO FLOW

D. SUMMARY INFORMATION

1. Measurement rated

_____ excellent ☒ good ^{to fair} _____ fair _____ poor

2. Remarks: _____

3. Width: 8.4 ft Area: 11.1 ft² Discharge in cubic feet per second: 3.21

DATE 5/26/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT
Stan Lester

MICROFILMED

MAY 19 1992


C. DIAGRAMS

1. Measurement Location

Scale: _____ = _____

2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated

_____ excellent X good _____ fair _____ poor

2. Remarks: _____

3. Width: 2.4 ft Area: 2.134² Discharge in cubic feet per second: 1.77 cfs

06/03/88
DATE

[Signature]
SIGNATURE OF PERSON CONDUCTING MEASUREMENT

RECEIVED
MAY 19 1992

B. & A. Engineers, Inc.

CONSULTING ENGINEERS AND SURVEYORS
CONSTRUCTION MANAGERS

*619 Grove Street
Boise, Idaho 83702*

TELEPHONE - (208) 343-3381 • 342-5792

September 30, 1986

Mr. John Evans
Project Manager
Riverside Village
4912 Riverfront Place
Boise, Idaho 83703

Dear John:

Re: Private Lake Inflow-Outflow

As requested sometime ago, we are pleased to present for your use the results of our water flow survey that was taken earlier this month. The purpose of this survey was to approximate an inflow quantity of water that is being diverted from the Boise River near the Glenwood Avenue bridge, and then approximate the outflow quantity of water that is leaving the private lake directly west of Lakeview Place. The difference between these two measurements being the total lake system water exfiltration rate.

Please keep in mind that we were unable to locate an adequate location to determine water flows immediately downstream of the "public" lake that is directly west of Glenwood Avenue, therefore the flow measurements were taken in the channel from the Boise River to the "public" lake. Any lake exfiltration that is occurring in the "public" lake is included in our measurements.

Measurements were taken during the afternoon of Thursday, September 4. Equipment used was a Marsh-McBirney electronic current meter (model 201). The upstream test location was as described above, and the downstream location was within a small earthen ditch that was immediately downstream of the last lake.

System inflow was determined to be approximately 2.68 CFS. System outflow was determined to be approximately 1.09 CFS. Therefore the total apparent system exfiltration rate was approximately 1.59 CFS.

If you have any questions, please feel free to call.

Sincerely,

J. D. Canning
J. D. Canning, P.E.

MICROFILMED

MAY 19 1992

RECEIVED

OCT 7 1986

Department of Water Resources
Western Regional Office

RIVERSIDE VILLAGE

Calculation of Evaporative Losses

Since evaporative losses of Boise River water occur from the ponds constructed at Riverside Village for recreation/aesthetics purposes, storage water must be purchased from the Bureau of Reclamation to replace these losses.

Total Lake Area: 5.2 acres (total surface area of 7 recreational lakes within Riverside Village).

Per conversation with Lee Sisco (Boise River Watermaster), the Boise River is supplemented with storage water July 1 to October 15 in an average year to satisfy water rights needs.

Per "Evaporative Losses from Ponds, Boise Area" memo from Bill Ondrechen (attached), evaporative losses from standing bodies of water are approximately equivalent to alfalfa hay evapotranspiration. Monthly values are:

July	8.2
August	6.2
September	4.3
October	<u>0.9</u> (half monthly average)

Total 19.6 inches of water per acre (1.6 acre-ft./acre).

Therefore, Riverside Village must purchase 8.3 acre-ft of water per year (5.2 acres multiplied by 1.6 acre-ft./acre).

MICROFILMED
MAY 19 1992

RECEIVED

JAN 30 1987 63-9718

M E M O

Department of Water Resources
Western Regional Office

TO: Brad Dingee, Western Region DATE: January 29, 1987
FROM: Bill Ondrechen, ^{WTO}Hydrology
SUBJECT: Evaporation Losses from Ponds, Boise Area

The most commonly used method for estimating evaporation losses from lakes or ponds is to calculate such loss as 70 or 72 percent of observed pan evaporation. This is most correctly done on an annual basis only, as the differing heat balances of a reservoir and an evaporation pan make short-term comparisons less reliable. Since evaporation pan data are collected only at a few sites in the state, it would be desirable to use a method based on climatic data, which are measured at many locations.

Allen and Brockway, 1983, developed estimates of crop evapotranspiration (ET) and irrigation requirements for the state using the FAO Blaney-Criddle method, a climate based method. Their ET estimates for alfalfa hay, the most water-intensive crop, are comparable to lake or reservoir estimates using pan data. The following table illustrates the differences between pan, 70 percent of pan, reference ET (or potential ET) and alfalfa hay ET (all in inches):


	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Total</u>
Pan Evap (Parma)	8.0	8.8	9.9	9.1	5.8	41.6
0.7* Pan "	5.6	6.2	6.9	6.4	4.1	29.2
ET _r (Boise)	7.2	9.0	10.1	8.2	6.2	40.7
ET _{hay} "	6.6	7.8	8.2	6.2	4.3	33.1


The ET data are shown for the May through September period to facilitate comparison with the pan evaporation data, which are only available for that period. Alfalfa hay ET compares fairly well with 70 percent of pan evaporation for these months. Since the climate based ET data is available for many sites throughout the state, I would recommend its use, as opposed to taking evaporation data from one location and adjusting it to another location. The average monthly ET (in inches) for alfalfa for Boise is:

<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Total</u>
4.3	6.6	7.8	8.2	6.2	4.3	1.8	39.2

The total of 39 inches compares well with the average annual lake evaporation for the Boise area of 36 inches as given by the Idaho Water Resources Inventory (Univ. of Idaho, 1968). Evaporation losses in months outside the April-October period are more than offset by precipitation.

RECEIVED
JAN 30 1987





M E M O

Department of Water Resources
Western Regional Office

TO: Brad Dingee, Western Region DATE: January 29, 1987

FROM: Bill Ondrechen, ^{WTO} Hydrology

SUBJECT: Evaporation Losses from Ponds, Boise Area

The most commonly used method for estimating evaporation losses from lakes or ponds is to calculate such loss as 70 or 72 percent of observed pan evaporation. This is most correctly done on an annual basis only, as the differing heat balances of a reservoir and an evaporation pan make short-term comparisons less reliable. Since evaporation pan data are collected only at a few sites in the state, it would be desirable to use a method based on climatic data, which are measured at many locations.

Allen and Brockway, 1983, developed estimates of crop evapotranspiration (ET) and irrigation requirements for the state using the FAO Blaney-Criddle method, a climate based method. Their ET estimates for alfalfa hay, the most water-intensive crop, are comparable to lake or reservoir estimates using pan data. The following table illustrates the differences between pan, 70 percent of pan, reference ET (or potential ET) and alfalfa hay ET (all in inches):

	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Total</u>
Pan Evap (Parma)	8.0	8.8	9.9	9.1	5.8	41.6
0.7* Pan "	5.6	6.2	6.9	6.4	4.1	29.2
ET _R (Boise)	7.2	9.0	10.1	8.2	6.2	40.7
ET _{hay} "	6.6	7.8	8.2	6.2	4.3	33.1

The ET data are shown for the May through September period to facilitate comparison with the pan evaporation data, which are only available for that period. Alfalfa hay ET compares fairly well with 70 percent of pan evaporation for these months. Since the climate based ET data is available for many sites throughout the state, I would recommend its use, as opposed to taking evaporation data from one location and adjusting it to another location. The average monthly ET (in inches) for alfalfa hay for Boise is:

<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Total</u>
4.3	6.6	7.8	8.2	6.2	4.3	1.8	39.2

The total of 39 inches compares well with the average annual lake evaporation for the Boise area of 36 inches as given by the Idaho Water Resources Inventory (Univ. of Idaho, 1968). Evaporation losses in months outside the April-October period are more than offset by precipitation.

MICROFILMED
MAY 19 1992

4 RECEIVED
JUN 27 1986

Department of Water Resources
Western Regional Office

RECEIVED

AUG 22 1986

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPUNCHED OK 60

For Office Use Only
Fee Received 200
Date 7/15/86
Receipt # 40438
Receipt by AB
Sent to S.O. 7/25/86

1. Permit No. 63-9718

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Idaho Forest Industries, Inc.

3. Post Office Address: Box 1030 Coeur d'Alene, Idaho 83814
Telephone No. 765-1414 (Jim Fullmer)

4. Source of Water: Boise River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark Aesthetics

6. Total rate &/or volume for which proof is submitted 4.44 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

July 1981

8. Person to contact to accompany the department representative during the field examination:

John Evans (Name) MAY 19 1992

4912 RiverFront Place, Boise 83703 (Address) 336-0383 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-10-86
Date

Idaho Forest Industries, Inc.
J.R. Fullmer, Asst. Secy.
Signature of Permit Holder (and title, if appropriate)

August 5, 1986

RE: Permit No. 53-9718

Idaho Forest Industries, Inc.
Box 1030
Coeur d'Alene, ID 83814

Dear Permit Holder(s):

This office acknowledges receipt of the Assignment of the above referenced permit to you. Enclosed for your records is a copy of the permit.

As new owners of the permit, you are required to submit either an EXAMINATION FEE or a statement from a certified examiner that he has been retained to do a field examination of your water use.

Enclosed is a copy of the EXAMINATION FEE NOTICE sent to the previous permit owner. Please read and take proper action. You should note that the notice was sent on April 30, 1986 and after 60 days a day of priority of your permit is lost for every day the fee or statement is not received by this office.

In order to keep this permit in good standing, you must respond to the Examination Fee Notice as soon as possible. If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

Permit No. 63-9718

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? - yes
2. Notary? - yes
3. a. Full Assignment? - yes
b. Partial Assignment?
4. "No assignment" condition on permit? NO
5. Commencement of Works received? yes
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? - NO
7. Extension granted due to litigation?
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region. ✓

Shovla —

Shovla —

#1 spec

Shovla —

Date 7-25-86

Employee Jan

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-9718
RIVERSIDE VILLAGE ASSC.
C/O ROBERT J. ENNIS
P.O. BOX 9442
BOISE, ID 83707

Mailing address:
Storehouse
Boise, Idaho 83720

138981

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 12, 1982

Riverside Village Associates
P.O. Box 1866
Boise, ID 83707

Re: 63-9718

Dear Customers:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9718

Name(s) of Permit Holder: RIVERSIDE VILLAGE ASSOCIATES

Post Office Address: c/o Robert J. Ennis, P. O. Box 9442,

Boise, Idaho 83707

Tel. No. 343-9966

Source of Water: Village Lake (tributary of Boise River)

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation eleven (11) (acres)
☒ Other aesthetics

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed. RIVERSIDE VILLAGE ASSOCIATES

June 25, 1982

Date



MICROFILMED

[Signature]
Signature of Permit Holder
Managing Partner

ROBERT J. ENNIS

P. O. Box 9442

Boise, Idaho 83707



RECEIVED
JUN 28 1982

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

RIVERSIDE VILLAGE ASSC.
C/O NILE G. LETTA
P.O. BOX 8866
BOISE, ID 83707

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9718 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 22, 1981

Riverside Village Associates
P.O. Box 8866
Boise, ID 83707

Dear Sirs,

RE: Permit No. 63-9718

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please be advised that there is insufficient natural flow available in the **Boise River** and tributaries to provide water for a new appropriation throughout the entire season of use. During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your permit. As the natural flow diminishes, however, there may be no water available for your right unless you arrange for an additional source of water as a supplemental supply.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon, the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

Enclosure

MICROFILMED

MEMORANDUM

TO: File 63-9718

June 11, 1981

FROM: L. Glen Saxton

RE: Application 63-9718 - Source

After a review of the file and physical location of "Village Lake" relative to the Boise River, I feel that diversion of water from the lake should be subject to prior rights on the Boise River proper. Consequently, the permit has been conditioned to reflect this.

MICROFILMED

RECEIVED

M E M O R A N D U M

MAY 27 1981

TO: FILE 63-9718
Riverside Village Association

FROM: David Shaw DBS

SUBJECT: Source of Water

DATE: May 22, 1981

Department of Water Resources

This application lists the source of water as Village Lake, which is adjacent to the Boise River but does not have a surface connection between the river and the lake. I inspected this lake at the time it was excavated and believe the primary source of water for the lake is groundwater, rather than surface flow from the Boise River infiltrating to the lake. During the excavation, the lake was kept empty by pumping and it seemed the primary inflow to the lake was not from shallow infiltration from the river. In fact, a large portion of the inflow came from the side of the lake opposite the river.

For the ⁿconsumptive use requested to irrigate the levees, I believe the groundwater inflow to the lake is adequate. The larger flow proposed is for aesthetics and will be non-consumptive for water amenities through the development.

DBS:hlh

MICROFILMED

State of Idaho
Department of Water Resources

82 4/11/81

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 615 APPLICATION NUMBER: 63-9718
CHECK: Riverside Village Assoc

☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

☒ Idaho State Health Department. Copies sent by: nea Date: 4/20/81
☒ Idaho Fish and Game Department. nea 4/20/81
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other Garden City nea 4/20/81

PROCESSING:

☒ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. None
☒ Yes ☒ No In form for advertising.
☒ Yes ☒ No Final date for protests: May 11 1981
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 5/1/81
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/3/81 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Right-of-way clause
W.M. Condition

By: DBS Date: 5/11/81

STATE OFFICE REVIEW:

SW/L05 LO4 (Carse River)
04, 05/63 (Poudre R.)

☒ See attached sheet for more information.
By: help Date: 5/14/81

MICROFILMED

04/22/81

INDICATES TOTAL

RIGHT NUMBER	NAME AND ADDRESS	PRIORITY DATE	USE	USE PERIOD FROM TO	MAX AMOUNT MAX RATE	DIVERSION POINT	PLACE OF USE AND ACREAGE	BASIS FOR RIGHT
63-9716	OTHER USES: S/620 HEAD RANGE,							
63-9717	SMITH, CARRIE M. 7030 ROSEWOOD DR. BOISE ID 83705	04-08-1981	IRRIGATION	03-15 11-15	1.60 CFS	SESE S35 T02N R02E	SESE(40) SESE(40) S35 T02N R02E	APPLICATION
	SOURCE: GROUNDWATER REMARKS: DLE #1-14381.		TRIBUTARY:				* 80 ACRES*	
63-9718	RIVERSIDE VILLAGE ASSC. C/O NILE G. LETTA P.O. BOX 8866 BOISE ID 83707	04-03-1981	IRRIGATION	04-01 11-01	.44 CFS	SWSE S24 T04N R01E	SESE(03) S23 T04N R01E SWSW(02) SESW(01) SWSE(01) S24 T04N R01E NWNE(02) NENW(02) S25 T04N R01E	APPLICATION
	SOURCE: VILLAGE LAKE REMARKS: P/D LOCATED ON GREENBELT LAND. IRRIG. TO BE DONE DURING NON-PUBLIC USE PERIOD (2 INCHES/ACRE).		TRIBUTARY: BOISE RIVER				* 11 ACRES*	
			AESTHETICS	01-01 12-31	4.00 CFS ---*AFA 4.44*CFS	SWSW S24 T04N R01E		
65-12403	DONLEY, SANDY GARDEN VALLEY ID 83622	04-02-1981	IRRIGATION	03-15 11-15	.09 CFS	LT04 S06 T08N R06E	SWSE(03) S36 T09N R05E	APPLICATION
	SOURCE: BLACK BEAR CREEK OTHER USES: H/RISING TROUT; P/65 HP, 100 FT. HEAD.		TRIBUTARY: PAYETTE RIVER, SOUTH FORK			LT05 S06 T08N R06E		
							* 3 ACRES*	
			FISH PROP.	01-01 12-31	.70 CFS		SAME AS OTHER USE	
			POWER	01-01 12-31	.70 CFS		SAME AS OTHER USE	
			DOMESTIC	01-01 12-31	.04 CFS		SAME AS OTHER USE	
					---*AFA .70*CFS			

3/79

IDENT. NO. 63-9718

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

Initials

Date _____

Item

naa

4/17/81

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied

(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Signed

Transfer Approved

Keypunched by State Office



STATE OF IDAHO

DEPARTMENT OF FISH AND GAME

REGION 3
109 WEST 44TH
GARDEN CITY, IDAHO 83704

April 29, 1981

Mr. Dave Shaw
Western Regional Supervisor
Department of Water Resources
92 South Cole Road
Boise, Idaho 83705

Re: 63-9718 (Riverside Village Associates, Village Lake)

Dear Dave:

The Idaho Department of Fish and Game has no objection to issuance of a permit for the above referenced application to appropriate public waters of the State of Idaho.

Sincerely,

A handwritten signature in cursive script, reading "James F. Keating".

James F. Keating
Regional Supervisor
Region 3/Boise

cc: Bureau of Program Coordination

MICROFILMED

RECEIVED
MAY 1 1981

*Department of Water Resources
Western Regional Office

CONVERSATION MEMORANDUM

DATE 4/28/81FILE Riverside Village
Associates

NAME OF PARTY

Al Mawden

EMPLOYEE

Jan GroverRE: Use of water prior to approval of application.

Mr. Mawden phoned to ask if he could begin using water as he had filed for under the application filed for by Riverside Village Associates. This application is still in the process of being advertised. I told him as far as the Dept. was concerned he did not as yet have a water right to that water & was therefore not entitled to use it. I also told him if no protests were received & the application approved he could then begin using the water. He stated he would tell his people & they would think about it.

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUPT OF PUBLIC INSTRUCTION

April 28, 1981

Department of Water Resources
Western Region
Statehouse Mail

RE: 63-9718
Riverside Village

Gentlemen:

The Department of Lands has no objection to the proposed diversion or use.

Thank you for the opportunity to review the application.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

MICROFILMED

RECEIVED
APR 29 1981

Department of Water Resources
Western Regional Office

EQUAL OPPORTUNITY EMPLOYER

MARSDEN & ASSOCIATES

PLANNING CONSULTANTS

April 28, 1981


Mr. David B. Shaw
Western Region Supervisor
State of Idaho
Department of Water Resources
92 South Cole Road
Boise, Idaho 83709

Re: Riverside Village
Water Application

Dear Dave:

The Fish and Game has approved using a maximum of 3 CFS during normal winter flows (100 CFS) to be discharged from the Boise River into Village Lake and through the creek and pond system along Riverside Drive. Also, flows greater than 3 CFS were approved when the Boise River flows are greater than 3 CFS. Please process our application as soon as possible for the above flows.

Sincerely,



Alvin S. Marsden
Project Manager

MICROFILMED

RECEIVED
MAY 1 1981

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

APRIL 17, 1981

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 11, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 11, 1981.

A. KENNETH DUNN

Director

Published 4/23 & 4/30/81.

MICROFILMED

63-9718

RIVERSIDE VILLAGE ASSC.

C/O NILE G. LETTA, P.O. BOX 8866, BOISE, ID 83707

Source: VILLAGE LAKE tributary to BOISE RIVER

Date Filed: 04/03/1981

Amount: 4.44 CFS

Diversion Point: SWSE Sec 24 T 04N R 01E, ADA Co.

Use: IRRIGATION	(0.44 CFS)	from 04/01 to 11/01
AESTHETICS	(4.00 CFS)	from 01/01 to 12/31

Place of Use: SWSW SESW Sec 24 T 04N R 01E SESE Sec 23 T 04N R 01E SWSW SESW
SWSE Sec 24 T 04N R 01E NWNE NENW Sec 25 T 04N R 01E
FOR 11 ACRES

Diversion Means: PUMP & PIPELINE.

MICROFILMED