


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vidley H. Wessels
(Applicant)

MICROFILMED

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Smith
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 2, 9, 1981

Suzanne Smith
Subscribed and sworn to before me this _____
9th day of April
19 81

Janne Gush
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1981

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:
63-9694
JOHNSON, FRED L. &/or MYRTLE M.
RT. 1 BOX 4, MELBA, Idaho 83641
Source: GROUNDWATER
Date Filed: March 19, 1981
Amount: 0.17 CFS
Diversion Point: NENE Sec 01 T 015 R 02W, CANYON County
Use: IRRIGATION (0.09 CFS) from March 15 to November 15
DOMESTIC (0.08 CFS) from January 1 to December 31
Place of Use: NENE Sec 01 T 015 R 02W FOR 3 ACRES
Diversion Means: PUMP & SPRINKLER SYSTEM
63-9695
WESSELS, WILLIAM H.
RT. 5, CALDWELL, ID 83605
Source: UNNAMED DRAIN tributary to BOISE RIVER
Date Filed: March 24, 1981
Amount: 6.00 CFS 75.0 AC-FT
Diversion Point: NWNW Sec 7 T 04N R 03W, CANYON County
Use: DIVERSION TO STORAGE (6.00 CFS) from January 1 to December 31
RECREATION (6.00 CFS) from January 1 to December 31
RECREATION STORAGE (75.0 AC-FT) from January 1 to December 31
WILDLIFE (6.00 CFS) from January 1 to December 31
WILDLIFE STORAGE (75.0 AC-FT) from January 1 to December 31
Place of Use: LOT 01 (SESW) LOT 02 (NESW) Sec 01 T 04N R 04W
Diversion Means: DITCH & PONDS.
If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 925 S. Cole Road, Boise, Idaho 83709 on or before APRIL 20, 1981.
C. STEPHEN ALLRED
Director
April 2, 9, 1981

o.k.
ned
RECEIVED
APR 16 1981

Department of Water Resources
Western Regional Office

MICROFILMED

Job	Start Time	Usage	Phone Number or ID	Type	Pages	Mode	Status
570	6/18 2:29PM	0'26"	334 2348	Send.....	1/ 1	EC144	Completed.....
Total		0'26"	Pages Sent: 1	Pages Printed: 0			

RECEIVED

Form 219
9/88

SEP 11 2000

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


- Owner: WILLIAM H. WESSELS
Current Address: RT 5 Box 51 CALDWELL ID 83405
Phone No. 459-9163
- Accompanied by: WILLIAM WESSELS
Address: _____
Phone No. _____
Relationship to Permit Holder: OWNER
- Source: UNNAMED DRAIN tributary to BOISE RIVER

B. OVERLAP REVIEW

- Other water rights with same place of use: ALDGE ☐ Copies Attached
- Other water rights with same point of diversion: 63-2910 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

- Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

- ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion or place(s) of use (required)
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic)

Post-It Fax Note	7671	Date	6-18	# of Pages	1
To	Sue Bock	From	Kelly	Co.	State of Idaho
On	Western	Phone #		Fax #	

MICROFILMED

JUL 10 2002

#2
6-18-02
Mr. Wessels
decided not to
pay additional
exam fee - will
stay with 1.0 cfs
as examiner
(& fee paid)
recommended.
fw

#1
6-18-02
Mr. Wessels in Sue Bock's office
to file SRBA claim - thinks he could
divert more water than Kelly found.
May request a re-exam - if so will
submit request in writing along with
exam fee for amt. of water he thinks
he can divert - fw

RECEIVED

Form 219
6/86

SEP 11 2000

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1990

A. GENERAL INFORMATION

1. Owner: WILLIAM H. WESSELS

Current Address: RT 5 Box 51 CALDWELL ID 83605

2. Accompanied by: WILLIAM WESSELS

Address: _____

Relationship to Permit Holder: OWNER

3. Source: UNNAMED DRAIN tributary to BOISE RIVER

Department of Water Resources
Permit No. 63-9695
Phone No. 459-9163

EXAM. DATE: 9-19-88

Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: 63-2910

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached


(required for irrigation of 10 acres or more).

MICROFILMED
JUN 10 2002

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____



MICROFILMED
JUL 10 2002

D. SUMMARY INFORMATION


1. Measurement rated _____ excellent _____ good _____ fair X poor

2. Remarks: SOFT MUD BOTTOM LOTS OF MOSS, SIDES GRASSED IN

3. Width: 7 Area: 9.2 Discharge in cubic feet per second: 2.72

9-19-88
DATE

Kelly K. Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT



63-09695

T4N

R4W

R3W

MICROFILMED
JAN 10 2002

Lot 1

Lot 5

COMMON
DITCH

P/U

P/D

1

7

Red Top Sch.
Artesian Well

Enrose School

Enrose

Dixie

Slough

BOISE

EUREKA CANAL

DIXIE

SOUTH

DRAIN

ROAD

2313

2317

SPOIL

2323

2321

2330

2343

BM 2327

Mile 17 1/4

Mile 18

Mile 15

Well

Well 31

BM 2318

BM 2317

BM 2323

2372

2366

2387

2361

2355

2350

36

35

2390

NOTUS

2350

2348

2346

2327

2350

20

26

BM 2314

2305

CENTER

POINT

11

CANAL

CANAL

2310

2314

UPPER

ROAD

ED. TOP

SOUTH

14

12


7

18



18

CANAL

63-09695
P/O



ATTACHMENT A.




$$A = 11,475 \text{ sq yds}$$

$$B = 4658 \text{ sq yds}$$

$$\text{TOT} = 16,133 \text{ sq yds}$$

$$\text{cu yds} = 69371.9$$

$$\text{Acres} \approx 43$$



$$A = 9450 \text{ sq yds}$$

$$B \approx 790 \text{ sq yds}$$

$$\text{TOT} \approx 10240 \text{ sq yds}$$

$$\text{cu yds} \approx 44034$$

$$\text{Acres} \approx 27$$

main ditch

63-09695

P/D & MEASUREMENT LOCATION



NORTH POND



MICROFILMED

JUL 10 2002

63-09695

ENTRY TO NORTH POND



SOUTH POND



MICROFILMED

JUL 10 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-09695

Priority: April 1, 1982

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 425.0 AF

It is hereby certified that WILLIAM H WESSELS
18501 HWY 20-26
CALDWELL ID 83607 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated March 24, 1981; and has
submitted Proof of Beneficial Use on January 20, 1983. An examination indicates that the works have a
diversion capacity of 2.73 cfs of water from:

SOURCE

UNNAMED DRAIN

Tributary: BOISE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DIVERSION TO STORAGE	01/01 to 12/31	1.00 CFS	
RECREATION	01/01 to 12/31	1.00 CFS	350.0 AF
RECREATION STORAGE	01/01 to 12/31		75.0 AF
WILDLIFE	01/01 to 12/31	1.00 CFS	350.0 AF
WILDLIFE STORAGE	01/01 to 12/31		75.0 AF

LOCATION OF POINT(S) OF DIVERSION:

UNNAMED DRAIN L5 NW¼NW¼ Sec. 7, Twp 4N, Rge 3W, B.M. CANYON County

PLACE OF USE: RECREATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N 04W 1																	

PLACE OF USE: RECREATION STORAGE -- Same as RECREATION**PLACE OF USE:** WILDLIFE -- Same as RECREATION**PLACE OF USE:** WILDLIFE STORAGE -- Same as RECREATION

MICROFILMED

1991 10 2002

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-09695

CONDITIONS OF APPROVAL

1. Storage use under this right includes 70 AF to fill the ponds and up to 5 AF to replace losses from evaporation.
2. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
3. Right 63-02910 is also diverted through the point of diversion described above.
4. Wildlife use is for waterfowl habitat.
5. Recreation use is for hunting waterfowl.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 26TH day of JUNE, 2002.

Acting for

KARL J. DREHER
Director

MICROFILMED

JUL 10 2002

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
63-09695 IN THE NAME OF)
WILLIAM H. WESSELS)
_____)

**ORDER ADVANCING THE
DATE OF PRIORITY**

WHEREAS, Section 42-217, Idaho Code, amended in 1986, required permit holders to pay a license examination fee or submit a completed field exam to the Department; and,

WHEREAS, on April 30, 1986, the Department sent the permit holder, William H. Wessels, an Examination Fee Notice informing him that he had 60 days to submit the required examination fee; and,

WHEREAS, Section 42-217, Idaho Code, provides that the Department may lapse a permit for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner; and,

WHEREAS, on July 7, 1987, the permit holder submitted the license examination fee. The fee was 373 days late, but the Department did not issue an order advancing the priority date; and,

IT IS, THEREFORE, HEREBY ORDERED that the priority date of Permit No. 63-09695 be advanced to April 1, 1982.

DATED this 28th day of May, 2002.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

MAY 10 2002

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT ON PERMIT NO. 63-9695
IN THE NAME OF WILLIAM H. WESSELS

ORDER

WHEREAS, on April 30, 1981, the Department of Water Resources approved Permit No. 63-9695 with the conditions that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1986, and that a measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on January 20, 1983, the Department received proof of beneficial use and a request for removal of the measuring device requirement; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED, from Permit No. 63-9695.

Dated this 10th day of February, 1983.


L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED
FEB 22 1983
WATER RESOURCES
DIVISION

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-1675.

Name(s) of Permit Holder: William H WESSELS

Post Office Address: AT 5

CALDWELL, ID 83405 Tel. No. 459-9163

Source of Water:

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other WATER POWER

CARE
FIRST

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/20/83
Date

William H Wessels
Signature of Permit Holder

RECEIVED

JAN 20 1983

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
13 CENT
STAMP
HERE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William H. Wessels Phone 459-9163

Post office address Route # 5, Caldwell, Idaho 83605

2. Source of water supply Unnamed Drain which is a tributary of Boise River

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 7 Township 4N

Range 3W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 6.0 cfs for Recreation purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 6.0 cfs for Wildlife purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 75 for Recreation-Storage purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 75 for Wildlife-Storage purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 6.0 cubic feet per second and/or b. 75 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Ditch to two gravel ponds, outlet into an unnamed drain.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: Lots 1 & 2 (E $\frac{1}{2}$ SW $\frac{1}{4}$)
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 1 Township 4N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Water to be diverted through two ponds for recreation and wildlife purposes.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

None: Irrigation on property described in Claim No. 63-4529

63-2448, 63-7429

9. a. Who owns the property at the point of diversion Annie Oakley Inc.


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Existing Right - of - way

10. Remarks _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vallie H. Wassel
(Applicant)

MICROFILMED

Proposed Priority 3/24/81
Received by heh Date 3/24/81 Time 10:25
Preliminary check by com Fee \$ 145.00
Receipted by heh Date 3/24/81 # 17368
Publication prepared by hoh Date 3/24/81
Published in Idaho Press-Tribune
Publication dates 4/2 & 4/9/81
Publication approved heh Date 4/20/81
Protests filed by: none.

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9695, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. **SUBJECT TO ALL PRIOR WATER RIGHTS.**
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works. (2) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (3) Use of water under this permit is subject to control by the watermaster of State Water District # 63, Boise River.

Witness my hand this 30 day of April, 19 81.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)

) ss.
County of Canyon)

Suzanne Smith

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 2, 9, 1981

Suzanne Smith

Subscribed and sworn to before me this

9th day of April

19 81

Janne Gush
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1981

Deposited for Resources
Western Regional Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 28, 2002

WILLIAM H WESSELS
18501 HWY 20-26
CALDWELL ID 83607

RE: License No. 63-9695 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
JUL 10 2002

CERTIFICATE OF SERVICE

I hereby certify that on June 28, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 63-9695

**WILLIAM H WESSELS
18501 HWY 20-26
CALDWELL ID 83607**


**Kari Lynn Townsend
Secretary**

**MICROFILMED
JUL 10 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JUL 10 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 15 2002

Comment Report

63-9695

1. S. Keen 6/21/2002 Annual Volume

Comment: Today I spoke with Bill Wessels about the volume diverted for wildlife and recreation purposes under this right. He told me that from 9/1 to 12/31 (the hunting season) he diverts constantly. That is 153 days or 303 AF. From 2/1 to the beginning of the irrigation season he diverts "very little", which I will estimate at 2 AF. During the irrigation season he diverts into the ponds and then pumps out of the ponds for irrigation of 10 acres claimed under 63-4529A. Because he derives an aesthetic and wildlife benefit from the "irrigation diversion", and because 63-4529A is still only a beneficial use claim, I am recommending 45 AF (4.5 AF/acre) be included under this right.

Mr. Wessels also told me that duck hunting is the primary purpose for this development.


MICROFILMED

1997 10 2002

S. Keen

6-20-2002

Water Right No. 63-9695



① North Pond Surface Area = 16,133 sq. yds
= 145,197 ft²
= 3.33 acres

② South Pond Surface Area = 10,240 yd²
= 92,160 ft²
= 2.12 acres

③ Annual Free Water Surface Evaporation = 45 inches
= 3.75 ft

④ Evaporation Loss for North Pond = 3.33 acres * 3.75 ft
= 12.5 acre-feet

⑤ Evaporation Loss for South Pond = 2.12 acres * 3.75 ft.
= 8.0 acre-feet

⑥ Total Evaporation Loss = 12.5 AF + 8.0 AF
= 20.5 AF

⑦ Storage Vol. = 43 AF N. Pond + 27 AF S. Pond + 20.5 AF Evap.
= 90.5 AF

MICROFILMED

⑧ Permit allows 75 AF. Limit right to 75 AF. JUL 10 2002

LICENSE REVIEW CHECKLIST

Permit No 63-9695

Date: 5-28-02 Reviewer: Kay Walker

Change/OK

Name/Address

per phone book

Source

Point of Diversion:

OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate

6.0 cfs

Fee Limit

1.0 cfs

Measured

2.73 cfs

Theoretical

_____ cfs

Recommended Total Diversion Rate _____

Water Uses

OK Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total _____ cfs _____ af

~~Irrigation~~ - overlap (R58-R61, R62-R65, R66-R69)
~~supp. Gw~~ (WB7/065/104)
~~overlap spec combined rts~~ (W35)
~~Lease~~ (W31)
~~Domestic~~ (W01/Wb5/070/071/075)
~~Power~~ (W42 or W43/025/027/R22 or R23)
~~Fish~~ (042)
~~Eire~~ (077)
~~Water Quality~~ (106/R07)
~~Peyote~~ - (W22/047/27A)
~~Stockwater for US~~ (R37)

only claim not included in W36
2.73
- 0.44 (2910)

2.29
- 0.20 (4529A)

2.09
could license

exam fee
2.73 cfs = \$150.
1.0 paid = 100.
due 50.
+ late fee

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks:

R04, W36

Additional Conditions

YES Watermaster Control 63
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048)

GW Dist? _____
Water Mgmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes ★ If yes, explain why below.
_____ no

SRBA Claim?

no but is req'd yes - Filed 6/18/02

Adjust memo _____

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

* late exam fee

Job	Start Time	Usage	Phone Number or ID	Type	Pages	Mode	Status
570	6/18 2:29PM	0'26"	334 2348	Send.....	1 / 1	EC144	Completed.....
Total		0'26"	Pages Sent: 1	Pages Printed: 0			

RECEIVED
SEP 11 2002
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION
 1. Owner: William H. Wessels Phone No. 459-9162
 Current Address: RT 5 Box 51 Caldwell ID 83405
 2. Accompanied by: William Wessels EXAM DATE: 9-19-88
 Address: _____ Phone No. _____
 Relationship to Permit Holder: OWNER
 3. Source: UNIMATED DRAIN tributary to BOISE RIVER

B. OVERLAP REVIEW
 1. Other water rights with same place of use: NONE ☐ Copies Attached
 2. Other water rights with same point of diversion: 63-2910 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION
 1. Diversion System Diagram: Indicate all major components and distances between components. Indicate water line/ditch size/type if applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached (Showing location of point of diversion or source of water (reservoir))
☒ Photo of Diversion and Stream Attached (Required for all but single household domestic)

Postcard File No. 7671 Date 6-18-02 File # 1
 Name Sue Bock Date 6-18-02
 Address Western Date 6-18-02
 Phone # _____ Date _____
 Fax # _____ Date _____

MICROFILMED
JUL 10 2002

#2
6-18-02
Mr. Wessels
decided not to
pay additional
exam fee - will
stay with 1.0 cfs
(as examiner
recommended).
EW

#1 6-18-02
Mr. Wessels in Sue Bock's office
to file SRBA claim - thinks he could
divert more water than Kelly found.
May request a re-exam - if so will
submit request in writing along with
exam fee for amt. of water he thinks
he can divert - EW

IDAHO DEPARTMENT OF WATER RESOURCES
 Adjudication Claim Report 63-9695

WATER RIGHT NUMBER: 63-9695

Owner Type Name and Address
 Current Owner WILLIAM H WESSELS
 18501 HWY 20-26
 CALDWELL, ID 83607
 (208) 459-2004

Priority Date: 04/01/1982

Basis: Permit

Status: Active

Source Tributary
 UNNAMED DRAIN BOISE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
RECREATION STORAGE	01/01 to 12/31		70.00 AF
WILDLIFE	01/01 to 12/31	1.000 CFS	
DIVERSION TO STORAGE	01/01 to 12/31	1.000 CFS	
WILDLIFE STORAGE	01/01 to 12/31		70.00 AF
RECREATION	01/01 to 12/31	1.000 CFS	
<u>Total Diversion:</u>		1.000 CFS	70.00 AF

Location of Point(s) of Diversion

UNNAMED DRAIN L5 NW1/4NW1/4 Sec. 7, Twp 04N, Rge 03W, B.M.
 CANYON County

Place of Use

RECREATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	04W	1																	X L1

RECREATION STORAGE same as RECREATION
WILDLIFE same as RECREATION
DIVERSION TO STORAGE same as RECREATION
WILDLIFE STORAGE same as RECREATION

Conditions of Approval:Remarks:

*filed
 per Sue Bock.
 6/18/2002*

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-2910

WATER RIGHT NUMBER: 63-2910

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	PAULA W WILSON RT 5 CALDWELL, ID 83605
Original Owner	WALTER I HOWTON , ZZ
Current Owner	DONALD A WILSON RT 5 CALDWELL, ID 83605

*neighbor's
right - same
pld.*

Priority Date: 07/20/1970

Basis: License

Status: Active

Source

UNNAMED STREAM

Tributary

BOISE RIVER

Beneficial Use

IRRIGATION

From To

3/15 to 11/15

Diversion Rate

0.440 CFS

Annual Volume

99.00 AF

Total Diversion:

0.440 CFS

99.00 AF

Location of Point(s) of Diversion

UNNAMED STREAM

NW1/4NW1/4

Sec. 7, Twp 04N, Rge 03W, B.M.

CANYON County

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	04W	12		18.0			4.0												22.0

Total Acres: 22

Conditions of Approval:Remarks:Comments:Dates and Other Information:

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-2910

Dates and Other Information:

Licensed Date: 8/28/1979
Decreed Date:
Water Supply Bank Enrollment Accepted:
Water Supply Bank Enrollment Removed:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Formal Action Date:
State or Federal:
Owner Name Connector:
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Decree Defendant:
Decree Plaintiff:
Civil Case Number:
Judicial District:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESSOURCES

Water Right Report 63-4529

WATER RIGHT NUMBER: 63-4529

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	ROY A SEBREE RT 5 BOX 5045 CALDWELL, ID 83605

Priority Date: 06/01/1865
 Basis: Statutory Claim
 Status: Active

<u>Source</u>	<u>Tributary</u>
UNNAMED DRAIN	BOISE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	2.860 CFS	
	<u>Total Diversion:</u>	2.860 CFS	

Location of Point(s) of Diversion

UNNAMED DRAIN	NW1/4NW1/4	Sec. 7, Twp 04N, Rge 03W, B.M.
CANYON County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	03W	6											20.0						20.0
04N	03W	7						20.0											20.0
04N	04W	1								15.0			28.0				25.0	30.0	98.0
04N	04W	12	5.0																5.0

Total Acres: 143

Conditions of Approval:Remarks:Comments:

06/06/2002

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-4529A

WATER RIGHT NUMBER: 63-4529A

Owner Type

Current Owner

Name and AddressWILLIAM H WESSELS
RT 5
CALDWELL, ID 83605

Original Owner

ROY A SEBREE
RT 5 BOX 5045
CALDWELL, ID 83605

Priority Date: 06/01/1865

Basis: Statutory Claim

Status: Active

Source

UNNAMED DRAIN

Tributary

BOISE RIVER

Beneficial Use

IRRIGATION

From To

3/15 to 11/15

Diversion Rate

0.200 CFS

Annual VolumeTotal Diversion:

0.200 CFS

Location of Point(s) of Diversion

UNNAMED DRAIN

NW1/4NW1/4

Sec. 7, Twp 04N, Rge 03W, B.M.

CANYON County

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
04N	04W	1	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	10.0
																			10.0

Total Acres: 10

Conditions of Approval:Remarks:Comments:Dates and Other Information:

orig. claim
63-4529 (2.86 cfs)
at same pld -
see now
63-4529A^{0.2}
4529B^{0.1} at
4529C^{0.1} same
72.56 pld

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-4529A

Dates and Other Information:

Claim Received Date: 2/2/1990

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal: S

Owner Name Connector: AND

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

MEMORANDUM

TO: File 63-9695

FROM: KAY WALKER *KW*

RE: License Recommendations

Date: June 12, 2002

.....

Mr. William Wessels called Sue Bock yesterday in regard to my letter regarding the licensing of this permit. Mr. Wessels made an appointment with Sue for sometime next week to go over his water rights that need to be filed in the SRBA.

Mr. Wessels will submit the additional exam fee requested in my letter. He told Sue that he was out of checks and that they were ordered but hadn't arrived yet. He will send in the requested fee when his checks arrive.

MICROFILMED

JUN 13 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 29, 2002

WILLIAM H WESSELS
18501 HWY 20-26
CALDWELL ID 83605

RE: Permit No. 63-09695

Dear Permit Holder:

Permit 63-09695 is currently being reviewed for licensing. The Department's field examiner recommended licensing your water right with a diversion rate of 1.0 cubic feet per second (cfs) for diversion to storage and storage for recreation and wildlife uses. Our examiner determined that you could divert 2.73 cfs of water through your system. He also found that you have existing right 63-02910 for use of 0.44 cfs from the same system. However, because you only paid an examination fee for 1.0 cfs when you submitted your Proof of Beneficial Use, this license will be limited to 1.0 cfs.

If you want this water right license to reflect 2.29 cfs found by the examiner, you must submit an additional examination fee of \$50.00, plus a late payment penalty of \$25.00, within 30 days. If we don't receive the combined examination fee/late fee of \$75.00 within 30 days from the date of this letter, we will assume you are not interested in the additional water and we will license the permit for 1.0 cfs.

Enclosed you will find an "Order Advancing the Date of Priority" of this permit. The order is self-explanatory but if you have any questions, feel free to contact me.

In a review of our records, we have also found that a claim has not been filed on this permit in the Snake River Basin Adjudication (SRBA). A claim is required for all water rights that proof of beneficial use was submitted prior to November 17, 1987. The proof of beneficial use for this permit was submitted on January 20, 1983. If a license is issued on this permit and no claim has been submitted in the SRBA the water right may be lost, even if licensed. Please contact our Western Regional Office in Boise at 334-2190 to get information about filing a claim on this permit.

If you have any questions, please feel free to contact me at (208) 327-7944.

Sincerely,

Kay Walker

KAY WALKER
Sr. Water Resource Agent

KW:k
Enclosure

cc: Jan Shurte, Western Region SRBA

MICROFILMED

JUL 10 2002

*per William Wessels 6/6/02 -
claim 63-1529A
also diverted at
same pld - 63-02910
is neighbor's right -
will submit the
\$75. exam fee.
KW*

CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 63-9695

BY: Ray Walker

DATE: 5-28-2002

	DATE	NUMBER OF DAYS (From Table of Days Between Two Dates)
A. EXAMINATION FEE NOTICE SENT	<u>4-30-86</u>	<u>120</u>
B. DATE FEE DUE (60 days)	<u>6-29-86</u>	<u>180</u>
C. DATE FEE RECEIVED	<u>7-7-87</u>	<u>188 + 365</u>
D. NUMBER OF DAYS LATE (C - B)	<u> </u>	<u>373</u>
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc)	<u>3-24-81</u>	<u>83</u>
F. NEW PRIORITY DATE (D + E)	<u>4-1-1982</u>	<u>(456 - 365) 91</u>

REMARKS:

MICROFILMED
JUL 10 2002

RECEIVED

SEP 11 2000

Form 219
6/86

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 25 1980

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 63-2910
Phone No. 459-9163

1. Owner: WILLIAM H. WESSELS

Current Address: RT 5 Box 51 CALDWELL ID 83605

2. Accompanied by: WILLIAM WESSELS

EXAM. DATE: 9-19-88

Address: _____

Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: UNNAMED DRAIN tributary to BOISE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: 63-2910

☒ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

MICROFILMED

10: 10 2002

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

P/D IS SHARED WITH 63-2910. WATER IS CARRIED THROUGH A COMMON DITCH FOLLOWING THE R/R TRACKS TO THE P/U FOR 63-2910. THE DITCH SPLITS IN SEC 10 4N-4W (SE SW SE) WITH THE WATER FOR THIS PERMIT TURNING SOUTH. THE DITCH ENTERS THE PERMITEE'S PROPERTY IN THE SOUTH EAST CORNER. WATER CAN BE DIVERTED NORTH OR WEST. WATER ENTERS THE SOUTH POND BY DAMMING THE DITCH & RUNNING THE WATER ACROSS THE GROUND TO THE POND.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	LOT 5	~~1/4~~	~~1/4~~	~~1/4~~	7	4N	3W	CANYON	QUAD MAP

6. Place(s) of Use:

Indicate Method of Determination QUAD MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	4W	1																	

82
3/21/90
per
topo
map

MICROFILMED

JUL 10 2002

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
CURRENT METER	PYGMY	SCIENTIFIC INST. INC		90198		

2. Measurements:

NORTH POND ACRE FOOT CAP $\approx$ 43 Acre-Ft

SOUTH POND ACRE FOOT CAP $\approx$ 27 Acre-Ft

FOR CALCULATIONS SEE ATTACHMENT A.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

SEE OPEN CHANNEL DISCHARGE MEASUREMENT NOTES

MEASURED 2.72 CFS

(2.73 cfs SL 3/21/90 SEE ATTACHED MEAS. SHEET)

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

SEE ATTACHMENT A.

MICROFILMED

1111 10 2002

H. REMARKS AND OVERLAP REVIEW ANALYSIS

WATER ENTERS THE NORTH POND VIA A CULVERT IN THE SOUTHEAST CORNER OF THE POND. WATER USE IS TO KEEP THE PONDS FRESH IN THE SUMMER AND TO HELP KEEP A PORTION ICE FREE IN THE WINTER. THE NORMAL WATER TABLE KEEPS THE PONDS NEARLY FULL AND THE DITCH WATER IS NOT USED ON A CONTINUOUS BASIS. WATER IS NOT USED FOR IRRIGATION.

FEE PAID ^{WERE} ~~WAS~~ FOR 1 CFS MAXIMUM. 2.73 3/21/90
63-2910 IS LICENSED FOR .44 CFS, MEASURED 2.72 CFS
WATER DIVERTED IS GREATER THAN TOTAL REQUIRED FOR BOTH RIGHTS.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DEVELOPMENT FOR RECREATION	1-1	12-31	1 CFS	
" " FOR WILDLIFE	1-1	12-31	1 CFS	
RECREATIONAL STORAGE	1-1	12-31		70 AFA
WILDLIFE	1-1	12-31		70 AFA
Totals:			1 CFS	70 AFA

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN
Signature Kelly K. Christensen
Certification Date _____
Field Report Preparation Date 11-17-88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED
JUL 10 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-9695
Water Right No
(if applicable)

Open Channel Discharge Measurement Notes

A. GENERAL INFORMATION

1. Name of stream or ditch: UNNAMED STREAM .92
2. Location: 4N 3W SEC 7 NW/NW .93
3. Person conducting measurement: KELLY CHRISTENSEN .94
4. Date and time of measurement: 9-19-88 .95
5. Accompanied by: NO ONE .96
6. Measuring device size and ID no.: PYGMY METER 90198 .97
7. Spin test before measurement OK? YES after measurement OK? YES .98
8. Purpose of measurement: DETERMINE FLOW FOR LICENSING PERMIT .99

B. MEASUREMENT DATA


Angle co-efficient	Dist. from initial point	Width	Depth	Observation depth	Revolutions	Time in seconds	VELOCITY		Adjusted for hor. angle or _____	Area	Discharge
							At point	Mean in vertical			
	.5	1	1.3	.8	10	50	.20			1.3	.26
	1.5	1	1.3	.8	17	50	.34			1.3	.44
	2.5	1	1.5	.9	15	50.	.30			1.5	.45
	3.5	1	1.3		15	50	.30			1.3	.39
	4.5	1	1.4		17	50	.34			1.4	.48
	5.5	1	1.3		16	50	.32			1.3	.41 ["]
	6.5	1	1.1		13	50	.26			1.1	.29
								TOTALS		9.2	2.72 2.73
									* it rounding to 2 decim. (.32)(1.3) = .416 ≈ .42		8L 5/21
								MICROFILMED			JUN 9 2002

MICROFILMED
JUL 10 2002

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____



MICROFILMED

JUL 10 2002

D. SUMMARY INFORMATION


1. Measurement rated _____ excellent _____ good _____ fair X poor

2. Remarks: SOFT MUD BOTTOM LOTS OF MOSS, SIDES GRASSED
IN

3. Width: 7 Area: 9.2 Discharge in cubic feet per second: 2.72


9-19-88
DATE

Kelly K. Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT




4N
3W
SEC 7
NW/NW
(Lot 5)
FOR P/D



63-09695
P/O




P/W



ATTACHMENT A.



$$\begin{aligned}
 A &= 11,475 \text{ sq yds} \\
 B &= 4658 \text{ sq yds} \\
 \text{TOT} &= 16,133 \text{ sq yds} \\
 \text{CU YDS} &= 69371.9 \\
 \text{Acres} &\approx 43
 \end{aligned}$$



$$\begin{aligned}
 A &= 9450 \text{ sq yds} \\
 B &\approx 790 \text{ sq yds} \\
 \text{TOT} &\approx 10240 \text{ sq yds} \\
 \text{CU yds} &\approx 44034 \\
 \text{Acres} &\approx 27
 \end{aligned}$$

MICROFILMED
 11/10/2002

main site

63-09695

P/D : MEASUREMENT LOCATION



NORTH POND



JUL 10 2002

63-09695

ENTRY TO NORTH POND



SOUTH POND



REFILMED

SEP 13 2002

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 04/28/93
Time: 12:04:26

Rec/No - C014379 AR/No -
From: - WESSELS, WILLIAM H.

Receipt Type - CK Doc/No - 2317
Remarks -

MOST CURRENT RECEIPT

Receipt Date: 02/02/1990

Type Of Payment	Fund	FD	PCA	Obj	Subsid	Fee
ADJUDICATION FEE	9337		410162	6490		60.00

Total Due - 60.00

WR/No	WR Fee	WR/No	WR Fee	WR/No	WR Fee
A6304529A	60.00				

(ENTER=CONTINUE)

(GOLD7=SELECTION SCREEN)

(GOLD8=CANCEL)

MICROFILMED

JUL 10 2002

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-9695
Permit No.

SEP 11 2000

Staff Analysis Sheet
for

Beneficial Use Field Report

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

☒ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D Index RD P 7/8/88 (Initial and data)

Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached?

Type of Overlap? ☒ add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U Index RD P 7/8/88 (Initial and data)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? N/A

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: Other uses SL 3/2/90

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 06/14/88 KKC (Initial and data)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 11-17-88 Kelly Christman (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SL 3/21/90 (Initial and date)

Exam Reviewed by Manager of Regional Office DA 3/27/90 (Initial and date)

Exam Data Entered in Computer ✓ (Initial and date)

Exam sent to State Office 5-25-90 SL (Initial and date) 9-7-00 LM

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

MEMORANDUM

TO: File 63-9695

FROM: Sharla

DATE: March 21, 1991

RE: Returned Field Exam

On this date, the field exam report for the above referenced file was returned to the region. According to the date proof of beneficial use was filed for this right, an adjudication claim is needed and has not yet been filed.

The region will solicit the claim and based upon response, either the field exam will be returned with the claim after being reviewed by the region for discrepancies, or the right will be disallowed in the Director's Report for failure of the holder to submit the claim.

MICROFILMED

MAR 30 2002

4/86

RECEIVED

JUN 22 1987

RECEIVED

JUL 15 1987

KEYPUNCHED

For Office Use Only

Fee Received \$100

Date 7/7/87

Receipt # 44992

Receipt by

Sent to S.O. 7/14/87

Department of Water Resources
Western Regional Office

STATE OF Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

JUN 17 1987

1. Permit No. 63-9695

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: William H. Wessels

3. Post Office Address: Rt 5 Box 51 A Caldwell NJ

Telephone No. 459-9163

4. Source of Water: Un named drain

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark Rec

6. Total rate &/or volume for which proof is submitted 1 cfs 100 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

ME Sam AS ABOK
(Name)

(Address)

459-9163
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

6/12/87

Signature of Permit Holder (and title, if appropriate)

William H. Wessels

JUL 10 2002

2001000000

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

2001000000



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

63-9695
WESSELS, WILLIAM H.
RT. 5
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 30, 1987

Dear Permit Holder:

LAPSE NOTICE License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 30, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 30, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 28, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

MICROFILMED

JUL 10 2002



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

63-9695
WESSELS, WILLIAM H.
PT. 5
CALDWELL, ID 83605

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

MICROFILMED

JUL 10 2002

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-9695
WESSELS, WILLIAM H.
RT. 5
CALDWELL, ID 83605

Mailing address:
Statehouse
Boise, Idaho 83720

138979

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

101 10 2002

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JUL 10 2002

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MARCH 1, 1983

WILLIAM H. WESSELS
RT. 5
CALDWELL ID 83605

RE: Permit No. 63-9695

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

JUL 10 2002

INTER-DEPARTMENT MEMO — 1

FROM Dave Tutthill

DATE 2/10/83

TO 63-9695

SUBJECT Request for Waiver of Measuring Device Requirement.

The unnamed drain identified on this permit is located just north of the Boise River near Notus. Although the point of diversion is within a water district, the watermaster does not make deliveries this far downstream within the district since an abundance of water is available due to irrigation return flows. Therefore it is my recommendation that the request for waiver of the m.d. requirement is justified and should be approved. DET

SIGNATURE

63-9695

REQUEST A PERMIT FOR
A WAIVER OF A MEASURING
DEVICE. THE UNNAMED
STREAM IS FAR DOWN ON THE
BOISER. WHERE PLENTY OF WATER
IS AVAILABLE

Will H. Wespe
1/20/83

REC-111

A. KENNETH DUNN
XXXXXXXXXXXXX

May 5, 1981

William H. Wessels
Rt. 5
Caldwell, Idaho 83605

Dear Mr. Wessels,

RE: Permit No. 63-9695

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion. We have enclosed a description of the different types of measuring devices accepted by this office.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River Between Milner Dam and Hells Canyon the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocation Section

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Cem

APPLICATION NUMBER: 63-9695

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☒ Yes ☒ No

Field check required.

☒ Yes ☒ No

Critical groundwater area.

☒ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☒ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☒ Yes ☐ No

Other rights on same place of use. 63-4529 63-2448

☒ Yes ☐ No*

63-7029 different used

☒ Yes ☐ No*

In form for advertising.

☒ Yes ☐ No

Final date for protests: 4/20/81 ✓

☒ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 4/16/81 ✓

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☒ Yes ☐ No Measuring device required.

☒ Yes ☐ No Access port required.

☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63

3/24/81 Date of priority recommended.

Special conditions of approval or cover letter. I.P. letter

Right of way clause

W.M. condition

By: DBS Date: 4/20/81

STATE OFFICE REVIEW: return receipt w/cover letter

5/10/82 LOS 01, 05 (63 Boise P.) 04

☐ See attached sheet for more information.

By: Kelp Date: 4/27/81

MICROFILMED

WESSELS, WILLIAM H.

RT. 5, CALDWELL, ID 83605

Source: UNNAMED DRAIN tributary to BOISE RIVER

Date Filed: 03/24/1981

Amount: 6.00 CFS 75.0 AC-FT

Diversion Point: NWNW Sec 07 T 04N R 03W, CANYON Co.

Use: DIVERSION TO STORAGE	(6.00 CFS) from 01/01 to 12/31
RECREATION	(6.00 CFS) from 01/01 to 12/31
RECREATION STORAGE	(75.0 AC-FT) from 01/01 to 12/31
WILDLIFE	(6.00 CFS) from 01/01 to 12/31
WILDLIFE STORAGE	(75.0 AC-FT) from 01/01 to 12/31

Place of Use: LOT 01 (SESW) LOT 02 (NESW) Sec 01 T 04N R 04W

Diversion Means: DITCH & PONDS.

MICROFILMED