


MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW SW S22 4N 2E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2E	22											X1						1

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature [Signature]
 Checked by 6h5
 Approved by 6h5 10/15/81

Date 11/24/1981
 Date 8/14/81
 Date 8/14/81

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Everett M. &/or Donna R. Bailly
of Boise, ID, has complied with the terms and conditions of Permit
No. 63-9681 issued pursuant to Application for Permit dated 3/3/1981,
and has submitted proof to the Department of Water Resources on 5/8/1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 5.7 acre feet per year, said waters to be diverted within the SWSW Sec. 22 T4N R1E in the County of Ada

Description and location of place of use:

[illegible]

P/U known as Lot 7 & a portion of Lot 8, Matthews Subdivision.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant EVERETT M. &/OR DONNA R. BAILY Phone 376-7195

Post office address 12080 Chinden Blvd., Boise, ID 83704

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 4N

Range 1E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 03 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.07 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 4N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donna R. Bailey
(Applicant)

MICROFILMED

Proposed Priority 3/3/81

Received by DBS Date 3/3/81 Time 3:40

Preliminary check by ELS Fee \$ 30.00

Receipted by neh Date 3/3/81 # 17337

Publication prepared by n/n Date 2/6/81

Published in Idaho Statesman

Publication dates 2/12 & 3/19/81

Publication approved neh Date 3/27/81

Protests filed by: none.

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9681, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 2nd day of April, 1981.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO)

)SS.

COUNTY OF ADA)

Verlyn Childers, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of March 12, 1981, and ending with the
issue of March 19, 1981.

Carley's Children

Subscribed and sworn to before me this 19th

day of March, 19 81.

Archie Eugene
ry Public for Idaho, Residing at Bo

Notary Public for Idaho, Residing at Boise, Idaho

PLANT, MORGAN &/or MARILYN
300 S. Locust Grove Rd., Meridian, ID
83642
Source: GROUNDWATER
Date Filed: 02/26/1981
Amount: 0.24 CFS
Diversiion Point: NWNW Sec 17 T 03N R
01E, ADA Co.
Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15
DOMESTIC (0.04 CFS) from 01/01
to 12/31

Place of Use: NWNW Sec 17 T 03N
R 01E for 10 acres
Diversion Means: PUMP.
42-8481

BAILY, EVERETT M. &/or DONNA R.
12080 Chinden Blvd., Boise, ID 83704
Source: GROUNDWATER
Date Filed: 03/03/1981
Amount: 0.07 CFS
Diversion Point: SWSW Sec 22 T 04N
R 01E, ADA Co.
Use: IRRIGATION (0.03 CFS)
from 03/15 to 11/15
DOMESTIC (0.04 CFS) from 01/01
to 12/31

Place of Use: SWSW Sec 22 T 04N R 01E
for 1 acre.
Diversiion Means: WELL & PUMP
If issued, the permits will be subject
to all prior water rights. Protests
against the granting of any permit must
be filed with the Director of the Idaho
Department of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709 on or
before MARCH 30, 1981.
C. STEPHEN ALLRED
Director
Pub. Mar. 12, 19, 1981 6053

O.V. m

MICROFILMED

RECEIVED
MAR 20 1981

Department of Water Resources
Western Regional Office

WATER RIGHT NUMBER 63-9681 65.

OWNER LAST NAME - BAILY ✓

FIRST NAME - EVERETT M. ✓

ORIG OWNER -

OWNER LAST NAME - BAILY ✓

FIRST NAME - DONNA R. ✓

ORIG OWNER -

ADDRESS LINE 1 - 12080 CHINDEN BLVD. ✓

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - BOISE ✓

STATE - ID ZIP CODE - 83704 ✓

SOURCE - GROUNDWATER ✓

TRIBUTARY OF -

STAGE - LICENSE ✓

STATUS -

PRIORITY - 03-03-1981 ✓

COUNTY - ADA ✓

TOTAL DIV. RATE - .0400 -CFS ✓

TOTAL DIV. VOLUME -

5.70 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSW 22 04N 01E LOT ✓ REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 ✓ USE - IRRIGATION ✓

USE DIV. RATE -

.0300 CFS

USE DIV. VOLUME -

4.50 AFA ✓

FROM - 01-01 TO - 12-31 ✓ USE - DOMESTIC ✓

USE DIV. RATE -

.0400 CFS

USE DIV. VOLUME -

1.20 AFA ✓

USE - IRRIGATION

PLACE OF USE - TWN 04N RNG 01E SEC 22 TRACT SWSW LOT ✓ AC 01 -

DECREE NAME -

DATE -

TOTAL ACRES - 1 ✓

REMARKS - P/U KNOWN AS LOT 7 & A PORTION OF LOT 8, MATTHEWS SUBD. ✓

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 05-01-1982 PERMIT/DENIED - 04-02-1981 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL & PUMP.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 19, 1981

RE: Permit No. 63-9681

Everett M. &/or Donna R. Bailly
12080 Chinden Blvd.
Boise, ID 83704

Dear Mr. and Mrs. Bailly

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 6, 1981

RE: Permit No. 63-9681

Everett M. &/or Donna R. Bailly
12080 Chinden Blvd.
Boise, ID 83704

Dear Mr. and Mrs. Bailly:

A representative of this Department has made an examination of the works covered by your Permit No. 63-9681, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.04 cfs Source: groundwater

The maximum quantity diverted shall not exceed 5.7 acre feet per year.

Point(s) of diversion: SW₁SW₄, Sec. 22, Twp. 4N, Rge. 1E, Ada County

Beneficial use: Irrigation of 1 acres and domestic use for 1 unit within the
SW₁SW₄, Sec. 22, Twp. 4N, Rge. 1E

Priority date established: March 3, 1981

Conditions (if any): P/U known as Lot 7 and a portion of Lot 8, Matthews
Subdivision

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

Bailey, Everett & Donnell
 P.S. 5WSW, S. 22
 T 4N, R 1E
 don - 1 home
 irrig - 1 acre

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

63-9681
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	5/29/81	hjh	no appt. made.
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 2/26/91 Accompanied by DONNA BAILEY Total Q measured 0.04
If source is surface water, estimate total flow of source _____
Methods of measurement HP CALCULATION Meets Permit requirements? yes

Measurement calculations:

$$\begin{array}{r} .75 \times .8 \times 8.8 \\ \hline 80 + \frac{2}{43} \end{array}$$

ns: $\epsilon = \phi 9 \text{ CFS}$ capacity

Allow .03 ds FOR 1 AC IRRIGATION

$$V = 1 \text{ AC} \times 4.5 = 4.5 \checkmark$$

[illegible]

System Description well, submersible pump, pipe line to House And
sprinkler system

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE

DOMESTIC IRRIGATION

Irrigation requirement = 4.5

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

04

1.2 ✓

2/2

22/32

-03

7.5

3/15

4425

Total

04


5.7

Remarks 130' 3/4 HP pump at 80' approx

Decree 63-0210 Boise R.
License 63-2111 Unnamed Stream

No Overlapping rights (Different Sources)

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

MICROFILM

Point(s) of diversion: SW SW S22 4N 2E

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
4N	4E	22											X						2

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None

☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

[Handwritten Signature]

6/5

6/5

[Handwritten Signature]

10/15/81

8/14/81

8/14/81

8/14/81



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

May 29, 1981

Everett M. &/or Donna Bailly
12086 Chinden Blvd.
Boise, ID 83704

RE: Permit No. 63-9681

Dear Mr. and Mrs. Bailly

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES 63-9681

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 7

Name(s) of Permit Holder: Everett M &/or Donna R. Bailly

Post Office Address: 12080 Chinden Blvd.

Boise Idaho

Tel. No. 376-7195

Source of Water: groundwater

Extent of Use: ☒ Domestic 1 (number of households) .04 cfs
☐ Stockwater (number and type of stock)
☒ Irrigation .03 cfs (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Apr 29, 1981

Date

MICROFILMED

Donna R. Bailly

Signature of Permit Holder

RECEIVED

MAY 8 1981

Department of Water Resources



Department of Water Resources
Western Regional Office

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

PLACE
TEN CENT
STAMP
HERE

RECEIVED
MAY 10 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BAILY, EVERETT M. & DONNA R.
12080 CHINDEN BLVD.
BOISE, ID 83704

APRIL 22, 1981

RE: PERMIT NO. 63-9681

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: Everett M. Baily

Post Office Address: 12080 Chinden Blvd.
Boise Idaho 83704

Source of Water: _____

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 1 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No _____ Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No _____ Installed? ☐ Yes ☐ No

The above information is a true statement to the extent to which the above numbered permit has been developed.

Mar 3, 81
Date

Everett M. Baily
Signature of Permit Holder

**PLACE
TEN CENT
STAMP
HERE**



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 193-9681

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☐ Yes

☒ No

Field check required.

☐ Yes

☒ No

Critical groundwater area.

☐ Yes

☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes

☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes

☒ No

Platted by: _____ Map No. _____

☐ Yes

☒ No

Other rights on same place of use. None

☒ Yes

☐ No*

In form for advertising.

Final date for protests: 3/30/81 ✓

☐ Yes

☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 3/20/81

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes

☒ No

Measuring device required.

☐ Yes

☒ No

Access port required.

☐ Yes

☒ No

Will water be delivered by watermaster? If yes, what district? _____

✓ 3/3/81 Date of priority recommended.

Special conditions of approval or cover letter. I.P. G.W. letter

By: DBS Date: 3/30/81

STATE OFFICE REVIEW:

Shw/ocord

☐ See attached sheet for more information.

By: Relup Date: 4/1/81

MICROFILMED

3/79

IDENT. NO. 103-9681

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

63-9681_

BAILY, EVERETT M. &/or DONNA R.

12080 CHINDEN BLVD., BOISE, ID 83704

Source: GROUNDWATER

Date Filed: 03/03/1981

Amount: 0.07 CFS

Diversion Point: SWSW Sec 22 T 04N R 01E, ADA Co.

Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15
DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 22 T 04N R 01E FOR 1 ACRES

Diversion Means: WELL & PUMP.

MICROFILMED