


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Stewart Martensen
(Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9669

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS

3145 S. LINDER, BOISE, ID

Source: GROUNDWATER

Date Filed: 02/20/1981

Amount: 0.20 CFS

Diversion Point: NWNW Sec 32 T 03N R
01E, ADA Co.

Use: IRRIGATION (0.06 CFS) from
03/15 to 11/15

DOMESTIC (0.20 CFS) from 01/01 to
12/31

Place of Use: NWNW Sec 32 T 03N R
01E for 2 ACRES

Diversion Means: WELL & PUMP.

63-9670

STATE OF IDAHO

IDAHO TRANSPORTATION DEPT.,
DIVISION OF HIGHWAYS, BOX 7129,
BOISE, ID 83707

Source: GROUNDWATER

Date Filed: 02/19/1981

Amount: 0.38 CFS

Diversion Point: NENE Sec 07 T 03N R
02E NWNW Sec 08 T 03N R 02E,
ADA Co.

Use: IRRIGATION (0.38 CFS) from
03/15 to 11/15

Place of Use: NENE Sec 07 T 03N R
02E NWNW Sec 08 T 03N R 02E for
7 ACRES

Diversion Means: WELLS.

63-9671

BOISE WATER CORP.

P. O. BOX 7488, BOISE ID 83707

Source: GROUNDWATER

Date Filed: 02/25/1981

Amount: 3.35 CFS

Diversion Point: NENE Sec 14 T 03N R
01E, ADA Co.

Use: MUNICIPAL (3.35 CFS) from
01/01 to 12/31

Diversion Means: WELL & PUMP.

If issued, the permit(s) will be sub-
ject to all prior water rights. Protests
against the granting of any permit must
be filed with the Director of the Idaho
Department of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709 on or
before MARCH 23, 1981.

C. STEPHEN ALLRED

Director

Pub. March 5, 12, 1981

6007

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Linda Wallace

, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of March 5, 19⁸¹, and ending with the
issue of March 12, 19⁸¹.

Linda Wallace

Subscribed and sworn to before me this 12th
day of March, 19⁸¹.

Barbara E. Egan
Notary Public for Idaho, Residing at Boise, Idaho


RECEIVED

MAR 16 1981

Department of Water Resources
Western Regional Office

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW NW 532 3N 1E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	32						2x											2

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

Carl E. Mann

Date

1 Sept 81

Checked by

DBS

Date

11/3/81

Approved by

Juni 2/22/82

Date

For FILES RECEIVED

FEB 4 1981


Department of Water Resources

USE TYPEWRITER OR BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>LDS Church 4th & 5th Wards</u> Corner of Locust Grove and Amity Roads Address <u>Meridian, Idaho</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>31.1</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow <u>5</u> gal hardness Temperature <u>66</u> ° F. Quality <u>2</u> ppm Iron Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other <table border="1"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>60 up to 100</td> <td>Unknown</td> <td>13</td> </tr> <tr> <td>27</td> <td>20 ft.</td> <td>576</td> </tr> </tbody> </table>		Discharge G.P.M.	Draw Down	Hours Pumped	60 up to 100	Unknown	13	27	20 ft.	576																																																																																																																						
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																
60 up to 100	Unknown	13																																																																																																																																
27	20 ft.	576																																																																																																																																
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>8"</td> <td>0</td> <td>5</td> <td>Dirt</td> <td></td> </tr> <tr> <td></td> <td>5</td> <td>35</td> <td>Gravel and Sand</td> <td></td> </tr> <tr> <td></td> <td>35</td> <td>87</td> <td>Brown Clay</td> <td>x</td> </tr> <tr> <td></td> <td>37</td> <td>150</td> <td>Brown Sand</td> <td></td> </tr> <tr> <td></td> <td>150</td> <td>158</td> <td>Clay</td> <td>x</td> </tr> <tr> <td></td> <td>158</td> <td>178</td> <td>Yellow Sand</td> <td>x</td> </tr> <tr> <td></td> <td>170</td> <td>210</td> <td>Yellow Sand</td> <td>x</td> </tr> <tr> <td></td> <td>210</td> <td>230</td> <td>Brown Sand</td> <td>x</td> </tr> <tr> <td></td> <td>230</td> <td>250</td> <td>White Sand</td> <td>x</td> </tr> <tr> <td></td> <td>250</td> <td>268</td> <td>Brown Sand</td> <td>x</td> </tr> <tr> <td></td> <td>268</td> <td>280</td> <td>Brown Clay</td> <td></td> </tr> <tr> <td></td> <td>280</td> <td>310</td> <td>Sandy Clay</td> <td>x</td> </tr> <tr> <td></td> <td>310</td> <td>320</td> <td>Brown Sand</td> <td></td> </tr> <tr> <td></td> <td>320</td> <td>322</td> <td>Blue Clay</td> <td>x</td> </tr> <tr> <td></td> <td>322</td> <td>355</td> <td>Yellow Sand</td> <td>x</td> </tr> <tr> <td></td> <td>355</td> <td>370</td> <td>Brown Sand</td> <td>x</td> </tr> <tr> <td></td> <td>370</td> <td>380</td> <td>Brown Sand</td> <td>x</td> </tr> <tr> <td></td> <td>380</td> <td>384</td> <td>Blue Sand</td> <td>x</td> </tr> <tr> <td></td> <td>384</td> <td>392</td> <td>Brown Sand</td> <td>x</td> </tr> <tr> <td></td> <td>392</td> <td>395</td> <td>Coarse Sand</td> <td>x</td> </tr> <tr> <td></td> <td>395</td> <td>490</td> <td>Blue Sand</td> <td></td> </tr> <tr> <td></td> <td>490</td> <td>502</td> <td>Blue Shale</td> <td></td> </tr> <tr> <td>6"</td> <td>502</td> <td>528</td> <td>Blue Clay</td> <td>x</td> </tr> <tr> <td></td> <td>528</td> <td>535</td> <td>Fine Blue grey Sand</td> <td></td> </tr> </tbody> </table>		Hole Diam.	Depth		Material	Water Yes/No	From	To	8"	0	5	Dirt			5	35	Gravel and Sand			35	87	Brown Clay	x		37	150	Brown Sand			150	158	Clay	x		158	178	Yellow Sand	x		170	210	Yellow Sand	x		210	230	Brown Sand	x		230	250	White Sand	x		250	268	Brown Sand	x		268	280	Brown Clay			280	310	Sandy Clay	x		310	320	Brown Sand			320	322	Blue Clay	x		322	355	Yellow Sand	x		355	370	Brown Sand	x		370	380	Brown Sand	x		380	384	Blue Sand	x		384	392	Brown Sand	x		392	395	Coarse Sand	x		395	490	Blue Sand			490	502	Blue Shale		6"	502	528	Blue Clay	x		528	535	Fine Blue grey Sand	
Hole Diam.	Depth		Material		Water Yes/No																																																																																																																													
	From	To																																																																																																																																
8"	0	5	Dirt																																																																																																																															
	5	35	Gravel and Sand																																																																																																																															
	35	87	Brown Clay	x																																																																																																																														
	37	150	Brown Sand																																																																																																																															
	150	158	Clay	x																																																																																																																														
	158	178	Yellow Sand	x																																																																																																																														
	170	210	Yellow Sand	x																																																																																																																														
	210	230	Brown Sand	x																																																																																																																														
	230	250	White Sand	x																																																																																																																														
	250	268	Brown Sand	x																																																																																																																														
	268	280	Brown Clay																																																																																																																															
	280	310	Sandy Clay	x																																																																																																																														
	310	320	Brown Sand																																																																																																																															
	320	322	Blue Clay	x																																																																																																																														
	322	355	Yellow Sand	x																																																																																																																														
	355	370	Brown Sand	x																																																																																																																														
	370	380	Brown Sand	x																																																																																																																														
	380	384	Blue Sand	x																																																																																																																														
	384	392	Brown Sand	x																																																																																																																														
	392	395	Coarse Sand	x																																																																																																																														
	395	490	Blue Sand																																																																																																																															
	490	502	Blue Shale																																																																																																																															
6"	502	528	Blue Clay	x																																																																																																																														
	528	535	Fine Blue grey Sand																																																																																																																															
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		10. WORK SCHEDULE Work started <u>July 27, 1976</u> finished <u>March 15, 1976</u>																																																																																																																																
5. WELL CONSTRUCTION Diameter of hole <u>8 7/8</u> inches Total depth <u>535</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>0.250 inches</td> <td>6 5/8 inches</td> <td>2.2 feet</td> <td>512 feet</td> </tr> <tr> <td>0.258 inches</td> <td>5 9/16 inches</td> <td>504.8 feet</td> <td>512.7 feet</td> </tr> <tr> <td>0.258 inches</td> <td>5 9/16 inches</td> <td>530.5 feet</td> <td>533.5 feet</td> </tr> <tr> <td>0.322 inches</td> <td>8 5/8 inches</td> <td>4.0 feet</td> <td>501 feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ Perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>HOE Robinson Stainless Steel</u> Type <u>Continuous Slot</u> Hole No. <u>6</u> in. telescoping Diameter <u>5 1/2</u> Slot size <u>20</u> Set from <u>512.7</u> feet to <u>530.5</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>1/8" minus 1/4"</u> Placed from <u>145</u> feet to <u>501</u> plus _____ feet in annulus between 8 in. & 6 5/8 in. casings. Surface of Gravel back sealed with cement grout ☐ Packing clay ☐ Wall cuttings Sealing procedure used ☒ Grout fill ☐ Temporary surface casing ☐ Overhaul to seal depth		Thickness	Diameter	From	To	0.250 inches	6 5/8 inches	2.2 feet	512 feet	0.258 inches	5 9/16 inches	504.8 feet	512.7 feet	0.258 inches	5 9/16 inches	530.5 feet	533.5 feet	0.322 inches	8 5/8 inches	4.0 feet	501 feet	11. DRILLER'S CERTIFICATION Firm Name <u>Gallop Modern Well Drilling Firm Inc.</u> Address <u>St. 6, Box 6000, Meridian, Idaho 83445</u> Signed by (Firm Official) _____ and _____ Operator _____																																																																																																												
Thickness	Diameter	From	To																																																																																																																															
0.250 inches	6 5/8 inches	2.2 feet	512 feet																																																																																																																															
0.258 inches	5 9/16 inches	504.8 feet	512.7 feet																																																																																																																															
0.258 inches	5 9/16 inches	530.5 feet	533.5 feet																																																																																																																															
0.322 inches	8 5/8 inches	4.0 feet	501 feet																																																																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location. (6)  Subdivision Name _____ Lot No. <u>145</u> Block No. _____ County <u>Ada</u>		12. ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																																																																																

MICROFILMED

WATER RIGHT LICENSE

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS Phone 888-2544

Post office address 3145 S. LINDER, BOISE, IDAHO

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 3N

Range 1E B.M. AOA County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for DOMESTIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.06 for Irrigation purposes from MARCH 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL WITH PUMP (7.5 hp)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 535 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 ~~years~~ (minimum 1 year - maximum 5 years). IN USE.

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 3N
Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: DOMESTIC WATER FOR CHURCH FACILITIES

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steven S. Martensen
(Applicant)

Proposed Priority

2/20/81

ken

2/5/81

92-155
30

Received by

Date

02-04-81

Time

257

Preliminary check by

665

Fee \$

30.00

Receipted by

ken

Date

2/20/81

#17311

Publication prepared by

ken

Date

2/26/81

Published in

Idaho Statesman

Publication dates

3/2 & 3/12/81

Publication approved

ken

Date

3/23/81

Protests filed by:

Ken

Copies of protests forwarded by

Hearing held by

Date

Recommended for

approval

denial

by DBS

JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9669, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.
- The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- Other:

Witness my hand this

1st

day of April, 1981.

D. Glen Saxton

Chief, Operations Bureau

RECEIVED

O.K.
nah

100

Linda Wallace

Notary Public for Idaho, Residing

MICROFILM

MAR 16 1981

**Department of Water Resources
Western Regional Office**

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Church of Jesus Christ of Latter Day Saints
Address Murphy, Idaho
Owner's Permit No. 63-85-C-0021-200

7. WATER LEVEL

Static water level 37 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

W.R. 63-09669
☒ New well ☐ Deepened ☒ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>100</u>	<u>6.3'</u>	<u>2.3</u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☒ No
Manufacturer's name JOHNSON
Type SS Model No. _____

Diameter 5 Slot size 25/32 From 146 feet to 150 feet
Diameter _____ Slot size 25 Set from 142 feet to 146 feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 23 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
9"	0	5	Brown topsoil		
9"	5	12	Brown clay		
9"	12	18	Brown sand & siltstone		
9"	18	23	Brown gravel & sand		
6"	23	36	Brown gravel & sand		
6"	36	58	Brown sand		
6"	58	67	Brown clay		
6"	67	69	Brown sand		
6"	69	92	Brown heavy sand		
6"	92	94	Brown clay		
6"	94	95	Brown sand		
6"	95	113	Brown clay		
6"	113	135	Brown sand		
6"	135	150	Brown sand & gravel		

5" Pipe from 126 to 142 ft
Packer on top of 5" pipe

MICROFILMED

RECEIVED **RECEIVED**

JUL 10 1985

JUL 10 1985

Department of Water Resources
Western Regional Office


Department of Water Resources

10.

Work started 3/25/85 finished 4/5/85

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Ada

NW 1/4 Sec. 32, T. 3, N. R. 1 E. 2

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Frank Skinner Well Drilling Firm No. 262

Address Murphy, Id Date 5/5/85

Signed by (Firm Official) Frank Skinner

and
(Operator) Frank Skinner

May 20, 1982

RE: Permit No. 63-9669

Church of Jesus Christ of Latter Day Saints
3145 S. Linder
Meridian, ID 83642

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 26, 1982

RE: Permit No. 63-9669

Church of Jesus Christ of Latter Day Saints
3145 S. Linder
Meridian, ID 83642

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 63-9669, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.08 cfs Source: groundwater

The maximum quantity diverted shall not exceed 7.5 acre feet per year.

Point(s) of diversion: NW 1/4, Sec. 32, Twp. 3N, Rge. 1E, Ada County

Beneficial use: Domestic use for church facilities and irrigation of 1 acre
within the NW 1/4, Sec. 32, Twp. 3N, Rge. 1E

Priority date established: February 20, 1981

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JOHNSON
Water Distribution Supervisor

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Boise, Idaho 83720

Church of Jesus Christ of Latter Day Saints
3145 S. Linder
Boise, ID

UND 00 012304C1 03/23/82
RETURN TO SENDER
UNDELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
USPS

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RECEIVED
MAR 26 1982
Department of Water Resources

March 18, 1982

Church of Jesus Christ of Latter Day Saints
3145 S. Linder
Boise, ID

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 63-9669 and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .08 cfs Source: groundwater

The maximum quantity diverted shall not exceed 7.5 acre feet per year.

Point(s) of diversion: NWNW Section 32, twp 3N, Rge 1E

Beneficial use: Domestic use and Irrigation of 1 acre in the
NWNW Section 32, Twp 3N, Rge 1E

Priority date established: February 20, 1981

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise
water license will be issued as set forth above.

Sincerely,


JIM JOHNSON

Water Distribution Supervisor



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 18, 1982

Church of Jesus Christ of Latter Day Saints
3145 S. Linder
Boise, ID

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 63-9669, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .08 cfs Source: groundwater

The maximum quantity diverted shall not exceed 7.5 acre feet per year.

Point(s) of diversion: NWNW Section 32, Twp 3N, Rge 1E

Beneficial use: Domestic use and Irrigation of 1 acre in the
NWNW Section 32, Twp 3N, Rge 1E

Priority date established: February 20, 1981

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

DIM JOHNSON
Water Distribution Supervisor

RECEIVED
MARCH 22 1982

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Church of JC, Latter
Day Saints
P.O. Box 532
T3N, R1E
dom. - .20 cfs
irrig. - .06 cfs
63-9669
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	6/4/81	nlh	no appt. made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 1 Sept. 1981 Accompanied by with log Total Q measured .25
If source is surface water, estimate total flow of source
Methods of measurement CALCULATION Meets Permit requirements? YES ✓

Measurement calculations:
$$\frac{7.5 \text{ HP} \times .8 \times 8.8}{120 + 90/43 \times 1.5} = .25 \text{ cfs capacity}$$
$$.05 (1.9835) 365 = 3.0 \text{ cfs/hr/day}$$
$$.25 (1.9835) 365 = 181.0 \text{ AFA}$$
$$.05 (1.9835) 365 = 36.2 \text{ AFA}$$
$$100 \text{ people/day} \times 25 \text{ gals} = \frac{2500 \text{ gallons}}{60 \text{ min/hr} \times 2 \text{ hrs}} = 20.8 \text{ gpm}$$
$$\frac{2500 \times 365}{325830} = 2.8 \text{ AFT/ANN (Domestic)}$$
$$V = .03 (1.9835) 245 = 14.6 \text{ AFA} \checkmark$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	7.5	Submersible						

System Description well, pump, pipe, sprinkler system

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE		Irrigation requirement =		AFA/Acre	
USE	(CHURCH FACILITIES)	Q (cfs)	V (afa)	FROM	TO
DOMESTIC	(HUNT)	10.05	2.8304	1/1	12/31
IRRIGATION		.03	4.5	3/15	4/25
Total		130.08	7.33		

Remarks Pump lift is estimated at 120'
no conflicting overlaps found TK
Assume CHURCH AVE USE OF WATER IS .05 cfs PER 2 HOUR PERIOD FOR 365 DAYS ANNUAL VOLUME IS 30 AF

2/25/82
TK
3/18/82
3/17/82

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW NEW S32 3N 1E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	32						1x											2

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature Carl E. Mann

Checked by D35

Approved by Juni 2/22/81

Date 15 Sept 81

to 11/3/81

Date

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9669.

Name(s) of Permit Holder: CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS.

Post Office Address: 3145 S. LINDER

Tel. No. BBB-2544

Source of water:

GROUNDWATER

Extent of use:

- ☒ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other CHURCH FACILITIES

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access for: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

25 January 1981
Date

Steven M. Martin
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

FEB 4 1981

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

June 4, 1981

Church of Jesus Christ of Latter Day Saints
3145 S. Linder
Boise, Idaho

RE: Permit No. 63-9669

Dear Sir:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
3145 S. LINDER
BOISE, ID

APRIL 22, 1981

RE: PERMIT NO. 63-9669

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS
CHECK:

APPLICATION NUMBER: 63-9669
LDS

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. 63-8121 Lapsed
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/23/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/16/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
2/29/81 Date of priority recommended.
Special conditions of approval or cover letter. P.P. Gw letter

By: DBS Date: 3/25/81

STATE OFFICE REVIEW:

return receipt w/ cover letter
3/30/81

- ☐ See attached sheet for more information.

By: Kellyn Date: 3/30/81

WATER RIGHT NUMBER 63-9669

OWNER LAST NAME - CHURCH OF JESUS CHRIST LATTER DAY SAINTS FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - 3145 S. LINDER

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - ~~BOISE~~ *Meridian*STATE - ID ZIP CODE - *83642*

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - PERMIT

STATUS -

PRIORITY - 02-20-1981 COUNTY - ADA

TOTAL DIV. RATE -

1.08
~~2000~~ -CFSTOTAL DIV. VOLUME - *7.5* .00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWNW 32 03N 01E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - *.03* ~~2000~~ CFS USE DIV. VOLUME - *4.5* .00 AFA

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - *.05* ~~2000~~ CFS USE DIV. VOLUME - *3.0* .00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 03N R4G 01E SEC 32 TRACT NWNW LOT AC ~~42~~ /

DECREE NAME -

DATE -

TOTAL ACRES 2

REMARKS -

NON IRRIG USE - *D/church.*

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 05-01-1982 PERMIT/DENIED - 04-01-1981 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL & PUMP.

3/79

IDENT. NO. 63-9669

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 23, 1981.

C. STEPHEN ALLRED

Director

Published 3/5 & 3/12/81.

MICROFILMED

63-9669-

CHURCH OF JESUS CHRIST LATTER DAY SAINTS

3145 S. LINDER, BOISE, ID

Source: GROUNDWATER

Date Filed: 02/20/1981

Amount: 0.20 CFS

Diversion Point: NWNW Sec 32 T 03N R 01E, ADA Co.

Use: IRRIGATION	(0.06 CFS)	from 03/15 to 11/15
DOMESTIC	(0.20 CFS)	from 01/01 to 12/31

Place of Use: NWNW Sec 32 T 03N R 01E FOR 2 ACRES

Diversion Means: WELL & PUMP.

MICROFILMED

Department of Water Resources

State of Idaho
Department of Water Resources

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name LOS Church with 4 wells
 Corner of Locust Ave and Amity Roads
 Address Meridian, Idaho
 Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☒ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Stock ☐ Other (specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Warm (heated or injection)

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Auger ☐ Other _____

5. WELL CONSTRUCTION

Diameter of hole 8 1/8 inches Total depth 535 feet
 Casing schedule: ☒ Steel ☐ Concrete
 Thickness Diameter Perin To
 0.250 inches 6 5/8 inches 504.8 feet 512.7 feet
 0.250 inches 5 9/16 inches 530.5 feet 533.5 feet
 0.250 inches 5 9/16 inches 530.5 feet 533.5 feet
 0.322 inches 8 5/8 inches 501 feet _____ feet
 _____ inches _____ feet _____ feet

Was casing drive shoe used? ☐ Yes ☒ No
 Was a packer or seal used? ☐ Yes ☒ No
 Perforated? ☐ Yes ☒ No
 How perforated? ☐ Face ☐ Knife ☐ Torch
 Size of perforation _____ inches by _____ inches
 _____ inches _____ feet _____ feet
 _____ inches _____ feet _____ feet
 _____ inches _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
 Manufacturer's name SLC Screen description Screen
 Type Round Screen size No. 4 Screen length 1 feet
 Diameter of screen 512.2 feet to 530.5 feet
 Diameter of slot size _____ feet to _____ feet

Gravel pack? ☐ Yes ☒ No Size of gravel 1/16 inches
 Gravel type SLC Gravel size 1/16 inches
 Gravel quantity 1 cubic feet
 Gravel placed in _____ feet to _____ feet
 Gravel placed over _____ feet to _____ feet
 Gravel placed under _____ feet to _____ feet

6. LOCATION OF WELL

State map location must be marked on this location

Section _____ Township _____ Range _____

7. WATER LEVEL

Static water level 31.1 feet below land surface
 Flowing? ☐ Yes ☒ No M. flow 5 gal/min
 Temperature 66 °F Quality 2 ppm Iron
 Arterial closed-in pressure _____ p.s.i.
 Controlled by ☐ Valve ☒ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Boiler ☐ Other _____

Discharge (GPM)	Time (min)	Water Pumped (gals)
60 up to 100	Unknown	13
27	20 ft	526

9. LITHOLOGIC LOG

Depth (ft)	From (ft)	To (ft)	Description	Notes
0	0	5	Gravel	
5	5	15	Gravel	
15	15	20	Gravel	
20	20	25	Gravel	
25	25	30	Gravel	
30	30	35	Gravel	
35	35	40	Gravel	
40	40	45	Gravel	
45	45	50	Gravel	
50	50	55	Gravel	
55	55	60	Gravel	
60	60	65	Gravel	
65	65	70	Gravel	
70	70	75	Gravel	
75	75	80	Gravel	
80	80	85	Gravel	
85	85	90	Gravel	
90	90	95	Gravel	
95	95	100	Gravel	
100	100	105	Gravel	
105	105	110	Gravel	
110	110	115	Gravel	
115	115	120	Gravel	
120	120	125	Gravel	
125	125	130	Gravel	
130	130	135	Gravel	
135	135	140	Gravel	
140	140	145	Gravel	
145	145	150	Gravel	
150	150	155	Gravel	
155	155	160	Gravel	
160	160	165	Gravel	
165	165	170	Gravel	
170	170	175	Gravel	
175	175	180	Gravel	
180	180	185	Gravel	
185	185	190	Gravel	
190	190	195	Gravel	
195	195	200	Gravel	
200	200	205	Gravel	
205	205	210	Gravel	
210	210	215	Gravel	
215	215	220	Gravel	
220	220	225	Gravel	
225	225	230	Gravel	
230	230	235	Gravel	
235	235	240	Gravel	
240	240	245	Gravel	
245	245	250	Gravel	
250	250	255	Gravel	
255	255	260	Gravel	
260	260	265	Gravel	
265	265	270	Gravel	
270	270	275	Gravel	
275	275	280	Gravel	
280	280	285	Gravel	
285	285	290	Gravel	
290	290	295	Gravel	
295	295	300	Gravel	