

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Independent School District of Boise City

By: David A. Weirich, Director of Business
(Applicant)


MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

NOT
TO
SCALE



Point(s) of diversion:

3N, 2E, S. 7 NE 1/4 or SE 1/4

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	7													18				18

MICROFILMED

MAY 12 1987

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

BD
1/6/87

Examiner's Signature

John Leste

Date


7/16/86

Checked by

Date

Approved by

Date




MICROFILMED

MAY 12 1967

Orchard

7.5 MINUTE SERIES (TOPOGRAPHIC)




#7

63-9423

MICROFILMED

MAY 12 1987



MICROFILMED

MAY 12 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-9423

Priority: July 18, 1980 Amount: .32 CFS 81.0 AFA

This is to certify, that SCHOOL DISTRICT OF BOISE CITY
1207 FORT ST.

BOISE, ID 83702 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 18, 1980, and has submitted proof to the Department of Water Resources on July 10, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .32 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.32 cfs	81.0 afa

LOCATION OF POINT OF DIVERSION(S): NESE , Sec. 7, Township 3N, Range 2E
Ada County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
3N	2E	7	NESE 18				18

Total number of acres irrigated: 18

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use also known as West Junior High School.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of April, 1987.

MICROFILMED

MAY 12 1987

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

63-9423

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho
Department of Water Resources
Western Regional Office

1. Name of applicant Independent School District of Boise City Phone (208) 336-1370

Post office address 1207 Fort Street, Boise, ID 83702

2. Source of water supply Groundwater ~~Underground~~ RH 8-29-80 which is a tributary of Boise River

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 3 N

Range 2 E B.M. Ada County, additional points of diversion if any:

(West Junior High School)

4. Water will be used for the following purposes:

Amount 0.5 cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.5 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well with pump

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 225 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township

Range B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be supplied with domestic water .

(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated	18
---------------------------------------	----

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Diversion rate requested is slightly in excess of one inch/acre
but is necessary in order to accomplish the irrigation of lawn areas
during periods when not in use for school activities.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Independent School District of Boise City

By: *A. A. Welch, Director of Business*
(Applicant)

Proposed Priority

7/18/80

h/n

7-21-80

92-1
10-50 70-1

Received by QJ Date 07-18-80 Time 845

Preliminary check by 665 Fee \$ 45.00

Receipted by h/n Date 7-28-80 # 15664

Publication prepared by h/n Date 7/31/80

Published in Idaho Statesman

Publication dates 8/7 & 8/14/80

Publication approved h/n Date 8/25/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9423, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 3rd day of September, 19 80.

J. Glen Saxton

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted or permit to appropriate the public waters of the State of Idaho.

63-9421

WRITEN, JAMES L.
385 S. CHANNEL RD., MERIDIAN, ID
3642

Source: W. BOISE SEWER TREAT-
MENT PLANT tributary to
BOISE RIVER

Date Filed: 07/21/1980

Amount: 1.62 CFS

Diversion Point: NWSW Sec 16 T 04N,
R 01E, ADA CO.

Use: IRRIGATION (1.60 CFS) from
04/15 to 10/15

STOCKWATER (0.02 CFS) from
04/15 to 10/15

Place of Use: SWSW SESW Sec 17, T
04N, R 01E, NWNE

NWNW Sec 20, T 04N, R
01E, FOR 59 ACRES

Diversion Means: DAM, HEADGATE
AND DITCHES.

63-9422

INDEPENDENT SCHOOL DIST. OF
BOISE CITY

1207 FORT ST., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 07/21/1980

Amount: 0.30 CFS

Diversion Point: NWSW Sec 22, T 03N,
R 02E, ADA CO.

Use: IRRIGATION (0.30 CFS) from
03/15 to 11/15

Place of Use: NWSW Sec. 22, T 03N, R
02E FOR 8 ACRES

Diversion Means: WELL AND PUMP

63-9423

INDEPENDENT SCHOOL DIST. OF
BOISE CITY

1207 FORT ST., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 07/21/80

Amount: 0.50 CFS

Diversion Point: NESE Sec. 07, T 03N,
R 02E, ADA CO.

Use: IRRIGATION (0.50 CFS) from
03/15 to 11/15

Place of Use: NESE Sec. 07, T 03N, R
02E FOR 18 ACRES

Diversion Means: WELL AND PUMP

If issued, the permit(s) will be subject
to all prior water rights. Protests

against the granting of any permit must
be filed with the Director of the Idaho

Department of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709 on or be-

fore AUGUST 25, 1980.

C. STEPHEN ALLRED
Director

Pub. Aug. 7 & 14, 1980

4848

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Roseanne M. Moore, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of August 7, 1980, and ending with the
issue of August 14, 1980.

Roseanne M. Moore
Subscribed and sworn to before me this 14th

day of August, 1980.

Shirley E. Jensen
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
AUG 15 1980

Department of Water Resources,
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{i.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 18 \times 4.5 = 81.0 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.32 \times 1.9835 \times 245 = 155.5 \\ V &= \text{Smaller of } V_{i.R.} \text{ and } V_{D.R.} = \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: 63-2913 - domestic use,
no overlap
- b) Other water rights with same point of diversion: 63-2913 - domestic use -
different system
- c) Analysis:

RECORDED

MAY 12 1987

10 day

- Date 3/10/87

SCHOOL DISTRICT OF BOISE CITY
1207 FORT ST.
BOISE, ID 83702

April 23, 1987

RE: Permit No. 63-9423

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 12 1987

March 19, 1987

SCHOOL DISTRICT OF BOISE CITY
1207 FORT ST.
BOISE, ID 83702

RE: Permit No. 63-9423

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAY 12 1987

RECEIVED

FEB 09 1987

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORTP/d: NESE, Sec. 7, T3N,
R2E.
Use: Irrigation .5 cfs1207 Fort St
02

63-9423

Permit No.

Department of Water Resources
CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

- ☐ Appointment letter mailed: 9-14-81 AP NO appointment made
- ☐ Telephone call made:
(List Telephone No. used)
- ☒ Appointment scheduled for: 7/16/86 SL 9:00 WITH NOLAN LOWE LOWE
(Date, time, location) MEET AT W. JR. HIGH (ASST. SUPERVISOR OF MAINT.)

EXAMINATION

Date 7/16/86 Accompanied by NOLAN LOWE Total Q measured .32 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement FLOW METER AND STOPWATCH Meets Permit requirements? YES

Measurement calculations:

1st Reading: 100 gallons 41.7 seconds
2nd Reading: 100 gallons 41.9 seconds
 $\bar{x}$ 100 gallons 41.8 seconds

$$100 \times \frac{60}{41.8} = 143.54 \text{ gpm}$$
$$\frac{143.54}{448.8} = .3198 = .32 \text{ cfs}$$

$$.32 \times 245 \times 1.48 = 155.23 \text{ AFA}$$

SEE REMARKS

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	30	FRANKLIN	UNKNOWN	GHE GOULD, 12 STAGE	UNKNOWN	FLOW METER BADGER 4" #MOS96762	GOOD	

System Description 8" CASING, 230' DEEP WELL. 95 PSI OBSERVED. BADGER 4" FLOWMETER RECORDS GALLONS, 1 REVOLUTION IS 100 GALLONS. WELL HAS 4" DISCHARGE PIPE THAT RUNS 10' OUT AND THEN (90°) 2' DOWN LEADING TO UNDERGROUND PIPE FOR SPRINKLERS (RAINBIRD AND OTHER TYPES OF HEADS SO CANNOT MEASURE HEADS' PRESSURE). SEE REMARKS

*Code with map on reverse side. Disregard code if only one. GENERALLY NOT RAINBIRDS

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	Q (cfs)	V (afa)	FROM	TO
IRRIGATION	4.5	.32	155.23	3/15	11/15
			81.0		
Total		.32	81.0	3/15	11/15

Remarks

SYSTEM CONTINUED: IRRIGATION IS FOR FOOTBALL FIELD AND OTHER SCHOOL GROUNDS. 1 1/2" DISCHARGE PIPE LEADS 4 1/2' TO ~~THE~~ RAINBIRD (OF RAINBIRD) FOR PRESSURE MEASUREMENT.

VOLUME, $4.5 \times 18 = 81.0 \text{ AFA}$ LESSER IS 81.0

VOLUME $.32 \times 245 \times 1.48 = 155.23 \text{ AFA}$

MAY 12 1987

Applied for .5 cfs = 224.4 gpm


(.02 cfs) does not apply to schools

.5 x 245 x 1.48 = 242.55 AFA

THEORETICAL: NO Z VALUE


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion:

3N, 2E, S. 7 NE 1/4 of SE 1/4

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	7													18				18

MICROFILMED

MAY 12 1987

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

BD 1/6/87

Examiner's Signature

Stan Lester

Date


7/16/86

Checked by

Date

Approved by

Date



7.5 MINUTE SERIES (TOPOGRAPHIC)

17°30'

360000 FEET

R. 1 E. R. 2 E.

1/8 MI. TO U.S. 20 & 26

116°15'

43°37'30"


(601)


#7

0.9 MI. TO U.S. 20 & 26
BOISE (STATE CAPITOL) 2.8 MI.

710000
FEET

63-9423





MICROFILMED

MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-9423
Permit No.

RECEIVED

FEB 09 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index SL 7/15/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: 63-2913 LICENSE - 16 cfs domestic & homes

Check of P/U index SL 7/15/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: 63-2913

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? SL 7/17/86 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

MAY 12 1987

C. Review and Processing:

Exam Completed Stan Lester 7/16/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SL 7-1-86 (Initial and date)

Exam Reviewed by Manager of Regional Office DRS 1/14/87 (Initial and date)

Exam Date Entered in Computer 7-1-86 (Initial and date)

Exam sent to State Office SL 2-4-87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File SL 2/5/87 (Initial and date)

4/86

RECEIVED

JUN 19 1986

Department of Water Resources
Western Regional Office**KEYPUNCHED**

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 400 *OK*Date 6/26/86Receipt # 40394Receipt by MBSent to S.O. 7/1/86**RECEIVED**

JUN 19 1986

1. Permit No. 63-9423 (West Jr. High)

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Independent School District of Boise3. Post Office Address: 1207 Fort StreetBoise, ID 83702 Telephone No. 338-34204. Source of Water: Groundwater RH 8-29-80

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 18 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 0.5 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Circa: Sept. 14, 1981

8. Person to contact to accompany the department representative during the field examination:

Nolan Lowe

(Name)

MAY 12 1986Independent School Dist. of Boise 405 Collins Rd.

(Address)

338-3420

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

June 11, 1986

Signature of Permit Holder (and title, if appropriate)

Frank BurgessSup of Bldg & Grounds



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720

A. KENNETH DUNN
Director

63-9423
INDEPENDENT SCHOOL DIST. OF BOISE
1207 FORT ST.
BOISE, ID 83702

138959

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit a fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MAY 12 1987

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAY 12 1984



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

May 13, 1982

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

Mr. Bill Harman
Sundance Business Park
5220 Franklin Suite B-101
Boise, Idaho 83705

RE: Water Rights Within Contaminated Area

Dear Mr. Harman:

Upon receiving the map from you we researched water rights within the contaminated area. Enclosed please find copies of the three water rights that appear to represent groundwater diversions within the area.

Note that the two licenses represent diversions that have been measured and verified as to location. One of the licenses is in the name of the Salt Lake Pipe Line Company, which may have preceeded Chevron in developing the tank farm

The permit, in the name of Independent School District of Boise City, allows development of the groundwater system until September 1, 1985. The well may or may not be drilled for this permit at this time.

Please be advised that wells that are used for single household domestic purposes are not required to be filed with the State. Also, until March 25, 1963, a water right could be developed from groundwater by diversion and beneficial use. There is a chance that wells of these types could exist within the contaminated area.

I hope that this information will be of assistance in your attempts to mitigate the leakage problem. Please advise this office if we can assist you further.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Supervisor, Water Allocation Section

DRT:jg

Enclosure

ENCLOSURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

September 14, 1981

Independent School Dist. of
Boise City
1207 Fort St.
Boise, Idaho 83702

RE: 63-9423

Dear Sirs;

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for


If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9423

Name(s) of Permit Holder: Independent School District of Boise City

Post Office Address: 1207 Fort Street

Boise, Idaho 83702 Tel. No. 336-1370

Source of Water: Groundwater (West Junior High School)

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 15 _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/9/81
Date

MILWAUKEE

Off Wrench
W. J. Buss
Signature of Permit Holder

Independent School District of Boise City

1207 Fort Street

Boise, Idaho 83702

PLACE
TEN CENT
STAMP
HERE



RECEIVED
JUL 10 1981
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

NOT RECORDED
JUL 10 1981

Sale

October 14, 1980

Don Gribble
Independent Schools of Boise
1207 Fort
Boise, ID 83702

Dear Mr. Gribble:

Re: Permit Nos. 63-9422 and 63-9423

Pursuant to our telephone conversation this morning, enclosed are the two statement of beneficial postcards you requested.

If you have further questions or need any assistance, please feel free to contact me.

Sincerely,

RITA FLECK
Sr. Secretary

Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

INDEPENDENT SCHOOL DIST. OF BOISE CITY
1207 FORT ST.
BOISE, ID 83702

SEPTEMBER 24, 1980

RE: PERMIT NO. 63-9423

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6hs

APPLICATION NUMBER: 62-9423

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: See Item #10
we have in the past allowed
the larger diversion rates
to schools and parks. 6hs

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ NO Other rights on same place of use. None Found
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/25/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/19/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 7/18/80 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: DJS

Date: 8/25/80

STATE OFFICE REVIEW:

Con item 1 & 2 return receipt w/ cover letter
SLW/L05

- ☐ See attached sheet for more information.

By: Robyn

Date: 8/29/80

INDEPENDENT SCHOOL DIST. OF BOISE CITY

1207 FORT ST., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 07/21/1980

Amount: 0.50 CFS

Diversion Point: NESE Sec 07 T 03N R 02E, ADA Co.

Use: IRRIGATION (0.50 CFS) from 03/15 to 11/15

Place of Use: NESE Sec 07 T 03N R 02E FOR 18 ACRES

Diversion Means: WELL AND PUMP.

UNRECORDED

IDENT. NO. 62-9423

WATER RIGHT
DATA ENTRY LOG[illegible]