




SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NW 1/4, SEC. 18, TWP. 4N, RGE. 1W, B.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1W	18	X																

MICROFILMED

APR 04 1988


Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature Jan Grover
Checked by 6LS
Approved by _____

Date 11/4/83
Date 2/26/85
Date _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Bechtold
(Applicant)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-9412

Priority: June 30, 1980 Amount: .22 CFS 24.0 AFA

This is to certify, that RICHARD BECHTOLD
P.O. BOX 74

EAGLE, ID 83616 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 30, 1980, and has submitted proof to the Department of Water Resources on January 3, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .22 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.22 cfs	24.0 afa

LOCATION OF POINT OF DIVERSION(S): NENE , Sec. 18, Township 4N, Range 1W
Ada County

PLACE OF USE: Domestic

TWN RGE SEC

4N 1W 18 NENE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 20 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of March, 1988.

MICROFILMED

APR 04 1988

Director

ENGINEERING — SURVEYING

James J. Howard P.E.
Civil Engineer



J. J. HOWARD CONSULTING ENGINEER

2626 N. 32nd ST.

BOISE, IDAHO 83703

(208) 344-0574

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant RICHARD BECHTOLD Phone 939-8127

Post office address P. O. Box 74, Eagle, ID 83616

2. Source of water supply Groundwater which is a tributary of ---

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 18 Township 4N Range 1W B.M. Ada County, additional points of diversion if any: ---

4. Water will be used for the following purposes:

Amount 0.3 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.3 cubic feet per second and/or b. --- acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pipeline

b. Height of storage dam --- feet, active reservoir capacity --- acre-feet; total reservoir capacity --- acre-feet, materials used in storage dam: ---

Period of year when water will be diverted to storage --- to --- inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is --- inches; proposed depth of well is --- feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 18 Township 4N

Range 1W B.M.

(2) Amount of power to be generated: --- horsepower under --- feet of head.

(3) List number of each kind of livestock to be watered ---

(4) Name of municipality to be served ---, or number of families to be supplied with domestic water 20.

(5) If water is to be used for other purposes describe: ---

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Edwin Kuenzli

b. Who owns the land to be irrigated or place of use Edwin Kuenzli

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant has Land Purchase Contract with Owner

10. Remarks

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed Priority 6/30/80

Received by hlh Date 6/30/80 Time 12:30

Preliminary check by 625 Fee \$ 35.00 # 15632

Receipted by hlh Date 7-9-80

Publication prepared by hlh Date 7-10-80

Published in The Statesman

Publication dates 7/18 & 24/80

Publication approved hlh Date 8-4-80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RA Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9412, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 11 day of August, 1980.

David R. Tuttle
Supervisor, Water Allocations Section



STATE OF IDAHO

DEPARTMENT OF HEALTH
AND WELFARE

DIVISION OF ENVIRONMENT
Statehouse
Boise, Idaho 83720

801 Reserve Street

RECEIVED
JUL 21 1980

Department of Water Resources
Western Regional Office

July 17, 1980

MEMORANDUM

TO: Dave Shaw
FROM: David Sanders
SUBJECT: Application for Permit 63-9412
Richard Bechtold

Since this water system will serve more than ten (10) connections, it is considered a public water supply. Consequently, our department must review and approve the engineering plans of this water system prior to its construction.

David Sanders
- ds

DS/ds

MICROFILMED

COUNTY OF ADA)

4687

Notary Public for Idaho Residing at Boise, Idaho

JUL 25 1990

Department of Water Resources
Western Regional Office

March 28, 1988

RICHARD BECHTOLD
P.O. BOX 74
EAGLE, ID 83616

RE: Permit No. 63-9412

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 29 1988

February 23, 1988

RICHARD BECHTOLD
P.O. BOX 74
EAGLE, ID 83616

RE: Permit No. 63-9412

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc


Enclosure

RECEIVED
APR 04 1988

FEB 27 1985

Permit No.

APR 04 1988



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 NE 1/4, SEC. 18, TWP. 4N, RGE. 1W, B.M.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1W	18	X																

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

APR 04 1988

Examiner's Signature Jan Grover
Checked by 625
Approved by _____

Date 11/4/83
Date 2/26/85
Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MARCH 1, 1983

RICHARD E. BECHTOLD
P.O. BOX 74
EAGLE ID 83616

RE: Permit No. 63-9412

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

APR 04 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9412.

Name(s) of Permit Holder: Richard E. Bechtold (Richard E. Bechtol

Post Office Address: P.O. Box 74, Eagle, Idaho 83616

Tel. No. 343-7721

Source of Water: Well

Extent of Use: ☒ Domestic 21 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other yard and garden irrigation


Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/27/82
Date

Richard E. Bechtold
Signature of Permit Holder

Richard E. Bantol
8975 State Street
Boise, Idaho 83703



RECEIVED

JAN 2 1983
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BECHTOLD, RICHARD
P.O. BOX 74
EAGLE, ID 83616

AUGUST 28, 1980

RE: PERMIT NO. 63-9412

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE


MICROFILMED

To State of Idaho
Department of Water Resources
% Lee Sisco
92 South Cole Rd.
Boise, Idaho

July 10, 1980

Lee;

We as owners of the property located in Star which according to your records was covered under water right #63-2545 have checked with the previous owners of record and have found that they have never used any water permitted under this right that was issued to the Cooperative Oil Association and that we would want this abandoned from this property under right #63-2545 and that the property is irrigated from the artesian well that is on the property.


Richard E. Bechtold
Owner

MICROFILM

63-2545
63-4709

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: OKS

APPLICATION NUMBER: 63-9412

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: The 30 may be as much as 10 high on the domestic chart, but it is not unreasonable.
OKS

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

A representative of Bechtold was in and will furnish a letter stating that 63-2545 is not used on the 5 acres that Bechtold is developing, also 63-4709 filed by Kuenzli is another 5 acre parcel in the NE/4 of 18 not this 5 acres. Mr Bechtold is also filing a claim for 1 domestic and irr. of 5 acres that exists at the present time. When the acreage is subdivided then the well will be used for 20 additional domestics.

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: NO

Date: 7-11-80

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 63-2545, 63-4709
NO OVERLAP
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8-4-80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-25-80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6/30/80 Date of priority recommended.
Special conditions of approval or cover letter. I. P. GW letter
Right-of way clause

By: DRS

Date: 8/4/80

STATE OFFICE REVIEW:

return receipt w/ cover letter
SLW/LOS o cond

- ☐ See attached sheet for more information.

By: Robyn

Date: 8/8/80

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 4, 1980.

C. STEPHEN ALLRED

Director

Published 7/17 & 7/24/80.

1980

BECHTOLD, RICHARD

P.O. BOX 74, EAGLE, ID 83616

Source: GROUNDWATER

Date Filed: 06/30/1980

Amount: 0.30 CFS

Diversion Point: NENE Sec 18 T 04N R 01W. ADA Co.

Use: DOMESTIC (0.30 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 18 T 04N R 01W

Diversion Means: WELL AND PIPELINE.

RECEIVED