




MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: 26 NW SE S. 26 3N 1E

✓ LOT 19, BIK 1 MAPLE RIDGE EAST, SUB. #2

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
✓ 3N	1E	26														1x			1

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

Examiner's Signature Carl E. Mann

Date 7 Oct 2400

Checked by DBS

Date 10/15/80

Approved by Robyn

Date 1/20/81

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-9387 Priority June 3, 1980 Amount .03 cfs

THIS IS TO CERTIFY, that ROY J. or MARION RASMUSSEN
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 63-9387 issued pursuant to Application for Permit dated June 3, 1980,
and has submitted proof to the Department of Water Resources on August 4, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u> at <u>.03 cfs</u> and <u>4.5 acre feet</u>		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
4.5 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 26, Twp. 3N,
Rge. 1E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3N	1E	26																	1

Total number of acres irrigated 1

Point of diversion and place of use known as Lot 19, Block 1, Maple Ridge East,
Subdivision #2.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
January, 19 81.

Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Roy J. &/or Marion K. Rasmussen Phone 362-4178

Post office address 9510 Bienapfle Boise, ID 83709

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ E $\frac{1}{4}$ of Section 26 Township 3N

Range 1E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 cfs for Irrigation purpose on 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose on _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .03 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well with 6" casing;
approximately 150' depth with pipeline to place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ray J. Rasmussen
(Applicant)

Proposed Priority 6/3/80
Received by SSR Date 6/3/80 Time 10:20AM
Preliminary check by CWB Fee \$ 20.00
Receipted by SSR Date 6/3/80 # 16338
Publication prepared by HCH Date 6/5/80
Published in Idaho Statesman
Publication dates 6/12 & 6/19/80
Publication approved HCH Date 6-30-80
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SSR RAA gjm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9387, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 10th day of July, 1980.

L. Glen Sayton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHTS**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9384

SOUTH COUNTY WATER CO.
P.O. BOX 7361, BOISE, ID 83707
Source: GROUNDWATER
Date Filed: 05/27/80
Amount: 1.00 CFS
Reversion Point: SESW Sec 15 T 03N R 1E, ADA Co.
Use: IRRIGATION (1.00 CFS) from 01/01 to 12/31
Domestic (1.00 CFS) from 01/01 to 12/31
Fire Protection (1.00 CFS) from 01/01 to 12/31
Place of Use: NESW Sec 15 T 03N R 01E FOR 70 ACRES
Reversion Means: WELL AND PUMP.

63-9386

EVER RUN DVLP. CO.
70 CHRONIC & ASSOC., 707 N. 27TH, BOISE, ID 83702
Source: BOISE RIVER tributary to LAKE RIVER
Date Filed: 06/04/1980
Amount: 30.00 CFS
Reversion Point: SWNE Sec 24 T 03N R 1E, ADA Co.
Use: WATER QUALITY IMPROVEMENT (30.00 CFS) from 01/01 to 12/31
Place of Use: NENE NWNE SWNE NE NENW NWNW SWNW Sec 24 T 03N R 02
Reversion Means: EXISTING FLOOD CHANNEL.

63-9387

ASMUSSEN, ROY J. &/or MARION
10 BIENAPFL, BOISE, ID 83709
Source: GROUNDWATER
Date Filed: 06/03/1980
Amount: 0.03 CFS
Reversion Point: NWSE Sec 26 T 03N R 1E, ADA Co.
Use: IRRIGATION (0.03 CFS) from 01/15 to 11/15
Place of Use: NWSE Sec 26 T 03N R 01E FOR 1 ACRE
Reversion Means: WELL AND PELINE.

63-9388

DESBURY, FRANK &/or HELEN
11, BOISE, ID 83703
Source: GROUNDWATER
Date Filed: 06/04/1980
Amount: 0.08 CFS
Reversion Point: NESW Sec 24 T 05N R 1E, ADA Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: NESW Sec 24 T 05N R 01E
Reversion Means: PUMP AND PELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. 1st Road, Boise, Idaho 83709 on or before JUNE 30, 1980.
STEPHEN ALLRED
Director
June 12, 19, 1980 4464

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Debbie Madarieta, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of June 12, 1980, and ending with the issue of June 19, 1980.

Debbie Madarieta
Subscribed and sworn to before me this 19th day of June, 1980.

Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

JUN 20 1980

Department of Water Resources
Western Regional Office

MICROFILMED

WATER RIGHT NUMSER 63-9387

OWNER LAST NAME - RASMUSSEN
OWNER LAST NAME - RASMUSSEN
ADDRESS LINE 1 - 9510 BIENAPFLE
ADDRESS LINE 3 -

FIRST NAME - ROY J.
FIRST NAME - MARION K.
ADDRESS LINE 2 -
CITY - BOISE

ORIG OWNER -
ORIG OWNER -

STATE - ID ZIP CODE - 83709

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 06-03-1980 COUNTY - ADA

TOTAL DIV. RATE -

.0400 -CFS

TOTAL DIV. VOLUME - 4.50 AFA TRFR/AMEND -

WATER DIST. -

OLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWSE 26 03N 01E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE -

.0300 CFS, USE DIV. VOLUME -

4.50 AFA

USE - IRRIGATION

PLACE OF USE - TWN 03N RNG 01E SEC 26 TRACT NWSE LOT

AC 01

DECREE NAME -

DATE -

TOTAL ACRES - 1

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 08-01-1981 PERMIT/DENIED - 07-10-1980 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL AND PIPELINS.

IDENT. NO. 63-9387

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 27, 1981

Roy & Marion Rasmussen
9510 Benapple
Boise, Idaho 83709

Dear Mr. & Mrs. Rasmussen,

RE: License No. 63-9387

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

63-9387
Permit No.

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	10/1/80	KC	no letter app. made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

Date 6 OCT. 84 Accompanied by MR. RASAMUSSEN Total Q measured .04
If source is surface water, estimate total flow of source _____
Methods of measurement HP CALCULATION Meets Permit requirements? YES

Measurement calculations: $.75 * .8 \times .08 / 90 + (.30 / .13) = .04 \text{ CFS}$
Allow .03 AS per permit

[illegible]

System Description domestic well, 6 inch casing 155' deep pump at 90'
well

**Code with map on reverse side. Disregard code if only one.*

Irrigation requirement = 4.5 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
DOMESTIC	.04	1.2	3/1	10/84
I.R.	.03	9.5	3/15	11/15
Total	.04 ✓	4.5 ✓		

Remarks 155' deep pump Act 85-98

A hand-drawn diagram on a grid background. The grid consists of 8 columns and 8 rows. The diagram includes the following elements:

- A horizontal line segment labeled $1E$ at its right end, located in the second row from the top.
- A vertical line segment labeled $2E$ at its top end, located in the fifth column from the left.
- A vertical line segment labeled $3N$ at its bottom end, located in the third column from the left.
- A point marked with an 'x' at the intersection of the horizontal line $1E$ and the vertical line $2E$.
- Labels $P.O.$ and $P.O. 1.$ are written near the point 'x'.

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ~~26~~ NW SE S. 26 3 N 1 E
LOT 19, BIK 1 Maple Ridge East, sub. #2

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above ☒ None

☐ Add P.U. as reflected above ☐ Other

Date 7 Oct 1980

Date 10/15/80

Date 1/20/81

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

AUG 4 1980

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9387

Name(s) of Permit Holder: ROY J. & MARIAN RASMUSSEN

Post Office Address: 9510 BIENAPPEL
BOISE IDAHO 83709

Source of Water: WELL

Extent of Use: ☒ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 1 _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug-14, 1980
Date

Roy Rasmussen
Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

September 30, 1980

Roy J. &/or Marion K. Rasmussen
9510 Bienapfle
Boise, ID 83709

RE:

Permit No. 63-9387

Dear

Mr. and Mrs. Rasmussen

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

☒ If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RASMUSSEN, ROY J. & MARION K.
9510 BIENAPFLE
BOISE, ID 83709

JULY 23, 1980

RE: PERMIT NO. 63-9387

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bryan

APPLICATION NUMBER: 103-9387
Reshussen

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/30/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-20-80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 6/3/80 Date of priority recommended.
Special conditions of approval or cover letter. I. P. Gw letter

By: DIBS Date: 7/1/80

STATE OFFICE REVIEW:

LOS w/o CONDITIONS

- ☐ See attached sheet for more information.

By: RA Date: 7-8-80

UNRECORDED

RECEIVED

Department of Water Resources

RASMUSSEN, ROY J. &/or MIMON K.

9510 BIENAPFL, BOISE, ID 83709

Source: GROUNDWATER

Date Filed: 06/03/1980

Amount: 0.03 CFS

Diversion Point: NWSE Sec 26 T 03N R 01E, ADA Co.

Use: IRRIGATION (0.03 CFS) from 03/15 to 11/15

Place of Use: NWSE Sec 26 T 03N R 01E FOR 1 ACRES

Diversion Means: WELL AND PIPELINE.

MICROFILMED