


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Keith E. Woolley
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

NOV 20 1987
MICROFILMED

A. GENERAL INFORMATION

Permit No. 63-9367

1. Owner: Keith E Wooley

Phone No. 587-9210

Current Address: P.O. Box 550 Mountain Home, Id 83647

2. Accompanied by: No one at the cabin

EXAM. DATE: 6-15-87

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 20 1989


Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).




Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1959. Field checked 1964

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west zone



2870 1
(DANSKIN PEAK)
1:62 500

DOTTI

63-936.7.



P.D.
Collection box
with protective
structure at
Spring
Looking WSW



Storage tank
with protective
structure
Looking NNE

MICROFILMED

NOV 20 1989

63-9367



P. U
cabin
Looking East



5 gallon
bucket
filled from
the pipe ~~in~~
in the concrete
pad
Looking West

MICROFILMED

NOV 20 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09367

Priority: April 16, 1980

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.03 CFS
1.2 AF

This is to certify, that KEITH E. WOOLEY, DEC.
1140 N. 8TH E.

MOUNTAIN HOME, ID 83647 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 16, 1980; and has submitted Proof of Beneficial Use on August 21, 1986. An examination indicates that the works have a diversion capacity of .030 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 11, Township 02N, Range 07E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02N 07E 11

NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of OCTOBER, 1989.

MICROFILMED

NOV 30 1989

Norman C. Young
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Keith E. Wooley Phone 587-⁹²¹⁰~~3654~~

Post office address 1140 N. 8th E., Mountain Home, ID 83647

2. Source of water supply springs which is a tributary of sinks

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 2N

Range 7E B.M. Elmore County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for Irrigation purposes from 3/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
pipeline and small reservoir

b. Height of storage dam _____ feet, active reservoir capacity less than 1 acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 2N
Range 7E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	7E	11					40												40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above.

none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Irrigation for tree farm.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith E. Woolley
(Applicant)

Proposed Priority 4/16/1980

Received by S Date 4/16/80 Time 10:30 a.m.

Preliminary check by CWB Fee \$ 20 # 16253

Received by S Date 4/16/80

Publication prepared by HLH Date 4/24/80

Published in Mountain Home News

Publication dates 5-1/8-80

Publication approved HLH Date 5/19/80

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9367, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 24th day of September, 1981.

J. Glen Sayton
Chief, Operations Bureau

**NOTICE OF APPLICATIONS
FOR WATER RIGHTS**

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:
61-7402

**TOWN & COUNTRY WATER
USERS ASSOCIATION**
335 DUTTON DRIVE, MOUNTAIN
HOME, ID 83647
Source: GROUNDWATER
Date Filed: 04/15/1980
Amount: 0.57 CFS
Diversion Point: SWSE Sec 15 T 03S
R 06E, ELMORE Co.
Use: DOMESTIC (0.23 CFS) from
01/01 to 12/31; IRRIGATION (0.34 CFS)
from 03/15 to 11/15
Place of Use: SWSE Sec 15 T 03S R
06E FOR 17 ACRES
Diversion Means: WELL & PUMP
63-9367

WOOLEY, KEITH E.
1140 N. 8TH E., MOUNTAIN
HOME, ID 83647
Source: SPRINGS tributary to
SINKS
Date Filed: 04/16/1980
Amount: 0.12 CFS
Diversion Point: NWNW Sec 11 T
02N R 07E, ELMORE Co.
Use: IRRIGATION (0.08 CFS) from
03/15 to 10/15; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWNW Sec 11 T 02N
R 07E FOR 40 ACRES
Diversion Means: PIPELINE &
RESERVOIR

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 19, 1980.

C. STEPHEN ALLRED
Director
Published 5/1 & 5/8, 1980.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Gloyd S. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

2 consecutive weeks, the first publica-
tion having been made on the 1 day
of May, 1980, and
the last publication having been made on the
8 day of May,
1980; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Gloyd S. Waters

Subscribed and sworn to me this 8
day of May, 1980.

Gloyd S. Waters
Notary Public

October 24, 1989

KEITH E. WOOLEY, DEC.
1140 N. 8TH E.
MOUNTAIN HOME, ID 83647

RE: PERMIT NO. 63-09367

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 20 1989

September 27, 1989

KEITH E. WOOLEY, DEC.
1140 N. 8TH E.
MOUNTAIN HOME, ID 83647

RE: PERMIT NO. 63-09367

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOV 30 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
6309367	02N	07E	11	NW NW		SPRINGS	WOOLEY, KEITH

NOV 29 1977

RECEIVED

STATE OF IDAHO
MAR -1 1988 DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Department of Water Resources
Beneficial Use Field Report

63-9367
Permit No.

PD NW NW 11
PJ 2N
7E

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report NO
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 74 5-27-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index DD 5-27-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Carter Antelope 6-16-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent JW 1/13/88 (Initial and date)
Exam Reviewed by Manager of Regional Office DM 2/19/88 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office CRA 2/22/88 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-9367

1. Owner: Keith E Wooley

Phone No. 587-9210

Current Address: P.O. Box 550 Mountain Home, Id 83647

2. Accompanied by: No one at the cabin

EXAM. DATE: 6-15-87

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system as a 2' x 3' x 1' deep concrete collection box at a spring approximately 475' south of the cabin, up a ravine. A 1" black plastic pipe runs from the collection box 100' to a concrete storage tank 4' x 4' x 3' deep. Both the collection box and storage tank have galvanized corrugated steel roofs and sides above the concrete. From the storage tank

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NA					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	11	2N	7E	Elmore	Topographic map

6. **Place(s) of Use:**

Indicate Method of Determination Topog. map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	7E	11					X												

Do not use this space

MICROFILMED

NOV 20 1989

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
stopwatch						

2. Measurements:

5 gallon bucket filled in 25 seconds water came from storage tank. = 12 gpm.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gallon}}{25 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}} \times \left(\frac{1 \text{ cfs}}{448.8 \text{ gpm}} \right) = .03 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

MICROFILMED

NOV 20 1989

2. Volume Calculations for Other Uses:

$$.03 \times 1.98 \times 365 = 21.681$$

Allow 1.2 afa for single domestic with irrigation

H. REMARKS AND OVERLAP REVIEW ANALYSIS

the pipe is buried and runs 375' to the cabin. ~~Another concrete storage tank on the north side of the cabin is approx. 10' x 12' x 3' deep.~~ 3 outside faucets allow for ~~main~~ irrigation of plants around the cabin. The only measurement possible was the flow from the storage tank. The irrigation for the tree farm as described in the application was never developed.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
domestic w/irrigation	1-1	12-31	0.03	1.2
Totals:			0.03	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
 ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Carter Fritschle

Signature

Carter Fritschle

Op 11/3/88

Certification Date

Field Report Preparation Date

6-15-87


CONSULTANT SEAL


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

NOV 20 1989

DOM 5/31/89







Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1959. Field checked 1964


Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system.
West zone



DOTT

28701
(DANSKIN PEAK)
1:62,500

63-9367



P. U.
Cabin
Looking East




5 gallon
bucket
filled from
the pipe ~~in~~
in the concrete
pad

Looking West

MICROFILM

NOV 20 1963

63-9367.



P. D.
collection box
with protective
structure at
spring
Looking WSW



Storage tank
with protective
structure
Looking NNE

MICROFILMED

NOV 20 1989



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 8, 1987

63-9367
WOOLEY, KEITH E.
1140 N. 8TH E.
MOUNTAIN HOME, ID 83647

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp


MICROFILMED

NOV 20 1989

Margaret Shewell

P.O. Box 51570

Mtn. Home, Id. 83647



MICHAEL

NOV 20 1969



RECEIVED



JUL 7 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-9367

Name(s) of Permit Holder(s): Keith E. (deceased) Margaret L. Wooley

Post Office Address: P.O. Box 550 Mountain Home Id.
83647 Tel. 287-9210

☒ I hereby certify that construction of diversion works on the above referenced permit began on June 1982 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7/6/82
Date

Margaret L. Wooley
Signature of Permit Holder

RECEIVED
AUG 21 1986

For Office Use Only

Fee Received 110

Date 8/19/86

Receipt # 111

Receipt by [initials]

Reviewed by [initials]

Sent to region 6-80

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-9367

Name(s) of Permit Holder: Keith E. Wooley (now deceased) Margaret Wooley (wife)

Post Office Address: P.O. Box 550 1140 N 8th E Mtn. Home Id 83647

Telephone No. 587-9210

Source of Water: Springs

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark see enclosed letter

Total rate and/or volume for which proof is submitted 1.5 cfs .07 acre-feet

Show the date water was first diverted and beneficially used under this permit: Aug 1980

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Margaret Wooley 587-9210
(Name) (Telephone Number)

1140 N 8th East Mtn. Home Id. 83647
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Aug. 19, 1986
Date

Margaret L. Wooley
Signature of Permit Holder (and title, if appropriate)

Aug 19, 1986

Dept. of Water Resources:

Because of the death of Keith E. Wooley in 1981, the water ^{was} ~~used for~~ for domestic use only. At the time of the use applied for it was so allotted for domestic use .04 cfs and .08 cfs for irrigation. There has been no development for irrigation.

Margaret Wooley

RECEIVED

WATER

AUG 21 1986

Department of Water Resources

Wooley
P.O. Box 550
Mtn. Home, Id.
83647



Dept. of Water Resources
Statehouse
Boise, Idaho 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
JUNE 30, 1986

138860

WOOLEY, KEITH E.
1140 N. 8TH E.
MOUNTAIN HOME, ID 83647

PROOF DUE NOTICE

RE: PERMIT NO. 63-9367

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WOOLEY, KEITH E.
1140 N. 8TH E.
MOUNTAIN HOME, ID 83647

SEPTEMBER 29, 1981

RE: PERMIT NO. 63-9367

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

100-100000-100000
refilm

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bynum

APPLICATION NUMBER: 63-9367
WOOLEY

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature. *see attachment*
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 5/19/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/19/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 4/16/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECEIVED
SEP 03 1981

By: DBS

Date: 7/14/81

Department of Water Resources

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: Reyn

Date: 9/21/81

RECEIVED
SEP 03 1981

Department of Water Resources

INTER-DEPARTMENT MEMO — 1

FROM Ric

DATE 7-14-81

TO Dave *DBS*

SUBJECT 63-9367

Looked at spring in question. It is flowing no more than 2 gpm at this time. The water from the spring, which is developed, flows down a draw for 500'- 600' before it sinks. It may be possible for the spring water to find its way into a bigger stream during high flow. It does not look like the spring will put out anywhere near .12 cfs the way it is developed and the water stored.


SIGNATURE

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 19, 1980.

C. STEPHEN ALLRED

Director

Published 5/1 & 5/8.

63-9362

MOOLEY, KEITH E.

1140 N. 8TH E., MOUNTAIN HOME, ID 83647

Source: SPRINGS tributary to SINKS

Date Filed: 04/16/1980

Amount: 0.12 CFS

Diversion Point: NWNW Sec 11 T 02N R 07E, ELMORE Co.

Use: IRRIGATION	(0.08 CFS)	from 03/15 to 10/15
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NWNW Sec 11 T 02N R 07E FOR 40 ACRES

Diversion Means: PIPELINE & RESERVOIR