



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x C. E. Harris
(Applicant)





PERMIT 63-9346 INIT
T. R. S. Q/Q
System Diagram
and
Aerial map

T1335

10.3

2

7.4

T1336

3
15.5

1
47.9

12" BURIED
CONCRETE PIPE →

IRRIGATION
DITCH

25.2 ACRES

3

21.4

4
2.2

5

5.9

4.1

NW

2

4.7

NW

3

7.7

SEE
L-

21.5

2
3.3

9

10

16

15

T1427

T1426

T1429

63-9346



#1
P/D and headgate
in the Canyon Canal



#2
Collection tower
that receives water
from a buried 12"
pipe prior to delivery
under Hwy 20-26
to the P/U. This
tower is located
North of the highway.

63-9346.



#3
Place where water
rises into irrigation
ditch adjacent to
the P14.



#4.
Irrigation ditch
and 12" Cipolletti
weir used to
measure flow rate

63-9346



#5
Weir and flow
prior to measure-
ments of flow.



#6.
P14 looking
South from
irrigation ditch.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. G3-9346 Telephone No. 459-6015

Name(s) of Permit Holder(s): C.E. HARRIS

Post Office Address: 15258 GREEN Rd. CALDWELL, IDA. 83605

Source of Water: BOISE RIVER

If ground water, well driller's name: N/A Date drilled: N/A

Extent of Use:
Domestic _____ (No. of households) Irrigation 32 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.64 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1990

One of the following may be a condition of approval of your permit:

~~LOCKABLE~~
~~Measuring~~ device: Required? ☒ Yes ___ No Installed? ☒ Yes ___ No

OR

Flow Measurement Port: Required? ___ Yes ___ No Installed? ___ Yes ___ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

BRENT HARRIS 459-6015
Name Telephone No.

SAME AS ABOVE MICROFILMED
Address

JUN 04 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/26/90 Brent Harris
Date Signature (and title if on behalf of a company or organization)

RECEIVED

MAR 29 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 15.00
Date 3/29/85
Receipt # 36035

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit
Western Regional Office proof of beneficial use on a water right permit

C. E. Harris
(Name)

of Rt 9 Box 193 Caldwell
(Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No. 63-9346

That under the terms and conditions of said permit, work thereunder was required to be completed on or before April 1, 1985, 19

That he has heretofore performed the following work described under said permit:
(This must be filled out! If no work has been completed put none.)

See letter from C. E. Harris

Costing \$

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

I need to get together with the State and County to dispass of the waste water. The county roadway presently blocks the drainage.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to April 1, 1990.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

C. E. Harris
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the proof of beneficial use is extended to April 1, 1990.

Signed this 13th day of June, 1985.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

Completed
Works
JG

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant C. E. HARRIS Phone 459-6015

Post office address Route #5, Box 5000, Caldwell, ID 83605

2. Source of water supply Boise River which is a tributary of Snake River

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 4N

Range 3W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .64 for irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .64 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Canyon Ditch Co. canal to irrigated
ground

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 32

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Canyon Ditch Co.

b. Who owns the land to be irrigated or place of use Applicant _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Agreement with Canyon Ditch Co.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X C. E. Harris
(Applicant)

Proposed Priority 2/19/80

Received by R.W.H. Date 2-19-80 Time 4:20 P.m.

Preliminary check by _____ Fee \$ 35⁰⁰ # 15351

Receipted by AK Date 2/19/80

Publication prepared by AK Date 2/21/80

Published in News Tribune

Publication dates 2/28 + 3/6/80

Publication approved Jim Date 3/21/80

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9346, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) A lockable device, subject to the approval of the Department,
shall be installed on the diverting works in a manner that will provide
the watermaster suitable control of the diversion. (2) The issuance of this
permit in no way grants any right-of-way or easement across the land of
another. (3) Use of water under this permit is subject to control by the
watermaster of State Water District # 63, Boise River.

Witness my hand this 17th day of April, 1980.

L. Glen Saylor

RECEIVED
MAR 10 1980
Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Smith
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following application(s) have
been submitted for permit to appropriate the public waters of
the State of Idaho:

63-9345
CITY OF MARSING
MARSING, Idaho 83639
Source: GROUNDWATER
Date Filed: February 14, 1980
Amount: 0.25 CFS
Diversion Point: Lot 04 (SESE) Sec 34 T 03N R 04W, CANYON
County
Use: MUNICIPAL (0.25 CFS) from January 1 to December 31
Diversion Means: WELL, PUMP, STORAGE TANK,
MAINLINE

63-9346
HARRIS, C.E.
ROUTE NO. 5, BOX 5000, CALDWELL, Idaho 83605
Source: BOISE RIVER tributary to SNAKE RIVER
Date Filed: February 19, 1980
Amount: 0.64 CFS
Diversion Point: NENW Sec 15 T 04N R 03W, CANYON County
Use: IRRIGATION (0.64 CFS) from April 15 to October 15
Place of Use: SWNW SESW Sec 09 T 04N R 03W FOR 32 ACRES
Diversion Means: CANYON DITCH CO. CANAL
If issued, the permit(s) will be subject to all prior water
rights. Protests against the granting of any permit must be filed
with the Director of the Idaho Department of Water Resources,
92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 17, 1980.
C. STEPHEN ALLRED
Director
February 28; March 6, 1980

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a
party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Free
Press and The News-Tribune, a daily, (except Sun-
day) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of
Idaho; that the said newspaper is in general cir-
culation in the said County of Canyon, and in the
vicinity of Nampa and Caldwell, and has been unin-
terruptedly published in said County during a
period of seventy-eight consecutive weeks prior to
the first publication of the notice, a copy of which is
hereto attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

February 28, 1980
March 6, 1980

Suzanne Smith
Subscribed and sworn to before me this _____
_____ day of _____
19 80
Janne Sisk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1981

MEMORANDUM

TO: File 63-09346

FROM: Sharla

DATE: June 3, 1999

RE: Telecon

On this date I spoke with Marjorie Maxwell from the Canyon Ditch Co. concerning the 79 shares of water from the company that the right holder maintains. She explained that the shares are used on land owned by the right holder to the **north** of the highway. The tract of land under this right is a parcel that has no ditch company shares appurtenant to it. Lands on all four sides of this tract are served by the ditch company, but this parcel isn't considered under their service – she thought maybe this was a result of an age-old feud.

Canyon Ditch Company hereby authorizes Richard E. & Donald B. Harris to use the Canyon Ditch Company canal system as a means of conveyance to deliver irrigation water under water right 63-09346 dated 2-10-1980 maximum allotment 0.640 CFS from the Boise River take out point to lands owned by Richard E. & Donald B. Harris. Availability of irrigation water to be determined by Idaho Water District #63. Said property located at T04N R03W S9 Canyon County, more specifically SWNW 7 acres & SESW 25 acres for a total of 32 acres with a assigned address of 15521 W. Hiway 20-26 Caldwell, Idaho.

In addition HARRIS MINK FARMS also Maintains 79 shares of irrigation water delivered by Canyon Ditch Company.

This authorization is for the 1999 irrigation season and must be renewed each irrigation season.

Yearly cost for this service to be determined at annual shareholders meeting.

I, we the undersigned have entered into this agreement.

Mitch Biscandi
President
Canyon Ditch Company
P.O. Box 1437
Caldwell, Id. 83606-1437

Dated 3-30-99

Donald B Harris
President
Harris Mink Farm
15258 Green Road
Caldwell, Id. 83605

Dated 5/7/99

Richard E Harris and
Donald B Harris
Co-owners
15521 W. Hiway 20-26
Caldwell, Id. 83605

Dated 5/19/99

Dated 5/7/99

Post-It® Fax Note	7671	Date	5-26-99	# of pages	2
To	SHARLA CURTIS	From	MARGE		
Co./Dept	WATER RESOURCES	Co.	CANYON DITCH Co		
Phone #		Phone #			
Fax #	327-7866	Fax #	327-2754		

9:06 No.003 P.02

MAY 25 '99

ID:

UNITED OIL CALDWELL

WRS000RP
No. 63-09346IDaho DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORTDATE: 03/12/99
PAGE: 3

DIVER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	C. E. HARRIS RT. 9 BOX 193 CALDWELL ID 83605	02/19/1980	IRRIGATION	04/15 10/15	0.540 CFS	
TOTAL DIVERSION:					0.640 CFS	

Water Source: BOISE RIVER

Tributary to: SNAKE RIVER

Status: PERMIT

Point(s) of Diversion:

T04N 003W S15

NE1/4

CANYON County

Place of Use Legal Description for: IRRIGATION

NE				NW				SW				SE				
NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	SUM
T	R	S	LT AC	LT AC	LT AC	LT AC	LT AC	T	R	S	LT AC	LT AC	LT AC	LT AC	LT AC	LT AC
04N	00W	9														
															32.0	
TOTAL ACRES															32.0	

Pou County: CANYON

Conditions of Approval:

- 070 - A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
- 004 - The issuance of this right does not grant any right-of-way or easement across the land of another.
- 005 - Use of water under this right is subject to control by the watermaster of State Water District No. 63.

Dates: App. Received: 02/19/1980
 Proof Due Date: 04/01/1990
 Exam Made Date: 08/08/1991
 Licensed Date:

Priority Date: 02/19/1980
 Proof Made Date: 03/27/1990
 Exam Sent to S.O.: 02/17/1992

Misc: Water District Number: 63 Field Exam Fee: R (Received)

MEMORANDUM

TO: File 63-09346

FROM: Sharla

DATE: December 29, 1998

RE: Agreement with Canyon Ditch Co. (CDC)

On December 28, I left a message for the Harris' asking for an update on the agreement with the ditch company. After having not received a response from my phone message, I called Marjorie Maxwell of Canyon Ditch Co. She told me that an agreement was made around December 10 at their board meeting. She stated that a written agreement is being prepared for signature and she will fax a copy to me at that time. The agreement will have to be renewed every year.

A special condition(s) will be placed on the license highlighting the requirement for yearly authorization from CDC for use of their conveyance system to deliver Boise River water to the place of use under this right.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 23, 1998

Marjorie Maxwell
Canyon Ditch Co
PO Box 1437
Caldwell ID 83606

Re: Permits 63-09346 and ~~63-09347~~

Dear Ms. Maxwell,

In December of 1997, Cindy Bird of this department contacted you regarding an agreement between Canyon Ditch Co. and C E Harris relating to the above referenced permits. As of this date we still have not heard from you regarding this matter.

Have you executed an agreement with Mr Harris yet? If not, do you expect to have a completed document soon? Please update me either way as soon as possible because we cannot issue Mr Harris' licenses until we receive the agreement. You may call me direct at (208) 327-5452. Your quick attention to this matter will be appreciated.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

Sharla Curtis
Water Resource Agent

SC/rl

MEMORANDUM

TO: ~~Sharla Curtis~~ File # ~~63-08627~~ 63-09346
FROM: Cindy Bird *CB*
DATE: December 23, 1997
SUBJECT: 63-08627 and 63-09346

This morning I contacted Marjorie Maxwell from Canyon Ditch Company to obtain a copy of their agreement with C.E. Harris. Marjorie stated that they have no agreement with Mr. Harris. She also stated that Mr. Harris is aware of this request and that she needs time to contact a lawyer to draw up an agreement. She requested until July of 1998 if possible. Mr. Harris assumed that his father had taken care of this before now.

Marjorie Maxwell

PO Box 1437

Caldwell Id

83606

459-6363

459-2754 fax

12/10 yearly meeting



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 19, 1997

C. E. Harris
15258 Green Rd.
Caldwell, ID 83605

RE: Permit No. 63-09346

Dear Mr. Harris:

We are in the process of reviewing two permits for licensing, Nos. 63-08627 and 63-09346. Permit 63-09346 is for the use of Boise River water for irrigation purposes. When the application for permit was filed, you noted on the form that Canyon Ditch Co.'s canal would be used as the conveyance system for your diversion from the river to your place of use. You also stated you had an agreement with Canyon Ditch Co. for this conveyance.

I am writing to ask you for a copy of the agreement so that it can be placed in our file and we can resume our review for licensing purposes. If you are unable to locate a copy of the agreement, let me know so that I can contact the ditch company for a response. If you have any questions, give me a call.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS
Water Resource Agent

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-09346 DATE 5/26/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .64 cfs

Fee limit 1.00 cfs \$100⁰⁰

Measured .78 cfs

Theoretical — cfs

1/4 of flow
 Recommended Total Div Rate .20 cfs

WATER USES

WATER USES	Change (P46)	
<u>Dom</u>	<u>.20</u> cfs	<u>2.5 x 4.5</u> af
	cfs	af
	cfs	af
	cfs	af
	cfs	af
TOTALS	<u>.20</u> cfs	<u>112.5</u> af

Irrig - overlap (R58-R61, R62-R65, R66-R69)
 supp. ~~sw (W42/W43/W44/W45)~~
 overlap spec. combined ~~its (W31)~~
 <1 acre (W31)
 Domestic (W01/WB5/070/071/075)
 Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .20 cfs X 246 days X 1.98 = 97.4 af

REMARKS

ADD'L CONDITIONS Ret Watermaster Control WD# 63
GW Measurement/Measuring Device

Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no

SRBA Claim N/A

Adjust Memo _____
 Amend letters _____

July 21, 1992

C E HARRIS
15258 GREEN RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-09346

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

LICENSE REVIEW CHECKLIST


Permit # 63-09346

Date 7-17-92
GS


	Yes	No		
NAME	☒	☐	Address Change?	
PRIORITY DATE	☐	☒	Advance?	
	☐	☒	Memo to Advance	
	☐	☒	Order to Reinstate Needed?	
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?	
	☐	☒	Disagree with Actual Measurement?	
	☐	☐	<u>.02 x 25 = .50 cfs (IRR)</u>	
	☒	☐	Disagree with Theoretical?	
	☐	☒	Limited by Capacity? <u>.78 cfs</u>	
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>	
			<u>3-15 to 11-15</u> Standard Irr. Season	
			<u>4-15 to 10-15</u> Per Permit Season Recommended	
	☐	☒	Disagree with Examiner's Calculations?	
	☐	☐	<u>25 x 4.5 = 112.5 cfs (IRR)</u>	
	☐	☒	Limited by Flow? <u>.5 x 183 x 1.9835 = 181.5 > 112.5</u>	
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>	
	☐	☒	<u>Intended</u> source	
	☐	☒	Notice of Intent to Void.	
P/D			Verify with Map	
	☐	☒	Amendment Needed? <u>Add Lot 4</u>	
	☐	☒	Is Overlap Analysis a Consideration?	
P/U			Verify with Map	
	☐	☒	Amendment Needed? <u>Drop SWNW</u>	
	☐	☒	Is Overlap Analysis a Consideration?	
USES	☐	☒	Change(s) in Nature of Use?	
	☐	☒	Amendment Needed?	
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?	
	☐	☒	Non-Irr. Uses	
	☐	☒	Special Overlap Condition	
	☐	☒	Other	
CONDITIONS	<u>R02</u>	☐	Measuring Device	DATES/MISC
	<u>R04</u>	☐	W/Master Control	<u>63</u> Water Dist.
	<u>R32</u>	☐	Overlap	☒ App Rec'd
	☐	☒	Water Quality	☒ Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, Rate

License 10-Day ✓ 15-Day Special Correspondence



The resurvey represented by this plat
of correcting the old erroneous survey of the
banks of Boise River through the sections at



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED
FEB 20 1992

A. GENERAL INFORMATION

1. Owner: C.E. Harris Permit No. 63-9346
Phone No. 459-6015
Current Address: 15258 Green Rd. Caldwell, Idaho 83605
2. Accompanied by: Brent Harris and Elwood ? EXAM. DATE: 8-8-91
Address: same Phone No. 459-6015
Relationship to Permit Holder: owner's son and farm hand.
3. Source: Boise River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: 63-00138C, 63-00138D
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

See attached Aerial map

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is diverted from the Boise River into the Canyon Canal. It flows SW under I 84 and then NW under Hwy 20-26 for approx. 1 1/2 miles in the canal until it is diverted at a headgate into a buried 12" concrete pipe. The buried pipe flows south about 1300' and goes under Hwy 20-26 into an irrigation ditch. The ditch flows west about 4 miles to provide irrigation by gravity flow.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>NA</i>					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				<i>NE NW</i>	<i>15</i>	<i>4N</i>	<i>3W</i>	<i>Canyon</i>	<i>Orthophoto quad map</i>

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>4N</i>	<i>3W</i>	<i>9</i>												<i>25</i>					<i>25 ac</i>

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
12" cipolletti	weir					
staff gauge						

2. Measurements:

.15 on 12" cipolletti weir equalled $\frac{1}{4}$ of potential flow.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.15 on 12" cipolletti = .195 cfs $\times 4$ = total of .78 cfs.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31$ = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8$ = _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34$ = _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732$ = _____ (6)

Panel Input HP: (6) $\times 1.34$ = _____ (7) Efficiency: (5)/(7) $\times 100$ = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 25 \times 4.5 = 112.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .5 \times 246 \times 1.9835 = 243.9 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 112.5 \text{ ofa}$

2. Volume Calculations for Other Uses:

NA

H. REMARKS AND OVERLAP REVIEW ANALYSIS

63-00138C and 63-00138D are irrigation district rights that divert from the Boise River at the same P/D as this permit but do not affect this permit.

The irrigation component in the SWNW of S9, 4N, 5W of 7 acres was not developed. P/U size determined by grid overlay and planimeter. The headgate valve and valve in the delivery ditch can only be opened about $\frac{1}{4}$ at a time because the ditch will not carry any greater flow. A $\frac{1}{4}$ flow rate measured .195 cfs therefore, a full flow rate would equal .78 cfs which is sufficient to license a full 1" to the acre. The small ditch requires more time and effort to irrigate the 25 acre P/U than would be needed with a bigger delivery ditch.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.50 cfs	112.5 afa
Totals:			.50 cfs	112.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name


JFW 1/29/92

Signature

Certification Date

Field Report Preparation Date

Melvin T. Schulte
Melvin T. Schulte
10-31-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

PERMIT 63-9346 INIT
T. R. S. Q/Q
System Diagram
and
Aerial map

T1335

10.3

T1336

12" BURIED
CONCRETE PIPE →

3
15.5

47.9

IRRIGATION
DITCH

25.2 ACRES

3
21.4

42.2

5
5.9

T1427

T1426

SEE
L-

21.5

9 10
16 15

2
3.3

4.1
2
4.7
3
7.7

8.1

NW

NW

NW

NW

NW

NW

NW

NW

NW

NW

NW

NW


NW

NW

NW

NW

63-9346




#1
P/D and headgate
in the Canyon Canal



#2
Collection tower
that receives water
from a buried 12"
pipe prior to delivery
under Hwy 20-26
to the P/D. This
tower is located
North of the highway.

63-9346.



#3

Place where water
rises into irrigation
ditch adjacent to
the P14.



#4.


Irrigation ditch
and 12" cippolletti
weir used to
measure flow rate

63-9346



#5

Weir and flow
prior to measure-
ments of flow.




#6.

P14 looking
South from
irrigation ditch.

PERMIT 63-9346 INIT

POINT OF DIVERSION
FROM BOISE RIVER

PLACE OF USE



June 12, 1992

C. E. HARRIS
RT. 9 BOX 193
CALDWELL ID 83605

RE: Water Right No. 63-09346

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 8, 1992

C. E. HARRIS
RT. 9 BOX 193
CALDWELL ID 83605

RE: Water Right No. 63-09346

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

May 19, 1992

C. E. HARRIS
RT. 9 BOX 193
CALDWELL ID 83605

RE: Water Right No. 63-09346

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

May 21, 1990

C. E. HARRIS
RT. 9 BOX 193
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-09346

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

INDEXED

JUN 04 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-9346

Date: 5-16-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
N Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138138

January 31, 1990

C. E. HARRIS
RT. 9 BOX 193
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-09346

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 04 1990

June 14, 1985

C. E. Harris
Rt. 9, Box 193
Caldwell, ID 83605

Dear Mr. Harris:

Re: Permit No. 63-9346

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to April 1, 1990.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure: Ext. of Time

MICROFILMED

STAFF REVIEW OF REQUESTS FOR EXTENSION OF TIME

Permit Number 63-9346

- Y Date received stamp
Y Fee received and receipted
Y Name on request same as on permit
N Address same permit as on latest correspondence
Y Proof due date within six months of due date
X Signature same as permit
- Source of water the same
- Review conditions of approval
N Extensions previously approved
Y Proceed diligently
N Is delay caused by litigation: Swan Falls
 Date lit. completed
 Date lit. began
 Period of delay
 New proof due date

ACTION: *Recommend approval based on due diligence*

- Y Is the extension timely received?
N Reinstate: Extension received
 Proof due date
 Days late
 Priority date
 Adjusted priority date
Y Is there commencement of works?
 Cover letter
 Coding sheet
 Rolodex card updated and refiled

Reviewed by *[Signature]* Date: 6-13-1985

MICROFILMED

3/29/85

Dept of Water Resources:

Dear Sirs:

I have obtained permission from the Canyon Ditch Co (I am a member) to divert the water from the Boise River and have it metered through their facilities and delivered to my property through their canal and to be charged any proportionate share for its use.

Have installed a pipe line through my property and across highway 20-26 with headgates for far control. The approximate total cost in conjunction with Howard Kent of \$7,500⁰⁰

There is still a problem of disposing of the waste water. I have open a drain through State property (The Caldwell Ponds) Contacted the State and had an appointment with Mr Reed to look over the situation. He said he couldn't foresee any reason why it couldn't be done.

Also had to cross a County road. The Co man said if I would furnish the pipe they would install it.

The Co road presently blocks the drainage

Sincerely Yours
C E. Harris

RECEIVED
MAR 29 1985

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138664

HARRIS, C.E.
ROUTE #5, BOX 5000
CALDWELL, ID 83605

PROOF DUE NOTICE

JANUARY 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9346 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HARRIS, C.E.
ROUTE #5, BOX 5000
CALDWELL, ID 83605

APRIL 23, 1980

RE: PERMIT NO. 63-9346

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A LOCKABLE DEVICE THAT WILL PROVIDE THE WATERMASTER CONTROL OF YOUR DIVERSION WORKS.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

FROM Jim Johnson

DATE 4-18-80

TO File

SUBJECT Applications on the Boise River

Per administrative memorandum of January 22, 1980 each application for new appropriation of Boise River water should be reviewed to determine if water is available.

This application is located downstream from Middleton which Boise River has sufficient recharge from return flows to fill existing rights.

Henry Koelling the Boise River watermaster confirmed that water was available for new application in said reach of the River per telecon 4-17-80.

SIGNATURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Byrnes

APPLICATION NUMBER: 63-9346

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/17/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/10/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
2/19/80 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Right of-way clause
W.M. condition
measuring device to be located at diversion
from river

By: DBS Date: 3/18/80

STATE OFFICE REVIEW:

010 04 05 (63 Boise River)

I.P.L. w/lock Device

- ☐ See attached sheet for more information.

By: Jim Date: 3/21/80

HARRIS, C.E.

ROUTE #5, BOX 5000, CALDWELL, ID 83605

Source: BOISE RIVER tributary to SNAKE RIVER

Date Filed: 02/19/1980

Amount: 0.64 CFS

Diversion Point: NENW Sec 15 T 04N R 03W CANYON Co.

Use: IRRIGATION (0.64 CFS) from 04/15 to 10/15

Place of Use: SWNW SESW Sec 09 T 04N R 03W FOR 32 ACRES

Diversion Means: CANYON DITCH CO. CANAL

MICROFILMED