


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Boise City Park Superintendent

Should questions arise during the processing of this application please contact:

Form 219
6/86
CHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

Idaho Department of Water Resources
Western Region Rec'd 1-9-87
Statehouse
Boise, Idaho 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 8 1987

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-9326

1. Owner: City of Boise, Dept. of Parks - Demeyer Phone No. 384-4240

Current Address: 1104 Royal Blvd., Boise, ID 83706

2. Accompanied by: Bill Haven EXAM. DATE: 11-7-86

Address: Same as above Phone No. 384-4240

Relationship to Permit Holder: Employee

3. Source: Ground Water tributary to ----

B. OVERLAP REVIEW

1. Other water rights with same place of use: None recorded

☐ Copies Attached


2. Other water rights with same point of diversion: None recorded

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

AUG 05 1988

Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09326

Priority: January 5, 1980 Amount: 0.18 CFS 9.5 AFA

This is to certify, that CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated December 21, 1979, and has submitted proof to the Department of Water Resources on January 16, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .570 cfs of water from a **GROUNDWATER** source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	03/01 to 10/31	0.18 CFS	9.5 AFA

LOCATION OF POINT OF DIVERSION(S): SWSE , Sec. 27, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 01E 27	SESW 2			2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use also known as DeMeyer Park.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 19th day of July, 1988.

Director

AUG 05 1988

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-9326

RECEIVED

MAY 27 1988

Date of Priority: January 5, 1980

Comes now CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

Department of Water Resources

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 63-9326, and requests that the permit be changed as follows:

De MEYER

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>	
Irrigation	03/01 to 10/31	.18 cfs	9.5 afa	
<u>LOCATION OF POINT OF DIVERSION(S):</u>		SWSE, Sec. 27, Township 4N, Range 1E Ada County		
<u>PLACE OF USE:</u> Irrigation				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
4N 1E 27	SESW 2			2
Total number of acres irrigated:				2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 1:30 p.m., this 27th day of May, 1988.

MICROFILMED

AUG 05 1988

Paul Phillbrook
(Signature)

Park Designer
Boise Park System

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-9326

FOR DEPARTMENT USE ONLY

C001056

Preliminary check by tw Fee = \$20.00 Received by tw Date 6-1-88

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-9326 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use also known as DeMeyer Park.

Witness my hand this 19th day of July, 1988.

R. Keith Higginson
(Director)

AUG 05 1988

Form 202
RECEIVED

DEC 21 1979

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-9326

APPROVED

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Boise City Park Department (DeMeyer Park) Phone 384-4240

Post office address 1104 Royal Blvd., Boise 83702

2. Source of water supply ground water which is a tributary of —

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 3N

Range 1E B.M. Ada County, additional points of diversion if any: —

None

4. Water will be used for the following purposes:

Amount 0.9 for irrigation purposes from March 1 to October 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.9 cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. —

12-in. well with submersible pump supplying buried sprinkler irrigation system.

b. Height of storage dam — feet, active reservoir capacity — acre-feet; total reservoir capacity — acre-feet, materials used in storage dam: —

Period of year when water will be diverted to storage — to — inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: — $\frac{1}{4}$ of — $\frac{1}{4}$ of Section — Township —

Range — B.M. —

(2) Amount of power to be generated: — horsepower under — feet of head.

(3) List number of each kind of livestock to be watered —

(4) Name of municipality to be served —, or number of families to be supplied with domestic water —.

(5) If water is to be used for other purposes describe: —

DEC 26 1979

Department of Water Resources
Western Regional Office

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
3N	1E	27											6	4					10

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above.

None known

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks Water will be used for night irrigation of DeMeyer Park lawn and planting areas. The amount applied for exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during long daylight-hour days in the summer.

21
Proposed Priority 12/28/79 ¹²⁻²⁶⁻⁷⁹ ^{11:30 A.M.}
Received by JH Date 12-21-79 Time 2:46 P.M.
Preliminary check by CWB Fee \$ 35.00 # 15145
15289
Received by KK Date 1/2/80
Publication prepared by KK Date 1/23/80
Published in Statesman
Publication dates 1/10 - 1/17/80
Publication approved KK Date 1/28/80
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS jr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9326, and said application is hereby approved.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 31st day of January, 1980.

L. Glen Saxton

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Boise City Park Superintendent

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-9326 IN THE
NAME OF BOISE CITY PARK DEPARTMENT

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1985; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on January 1, 1985 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on January 16, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-9326 be REINSTATED and the priority advanced to January 5, 1980.

Dated this 2nd day of May, 1985.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9325

BRADSHAW, DANIEL &/or LAURA
PEARL RT., EAGLE, ID 83616

Source: GROUNDWATER

Date Filed: 12/26/1979

Amount: 0.90 CFS

Diversion Point: NESE Sec 32 T 05N R 01E, ADA Co.

Use: IRRIGATION (0.15 CFS) from 03/15 to 11/15

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESE Sec 32 T 05N R 01E FOR 5 ACRES

Diversion Means: POND, STORAGE DAM & DITCHES

63-9326

BOISE CITY PARK DEPARTMENT,
DE MEYER PARK, 1104 ROYAL

BLVD., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 12/21/ 1979

Amount: 0.90 CFS

Diversion Point: SESW Sec. 27 T 03N R 01E, ADA Co.

Place of Use: SWSW SESW Sec. 27 T 03N R 01E FOR 10 ACRES

Diversion Means: WELL, PUMP SPRINKLER SYSTEM

63-9327

CONNOLLY, EDWARD J., JR.

P.O. BOX 1553, BOISE, ID 83701.

Source: GROUNDWATER

Date Filed: 12/ 31/1979

Amount: 0.80 CFS

Diversion Point: NESW Sec. 27 T 05N R 01E, ADA Co.

Use: IRRIGATION (0.80 CFS) from 03/01 to 10/30

Place of Use: NESW Sec. 27 T 05N R 01E FOR 40 ACRES

Diversion Means: PUMP, PIPE, & SPRINKLER SYSTEM.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho

Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JANUARY 28, 1980.

C. STEPHEN ALLRED
Director

Pub. Jan. 10, 17, 1980

3446

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Cheryl R. Rehwalt, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of January 10, 1980, and ending with the issue of January 17, 1980.

Cheryl R. Rehwalt

Subscribed and sworn to before me this 17th day of January, 1980.

Stanley E. Egan
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

JAN 13 1980

Department of Water Resources
Western Regional Office

July 22, 1988

CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

RE: PERMIT NO. 63-09326

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
AUG 05 1988

April 15, 1988

CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

RE: Permit No. 63-9326

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

AUG 05 1988

Sherl L. Chapman

CONSULTANT

410 S. ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 344-6680

RECEIVED

JAN 08 1987

January 6, 1987


Department of Water Resources

Mr. Dave Tuthill
Western Division
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Dave:

Enclosed you will find six water right exams for the Boise City Department of Parks. These exams were difficult to make because of the lack of data and access but I believe everything the Department needs is included. If you do need any additional information, however, or clarification, please don't hesitate to give me a call.

Sincerely yours,



Sherl L. Chapman
Consultant

SLC:kje
enclosures

MAILED

AUG 05 1988

Idaho Department of Water Resources
Vice President
Statehouse
Boise, Idaho 83720
Rec'd 1-9-87

SPECIALIST IN

GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

COLLINS TUBE MEASUREMENT

DATE: 11-7-86

OWNER: Besse City - Parks - Denoyer Park

CIRCUMFERENCE: _____ OUTSIDE R: .185

PIPE THICKNESS: _____ INSIDE R: .166

FACTOR	Mr (IR Factor)	Mp	Velocity
0.949			6.89
0.837			
0.707			7.22
0.547			
0.316			
0.316			
0.547			
0.707			7.35
0.837			
0.949			6.88

$\bar{V} =$ 7.085

$M_p = P + M_r - O.R.$ where P is chosen reference point
on collins tube

$Q = \bar{V} \pi (IR)^2 =$.569 cfs

Pumping level _____ Pump Type _____

Time Operating 1 hour RPM _____

Pressure at discharge 105 psi Rated Flow _____

Pump motor type _____ GPM _____

Serial No. _____ Head _____

Horsepower _____ Access Port AUG 05 1988

RPM _____ Yes _____

Meter Constants _____ No _____

K = _____ Location _____

Kh = _____

Revolutions _____

Time (seconds) _____

Voltage _____

Amperage _____

L1 _____ L2 _____ L3 _____

*Badger meter on
discharge pipe operative
and accurate*

Should questions arise during the processing of this application please contact:

Form 219
6/86
SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

Idaho Department of Water Resources
Rec'd 1-9-87
Boise, Idaho

RECEIVED
JAN 8 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-9326

1. Owner: City of Boise, Dept. of Parks - Demeyer

Phone No. 384-4240

Current Address: 1104 Royal Blvd., Boise, ID 83706

2. Accompanied by: Bill Haven

EXAM. DATE: 11-7-86

Address: Same as above

Phone No. 384-4240

Relationship to Permit Holder: Employee

3. Source: Ground Water tributary to ----

B. OVERLAP REVIEW

1. Other water rights with same place of use: None recorded

☐ Copies Attached


2. Other water rights with same point of diversion: None recorded

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

AUG 05 1988

Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System utilized to provide water under pressure for solid set buried sprinkler lines for park irrigation. Park will be expanded in the future under a new permit.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	Pioneer	30	P-300	Same	4" discharge

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		NW	SW	SE	27	4N	1E	Ada	Field survey/maps

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	27															2.1		2.1

Do not use this space

NOT RECORDED

AUG 05 1988

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Manometer	Air/water	Collins	36"	---	--	--

2. Measurements:

Flow measured at 105 psi at .569 cfs. Badger meter on line compared favorably.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.1 \times 4.5 = 9.45$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = ---$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9.45$

2. Volume Calculations for Other Uses:

RECEIVED

AUG 05 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Original permit was filed showing incorrect township for both PD and PU. License should be amended to show correct legal description.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	March 15	Nov. 15	.063	9.45
Totals:			.063	9.45

2. Recommended Amendments


- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name Sheri L. Chapman
Signature Sheri L. Chapman
Certification Date June 5, 1986
Field Report Preparation Date 12/26/86



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 05 1988



Sherl L. Chapman

CONSULTANT

410 S. ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 344-6690

RECEIVED

JUN 19 1986

Mr. A. Kenneth Dunn, Director
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Dear Mr. Dunn:

I hereby verify that I have been retained to conduct the water
right examination for water right permit #63-9326 in accordance
with the laws and regulations of the State of Idaho.

Sherl L. Chapman
Sherl L. Chapman

Dated: 6/18/86

MICROFILMED

AUG 05 1988

RECEIVED

JUN 19 1986

Department of Water Resources
Western Regional Office

SPECIALIST IN

GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

EXAM TO BE DONE BY SHERL
CHAPMAN

4/86

RECEIVED
JUN 15 1986

STATE OF IDAHO

Department of Water Resources
Western Regional Office
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received NO FEE OK
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. 7/29/86

RECEIVED

JUN 19 1986

no encl. dr

1. Permit No. 63-9326 DeMeyer Park

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: BOISE PARK SYSTEM

3. Post Office Address: 1104 Royal Blvd.

Boise, Idaho 83706

Telephone No. 384-4240

4. Source of Water: Ground Water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 10 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .9 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Summer of 1981

8. Person to contact to accompany the department representative during the field examination:

N/A

(Name)

(Address)

(Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

June 10 - 86

Paul Philbrook, Park Designer
Signature of Permit Holder (and title, if appropriate)

AUG 03 1988



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

63-9326
BOISE CITY PARK DEPARTMENT
DE MEYER PARK
1104 ROYAL BLVD.
BOISE, ID 83706

Mailing address:
Statehouse
Boise, Idaho 83720

138932

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

AUG 05 1988

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED
JUN 10 1964

AT 10:00

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 63-9326

DATE: 4-24-1985

Date proof received

16

Jan 16

Proof due

- 1

Jan. 1

Number of day proof late

15

Priority date

+ 355

Dec. 21, 1979

New priority date

370

- 365
5 =

Jan 5, 1980

Remarks:

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9326.

Name(s) of Permit Holder: BOISE CITY PARK DEPARTMENT

Post Office Address: 1104 ROYAL BOULEVARD

BOISE, ID. 83706 Tel. No. 384-4240

Source of Water: GROUND WATER (DEMEYER PARK)

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 2 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/15/85
 Date


 Signature of Permit Holder



RECEIVED

JAN 10 1968

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138401

BOISE CITY PARK DEPARTMENT
DE MEYER PARK
1104 ROYAL BLVD.
BOISE, ID 83702

PROOF DUE NOTICE

OCTOBER 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9326 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 5, 1980

Boise City Park Department
(DeMeyer Park)
1104 Royal Blvd.
Boise, Idaho 83702

Dear Sirs,

RE: Permit No. 63-9326

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill, Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section.

DRT:mr
Enclosure

RECEIVED
FEB 10 1980
WATER RESOURCES

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bryan Jr.

APPLICATION NUMBER: 103-9326
BOISE CITY PARKS

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: FEE WAS \$5.00 SHORT
SO WE HAD TO WAIT UNTIL
DEC. 28, 1979 TO GET THE ADDITIONAL
MONEY.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/28/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/18/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
12/28/79 Date of priority recommended.
Special conditions of approval or cover letter. I.P. Gw letter

By: DBS Date: 1/28/80

STATE OFFICE REVIEW:

OLC
I.P. letter w/ access port and receipt w/ approved app.

- ☐ See attached sheet for more information.

By: Jim Date: 1/30/80

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JANUARY 28, 1980.

C. STEPHEN ALLRED

Director

Published 1/10 & 1/17/80.

MICROFILMED

63-9326

BOISE CITY PARK DEPARTMENT

DE MEYER PARK, 1104 ROYAL BLVD., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 12/21/1979

Amount: 0.90 CFS

Diversion Point: SESW Sec 27 T 03N R 01E, ADA Co.

Place of Use: SWSW SESW Sec 27 T 03N R 01E FOR 10 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

MICROFILMED