



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charlotte M Nelson - Mayor
(Applicant)




CITY OF MELBA

LEGEND

— CITY LIMITS
 - - - IMPACT AREA BOUNDARY

- ⊕ CHURCH
- SCHOOL
- ⊞ CITY HALL
- POST OFFICE





CITY OF MELBA

LEGEND

— CITY LIMITS
 --- IMPACT AREA BOUNDARY


⊕ CHURCH
 □ SCHOOL
 □ CITY HALL
 □ POST OFFICE

RECEIVED
 DEC 20 1979

Department of Water Resources
 Western Regional Office



MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW SW S36 1N 2W NE NE S2 1S 2W
Canyon

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>mELBA</u>																			

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature Paul E. Mowry
Checked by D135
Approved by Kolyn

Date 27 MAR 81
Date 4/1/81
Date 4/9/81

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that CITY OF MELBA

Total number of acres irrigated _____

Director

RECEIVED

Form 202

3/78
DEC 13 1979

Department of Water Resources

Ident. No. 63-9324

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Melba Phone 495-2722

Post office address P. O. Box 132 Melba, ID 83641

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 36 Township 1 N

Range 2 W B.M. Canyon County, additional points of diversion if any: _____

NENE Sec. 2 T1S R2W

4. Water will be used for the following purposes:

Amount 1.11 for municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Jacuzzi Model 10 MS vertical turbine pump with 11 stages and a 100 horsepower motor.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 600 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 36 Township 1 N

Range 2 W B.M. , NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1, Township 1 S Range 2 W., B.M.
NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 2, Township 1 S Range 2 W., B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served City of Melba, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Melba School District or Bur. of Reclamation

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing A permanent easement has been granted to the City of Melba by the Melba School District for well construction. A perpetual easement with the Bur. of Rec. will be received.

10. Remarks The estimated 20-year design population for the City of Melba is 960 people. Melba presently has one operational well producing .44 cfs and one non-operational well. Information on the existence of water rights for these wells is not available at this time. Further research is required for verification. A detailed map showing the existing water distribution system and new improvements will be submitted with the Proof of Application of Water for Beneficial Use.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charlotte M Nelson - Mayor
(Applicant)

Proposed Priority 12/13/79 ^{mn}
Received by JH Date 12-13-1979 Time 2:20 ^{4:45 PM}
Preliminary check by CWB Fee \$ 45.00 # 15723
Receipted by DRT Date 12-13-1979
Publication prepared by KK Date 12/27/79
Published in News Tribune
Publication dates 12/27 + 1/3/80
Publication approved KK Date 1/14/80
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DRT gin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9324, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (2) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 24th day of January, 19 80.

J. Glen Saxton

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Suzanne Smith

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9324

CITY OF MELBA, P.O. BOX 132, MELBA, ID 83641; Source: GROUNDWATER; Date Filed: December 13, 1979; Amount: 1.11 CFS; Diversion Point: NWSW Sec 36 T 01N R 02W NENE Sec 02 T 01S R 02W, CANYON CO.; Use: MUNICIPAL (1.11 CFS) from January 1 to December 31; Place of Use: NESW NWSW SWSW SESW Sec 36 T 01N R 02W NWNW Sec 01 T 01S R 02W NENE Sec 01 T 01S R 02W; Diversion Means: WELL & PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JANUARY 14, 1980.

C. STEPHEN ALLRED
Director

December 27, 1979; January 3, 1980

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Free Press and The News-Tribune, a daily, (except Sunday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

December 27, 1979;

January 3, 1980

Subscribed and sworn to before me this
3rd day of January


1980

Suzanne Smith
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1981

Department of Water Resources
Western Regional Office

OK-KK
1/14/80



CITY OF MELBA

LEGEND

— CITY LIMITS
 --- IMPACT AREA BOUNDARY

⛪ CHURCH
 🏫 SCHOOL
 🏛️ CITY HALL
 📮 POST OFFICE



LOUIS W. RIGGS
ROBERT N. JANOPAUL
STANLEY H. FROID
DAVIS C. TOOTHMAN
PAUL E. POTTER
KEITH D. BULL
DOUGLAS J. MANSFIELD
WILLIAM W. DAVIS
ORAL I. CONYERS
MICHAEL B. HARRINGTON
THEODORE H. PURCELL

TUDOR ENGINEERING COMPANY
CONSULTING ENGINEERS AND PLANNERS
1802 NORTH 33RD STREET
BOISE, IDAHO 83703
TELEPHONE (208) 342-5511

RALPH A. TUDOR (1902-1963)
CORPORATE OFFICE
149 NEW MONTGOMERY ST.
SAN FRANCISCO,
CALIFORNIA 94105
LESLIE L. ANKENMAN
PAUL S. KUNZ
RICHARD F. ORTON
DAVID N. TORGESON

Idaho Department of Water Resources
Western Region
92 South Cole Road
Boise, ID 83705

December 19, 1979

695-7806
Melba Water

RE: Application for Permit to Appropriate the Public Waters of
the State of Idaho.

ATTN: Lee Sisco

Dear Mr. Sisco:

This letter confirms our December 19 telephone conversation concerning the above-referenced application for permit. Due to a change in the proposed well site the application must be amended.

The City of Melba has begun negotiations with the Bureau of Reclamation for a well lot located on government land. This lot is located in the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 2, Township 1 South, Range 2 West, Boise Meridian. The enclosed map shows its location with respect to the proposed well location on the original application. A perpetual easement will be granted to Melba by the Bureau of Reclamation for the well lot.

If this well lot is not obtained from the Bureau of Reclamation negotiations for the School District lot will be resumed. For this reason we request both possible well locations be shown on the application for permit.

I trust I have correctly stated the essence of our conversation. Should you have any further questions please contact me at 342-5511 or write to the above address.

Very truly yours,

TUDOR ENGINEERING COMPANY

Tim Burgess


Tim Burgess, E.I.T.

RM

Robert Mayers, P. E.

TB/RM/bi
cc: City of Melba





CITY OF MELBA

LEGEND

- CITY LIMITS
- IMPACT AREA BOUNDARY

- ⊕ CHURCH
- SCHOOL
- ⊞ CITY HALL
- ⊞ POST OFFICE

RECEIVED

Department of
Water



WATER RIGHT NUMBER 63-9324

OWNER LAST NAME - CITY OF MELBA

ADDRESS LINE 1 - P.O. BOX 132

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

STATUS -

TOTAL DIV. VOLUME -

DIVERSION POINT - NWSW 36 01N 02W LOT

NENE 02 01S 02W LOT

FROM - 01-01 TO - 12-31

USE -

DECREE NAME -

REMARKS - P/U WITHIN THE CITY LIMITS OF MELBA.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 02-01-1983 PERMIT/DENIED - 01-24-1980 PROTESTED -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL & PUMP

FIRST NAME - ORIG OWNER -

ADDRESS LINE 2 -

CITY - MELBA

STATE - ID ZIP CODE - 83641

TRIBUTARY OF -

PRIORITY - 12-13-1979

COUNTY - CANYON

TOTAL DIV. RATE -

1.1100 -CFS

TOTAL DIV. VOLUME - 1.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NWSW 36 01N 02W LOT

NENE 02 01S 02W LOT

FROM - 01-01 TO - 12-31

USE -

DECREE NAME -

REMARKS - P/U WITHIN THE CITY LIMITS OF MELBA.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 02-01-1983 PERMIT/DENIED - 01-24-1980 PROTESTED -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL & PUMP

PLACE OF USE - TWN

RNG

SEC

DATE -

TOTAL ACRES 0

HEARING -

OLD NO. -



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~STEPHEN K. LEE~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

April 22, 1981

City of Melba
P.O. Box 132
Melba, Idaho 83641

Dear Sirs,

RE: License No. 63-9324

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

Tuan Baugers
Tudor 342-554

DATE	INITIALS	REMARKS
------	----------	---------

- ## EXAMINATION

If source is surface water, estimate total flow of source _____

Methods of measurement Flow meters Meets Permit requirements? Yes

Measurement calculations:

Measurement calculations:
 #2 370 gpm from flow meter
 #2 210 gpm from flow meter = 580 gpm = 1.24 CFS capacity
 Allow 1.11 as per permit
 No AF required on Municipal

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	66	US Electric	R 623304	LAYNE		micrometer 80-6-524	Good	
2	25	submersible				micrometer	Good	# painted over

System Description Municipal Water System For melba

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

MANIPAL

1.11

N/A

44


12/32

Total 1.11

Remarks PUMPY FROM 300 Well WAS 600'

#2 Pumping from 200 both pump into water system which has two storage tanks also. Pumps clarit R w/c continuously.

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW SW S36 1N 2W NE NE S2 1S 2W
CANYON

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
melBA																			

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

27 MAR 82

4/1/81

4/9/81

DEPARTMENT OF WATER RESOURCES

Pits
The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9324

Name(s) of Permit Holder: CITY OF MELBA

Post Office Address: P. O. BOX 132

83641 MELBA, IDAHO Tel. No. 495-2722

Source of Water: GROUNDWATER

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other MUNICIPAL (1.11 cfs)

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-18-80


Date

Charlotte M. Nelson
Signature of Permit Holder **MAYOR**

CITY OF MELBA

P. O. BOX 132

MELBA, IDAHO 83641



RECEIVED



DEC 19 1980

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

January 22, 1981

City of Melba
P.O. Box 132
Melba, Idaho 83641

RE: Permit No. 63-9324

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

January 25, 1980

City of Melba
P.O. Box 132
Melba, Idaho 83641

Dear Sirs,

RE: Permit No. 63-9324

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Boyan

APPLICATION NUMBER: 63-9324
MELBA

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: KR Date: 12/31/79
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. Apparently unrecorded well ->
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/14/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/9/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☐ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12/13/79 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter
Right-of-way clause

By: DBS Date: 1/16/80

STATE OFFICE REVIEW:

- ot OIC
Short letter w/necess port cond.
☐ See attached sheet for more information.
By: Juni Date: 1/22/80

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JANUARY 14, 1980.

C. STEPHEN ALLRED

Director

Published 12/27 & 1/3/80.

MICROFILMED

CITY OF MELBA

P.O. BOX 132, MELBA, ID 83641

Source: GROUNDWATER

Date Filed: 12/13/1979

Amount: 1.11 CFS

Diversion Point: NWSW Sec 36 T 01N R 02W NENE Sec 02 T 01S R 02W,
CANYON Co.

Use: MUNICIPAL (1.11 CFS) from 01/01 to 12/31

Place of Use: NESW NWSW SWSW SESW Sec 36 T 01N R 02W NWNW Sec 01 T 01S R 02W
NENE Sec 02 T 01S R 02W

Diversion Means: WELL & PUMP

MICROFILMED