

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

4

Pu. P.D.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert M. Lewis
(Applicant)

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9296

LEWIS, ROBERT
ROUTE 1, BOX 33A, STAR, ID 83669
Source: WASTEWATER tributary to
BOISE RIVER
Date Filed: 10/04/1979
Amount: 0.02 CFS
Diversion Point: NESW Sec 04 T 04N R
01W, ADA Co.
Use: IRRIGATION (0.02 CFS) from
03/15 to 11/15
Place of Use: NWSW Sec 04 T 04N R
01W FORT ACRE
Diversion Means: PUMP AND PI-
PELINE.

63-9297

JACOBS, KEITH &/or MARY
4911 SHIRLEY AVE., BOISE, ID 83703
Source: GROUNDWATER
Date Filed: 10/10/1979
Amount: 0.04 CFS
Diversion Point: SESW Sec 20 T 04N R
02E; ADA Co.
Use: HEATING (0.02 CFS) from 01/01
to 12/31
DOMESTIC (0.02 CFS) from 01/01 to
12/31
Place of Use: SESW Sec 20 T 04N R 02E
Diversion Means: 2 WELLS WITH
PUMPING SYSTEMS.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before **NOVEMBER 12, 1979.**

C. STEPHEN ALLRED
Director
Pub.: Oct. 25, Nov. 1, 1979

3006

Cheryl R. Rehwalt, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of October 25, 1979, and ending with the
issue of November 1, 1979.

Cheryl R. Kehwal

Subscribed and sworn to before me this 1st
day of November, 1979.

Arvid E. E. E. E.


Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
NOV 2 1970

Department of Water Resources
Western Regional Office

DECLASSIFIED

MAP (Attach Aerial Photo)



1" = 1/4 mile

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

See Attachment

Point(s) of diversion: NESW Sec 4 T 4N R1W

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	1W	4										1							1

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

MICROFILMED

SEP 29 1988

Examiner's Signature Carter Fritschle
Checked by _____
Approved by _____

Date 7-8-86
Date _____
Date _____

63-929

B

Waste Water Ditch

P.D.

Foot valve

P.D.

Floating
Feather Rd.

Pollard Ln

140'

75'

1 1/2" buried plastic pipe

35'

□ pump

35'

House

P.U.

Lawn & Garden

130'


0.3 acre


60'

MICROFILMED

SEP 29 1988

90'





PERMIT No. 63-9296

ROBERT LEWIS

MICROFILMED

SEP 29 1968

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09296

Priority: October 4, 1979 Amount: 0.01 CFS 1.4 AFA

This is to certify, that ROBERT LEWIS

RT. 1 BOX 33A

STAR, ID 83669

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated October 4, 1979, and has submitted proof to the Department of Water Resources on October 14, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .060 cfs of water from:

WASTEWATER tributary to BOISE RIVER

source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	1.4 AFA

LOCATION OF POINT OF DIVERSION(S): NESW , Sec. 4, Township 04N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01W	4	NWSW	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right is subject to control by the watermaster of State Water District No. 63

RECEIVED

SEP 23 1988


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09296

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of August, 1988.

Director



SEP 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert Lewis Phone 286-7884

Post office address Route 1, Box 33A, Star, ID 83669

2. Source of water supply Wastewater which is a tributary of Boise River

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 4N

Range 1W B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .02 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .02 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. _____

Farmers Union (1/4 share)

9. a. Who owns the property at the point of diversion Henry Dixon

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert M. Lewis
(Applicant)

(Applicant)

Proposed Priority 10/4/79

Received by DBS Date 10/4/79 Time 12:55

Preliminary check by RWH Fee \$ 20⁰⁰ 14579

Receipted by DBS Date 10/4/79

Publication prepared by kk Date 10/18/79

Published in Statesman

Publication dates 10/26 & 11/1/79

Publication approved KR Date 11/13/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9296, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (2) Use of water under this permit is subject to control by the watermaster of State Water District # 63, Boise River. (3) A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

Witness my hand this 21st day of November, 1979

A. Glen Saxton

CONFIDENTIAL

COUNTY OF ADA)

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

issue of November 1, 1979 .

Notary Public for Idaho, Residing at Boise, Idaho

NOV 2 1945

CONFIDENTIAL

May 19, 1992

ROBERT LEWIS
RT. 1 BOX 33A
STAR ID 83669

RE: Water Right No. 63-09296

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

August 11, 1988

ROBERT LEWIS
RT. 1 BOX 33A
STAR, ID 83669

RE: PERMIT NO. 63-09296

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

SEP 29 1988

July 8, 1988

ROBERT LEWIS
RT. 1 BOX 33A
STAR, ID 83669

RE: PERMIT NO. 63-09296

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



SEP 29 1988

MEMORANDUM

TO: File

FROM: KAY WALKER *kw*

DATE: 5/3/88

RE: Beneficial Use Field Report Review

Right No. 63-9296

Comments

Part A - General Info.

Part B - Overlap Review

Part C - System Description

Part D - Flow Measurements

Part E - Flow Calculations

Part F - Volume Calculations

Part G - Remarks

Part H - Recommendations

A.) Since examiner found only 0.3 ac. I've used this for preparing license.

E.) $0.3 \text{ ac} \times 0.02 \text{ cfs} = 0.006$
 $\uparrow$
as applied for = 0.01 cfs

or $0.3 \text{ ac} \times 0.03 \text{ cfs} = 0.009 \text{ w}$
 $\uparrow$
as allowed under 5 ac. 0.01 cfs

F.) $0.3 \text{ ac} \times 4.5 \text{ AF} = 1.35 \text{ w } 1.4 \text{ AFA}$

RECEIVED

SEP 29 1988

pd NESW 4 4N 1W
pu NSW 4 4N
JAN 27 1987

Staff Analysis Sheet
for
Beneficial Use Field Report

Department of Water Resources
63-9296
Permit No.

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check of P/D index CDT 7-3-86 (Initials, date)
Overlap? ☐ yes ☒ no ☐ If yes, copy attached?
- ☒ Check of P/U index CDT 7-3-86 (Initials, date)
Overlap? ☒ yes ☐ no ☒ If yes, copy attached?
- Aerial Photo
Required? ☐ yes ☒ no ☐ If yes, copy attached?
- Scheduling Letter sent? No (Initials, date)
- ☒ Appointment made and telephone conversation memo attached?

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Carter Lintschke 7-8-86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent DW 12/3/86 (Initial and date)

Exam Reviewed by Manager of Regional Office DW 12/9/86 (Initial and date)

Exam Date Entered in Computer 12-1-87 (Initial and date)

Exam sent to State Office EHL 12-1-87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original Refiled in White File DW 12-12-86 (Initial and date)

DAVE^{OK} THIS HAS A
CONDITION FOR A
LOCKABLE DEVICE
& YOU WROTE THAT
THE PERMIT HOLDER
JUST NEEDED TO SHOW
HOW THE W.M. COULD
CONTROL THE DIVER-
SION, IF NEEDED BE, AT
THE TIME OF THE
FIELD EXAM. WELL,
I DON'T THINK CARTER
CHECKED THIS, BUT DON'T
YOU THINK WITH THIS
SMALL OF SYSTEM -
THAT THE W.M. WOULD
NOT HAVE ANY TROUBLE
WITH IT? JAN

(Note) To Kay Walker.
Suggest deletion of meas-
ure condition for this
water right.

OK-waive ^{OK} condition
in cover letter
kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Lewis, Robert
1/c: NE 3/4, Sec. 1,
T1N, R1W
Use: .02 cfs Irrigation

63-9296
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	1/3/83	jp	no appointment made
☒ Telephone call made: (List Telephone No. used)	7-7-86	CF	286-7884
☒ Appointment scheduled for: (Date, time, location)	7-8-86	CF	11:00 AM at house (P.U.)

EXAMINATION

Date 7-8-86 1-6-87
Accompanied by Ted Lewis Total Q measured 0.06 cfs
If source is surface water, estimate total flow of source 2 cfs
Methods of measurement Pressure gauge in sprinkler nozzle Meets Permit requirements? Yes

Measurement calculations: 6 "Rainbird type" sprinklers 5/8" nozzles at 45 psi
 $6 \times 4.68 \text{ gpm} = 28.08 \text{ gpm}$ $\frac{28.08 \text{ gpm}}{448.8} = 0.06 \text{ cfs}$ $.02 \times 245 \times 1.48 = 9.7 \text{ ata}$
 $\frac{2 \text{ HP} \times 8.8 \times .8}{.5 + 2.31 \times 45} = \frac{14.08}{108.95} = .13 \text{ cfs}$ $1 \text{ ac} = 4.5 \text{ ata allowed}$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	2	Jacuzzi	NONE	Centrifugal	NONE	None		

System Description System has 1 1/2" pipe with foot valve in wastewater ditch. Water is drawn from ditch through approx. 100' of 1 1/2" pipe (mostly buried) to 2 hp Jacuzzi pump. Water is distributed with 6 sprinklers connected to garden hoses.
*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Irrigation (lawn & garden)</u>	<u>.02</u>	<u>4.5</u>	<u>3/15</u>	<u>11/15</u>
Total	<u>.02</u>	<u>4.5</u>	<u>3/15</u>	<u>11/15</u>

Remarks Water is being used on approx .3 ac of land since 1 ac is minimum accepted by computer .02 cfs and 4.5 ata was allowed.

SEP 29 1988

MAP (Attach Aerial Photo)



1" = 1/4 mile

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

See Attachment

Point(s) of diversion: NESW Sec 4 T 4N R1W

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
4N	1W	4									1								1

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None

☐ Other

SEP 29 1988

Examiner's Signature

Carter Fritschle

Date 7-8-86

Checked by

Date

Approved by

Date

63-929

B

Waste Water Ditch

P.D.

Foot valve
P.D.

Flouting
Feather Rd.

20'

Pollard Ln

140'

75'

1 1/2" buried plastic pipe

pump

35'

35'

House

P.U.

Lawn & Garden

130'


0.3 acre


60'

MICROFILMED

SEP 29 1988

90'





PERMIT No. 63-9296

ROBERT LEWIS

RECEIVED

SEP 29 1966

11-11-68 16 11-11-68

444

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

PAGE 1462
01/04/1986

TOWNSHIP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
04N	01W	03	NESH	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NESH	40	01,04,43		63-7673	QUARTER CIRCLE D J	C	P	10-02-1972	GROUNDWATER
			NASH	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NASH		01		63-4606	WAT NANNY FARMS	C	S	06-01-1954	GROUNDWATER
			NASH		01		63-0161L	BOISE RIVER	C	D	05-01-1966	BOISE RIVER
			SHSH	39	01		63-2406	CONSUMERS WATER CO	C	L	07-05-1965	WASTE WATER
			SHSH		01,43		63-2675	DRAINAGE DIST. NO.	C	P	12-16-1947	GROUNDWATER
			SHSH		01,43		63-2716	HARRIS	C	L	08-17-1948	GROUNDWATER
			SHSH	01	01,43		63-2830	HARRIS	C	L	12-16-1947	SPRING
			SHSH	06	01,04		63-5094	QUARTER CIRCLE DJ	C	P	01-01-1962	GROUNDWATER
			SHSH	10	01,04,43		63-7847	QUARTER CIRCLE D.	C	P	10-06-1973	GROUNDWATER
			SESH		01		63-0161L	BOISE RIVER	C	D	05-01-1966	BOISE RIVER
			SESH	38	01		63-2406	CONSUMERS WATER CO	C	L	07-05-1965	WASTE WATER
			SESH		01,43		63-2675	DRAINAGE DIST. NO.	C	L	12-16-1947	GROUNDWATER
			SESH		01,43		63-2716	HARRIS	C	P	12-16-1947	GROUNDWATER
			SESH	08	01,43		63-2830	HARRIS	C	L	12-16-1947	SPRING
			SESH	07	01,04		63-5094	QUARTER CIRCLE DJ	C	P	01-01-1962	GROUNDWATER
			SESH	07	01,04,43		63-7847	QUARTER CIRCLE D.	C	P	10-06-1973	GROUNDWATER
			NESE	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			WASE	39	01		63-2406	DRAINAGE DIST. NO.	C	P	07-05-1965	WASTE WATER
			WASE	18	01		63-2675	DRAINAGE DIST. NO.	C	D	01-01-1966	WASTE WATER
			WASE	38	01		63-2406	QUARTER CIRCLE D-J	C	P	07-05-1965	WASTE WATER
			WASE	30	01		63-2675	DRAINAGE DIST. NO.	C	D	01-01-1966	WASTE WATER
			WASE	38	01		63-2406	QUARTER CIRCLE D-J	C	P	07-05-1965	WASTE WATER
			WASE	10	01,04,43		63-5094	QUARTER CIRCLE D J	C	P	01-01-1962	GROUNDWATER
			WASE	40	01,04,43		63-7847	QUARTER CIRCLE D.	C	P	10-06-1973	GROUNDWATER
			WASE	40	01		63-2406	DRAINAGE DIST. NO.	C	P	07-05-1965	WASTE WATER
			WASE	42	01,04		63-2958	DRAINAGE DIST. NO.	C	P	08-23-1953	GROUNDWATER
			WASE	01	01		63-2406	WAT NANNY FARMS	C	S	06-01-1954	GROUNDWATER
			WASE	40	01		63-2406	DRAINAGE DIST. NO.	C	P	07-05-1965	WASTE WATER
			WASE	39	01		63-2406	DRAINAGE DIST. NO.	C	P	07-05-1965	WASTE WATER
			WASE	40	01,04		63-2958	DRAINAGE DIST. NO.	C	P	08-23-1953	GROUNDWATER
			WASE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			WASE	40	01,04		63-2958	DRAINAGE DIST. NO.	C	L	08-23-1953	GROUNDWATER
			WASE		01		63-4606	WAT NANNY FARMS	C	S	06-01-1954	GROUNDWATER
			WASE	40	01		63-2406	DRAINAGE DIST. NO.	C	P	07-05-1965	WASTE WATER

56

IDaho DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

PAGE 1463
01/04/1986

ANSHP	ING	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
04N	01W	04	N4NIN	48	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			S4NIN	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			SIEN	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NESIN	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			N4SW	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			N4SW	35	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			N4SW	01	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			S4SW	0	01		63-0188A9	MIDDLETON WATER CO	O	D	06-01-1977	BOSSE RIVER
							RALPHS					
			S4SW	?	0		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			S4SW	38	0		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			N4SF	36	0		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			N4SE	0	0		63-460R	HOT NANNY FARM	C	L	06-01-1954	GROUNDWATER
			N4SE	38	0		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			N4SE	40	0	.34	63-2957	BOLEN	C	L	08-28-1953	GROUNDWATER
							BOLEN					
			S4SE	36	0		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			CSF				CRAYNE				05-01-1965	CRAYNE

November 8, 1982

Robert Lewis
Rt. 1 Box 33A
Star, ID 83669

RE:Permit No. 63-9296

Dear Mr. Lewis:

This office is in receipt of your request dated October 14, 1982, in which you questioned the need for a measuring device.

It appears that your question relates to the portion of the statement of beneficial use card marked: Measuring Device: Required x yes ___ no. This statement refers to the condition of approval on your permit that "(3) A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion."

In your situation, Mr. Lewis, you merely need some means for the watermaster to shut off your pump, should this be necessary for regulation of the water supply during times of scarcity. At this time, we will fully accept your statement of beneficial use, but we ask that you demonstrate to our field examiner when he examines the system how the watermaster could control the system.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:sc



Robert - Lewis
Rt 1 Box 33A
Star, Id - 83667

PLACE
13 CENT
STAMP
HERE

RECEIVED

OCT 14 1982



Department of Water Resources

SEP 29 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9296

Name(s) of Permit Holder:

Robert Lewis

Post Office Address:

Rt 1 Box 23A

STAR Idaho 83669 Tel. No. 286-7884

Source of Water:

Waste water ditch

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☒ Yes

☐ No

Installed?

☐ Yes

☒ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/13/82

D.D.

Robert M. Lewis

e of Per

October 13, 1982

RECEIVED
OCT 14 1982
Department of Water Resources

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Gentlemen:

Enclosed please find the card you mailed to me to verify that the improvement for waste water was completed.

I am presently pumping out of a waste water ditch and using the water for lawn and garden irrigation.

I am using a $\frac{1}{2}$ horsepower pump and have a $1\frac{1}{2}$ " line feeding the pump and $\frac{3}{4}$ " garden hose for sprinkling.

At present I do not have a measuring device installed, nor did I realize that one was necessary.


I would like to have the measuring device condition removed from the permit.

If you have any questions, please call 384-7221 or 286-7884.

Sincerely,

Robb Lewis

Robb Lewis



Idaho Dept. of Water Resources
Statehouse
Boise, Idaho 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138729

LEWIS, ROBERT
ROUTE 1
BOX 33A
STAR, ID 83669

SEPTEMBER 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9296 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED

SEP 29 1988

November 23, 1979

Robert Lewis
Route 1 Box 33A
Star, Idaho 83669

Dear Mr. Lewis,

RE: Permit No. 63-9296

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page. Be sure to note the special condition requiring you to install a lockable device on your diverting works.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: R. Hamilton

APPLICATION NUMBER: 63-9296

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. Other Source None
platted from same source
☒ Yes ☐ No* In form for advertising.
Final date for protests: 11/12/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
10/4/79 Date of priority recommended.
Special conditions of approval or cover letter. I.P. Letter.
Right of Way clause
w.m. condition

By: QBS Date: 11/14/79

STATE OFFICE REVIEW:

04, 05 (63 Boise River), 010

Idaho Power Letter w/lockable Device paragraph

- ☐ See attached sheet for more information.

By: Jim Date: 11/20/79

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before NOVEMBER 12, 1979.

C. STEPHEN ALLRED

Director

Published 10/25 & 11/01.

MICROFILMED

LEWIS, ROBERT

ROUTE 1, BOX 33A, STAR, ID 83669

Source: WASTEWATER tributary to BOISE RIVER

Date Filed: 10/04/1979

Amount: 0.02 CFS

Diversion Point: NESW Sec 04 T 04N R 01W, ADA Co.

Use: IRRIGATION (0.02 CFS) from 03/15 to 11/15

Place of Use: NWSW Sec 04 T 04N R 01W FOR 1 ACRES

Diversion Means: PUMP AND PIPELINE.

MICROFILMED

