


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

X = WELLS, POINT OF DIVERSION.

SHADED AREAS = IRRIGATED AREAS.

SEC-27, 5N. 1E.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wallace R. Connolly
(Applicant)

STATE OF IDAHO)
)ss.
COUNTY OF ADA)

Cheryl R. Rehwalt, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of October 18, 1979, and ending with the issue of October 25, 1979.

Cheryl R. Rehwalt

Subscribed and sworn to before me this 25th day of October, 1979.

Charley E. Jensen
Notary Public for Idaho, Residing at Boise, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9295

CONNOLLY, WALLACE R. &/or EDA RAE
4938 BROOKSIDE LANE, BOISE, ID 83703

Source: GROUNDWATER

Date Filed: 10/04/1979

Amount: 7.80 CFS

Diversion Point: NWNE SWNE NESE

Sec 27 T 05N R 01E, ADA Co.

Use: IRRIGATION (7.80 CFS) from 03/01 to 11/01

Place of Use: NWNE SWNE NESE

NWSE SWSE SESE Sec 27 T 05N R 01E FOR 240 ACRES

Diversion Means: 3 PUMPS, PIPES AND SPRINKLER SYSTEM.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before NOVEMBER 5, 1979.

C. STEPHEN ALLRED

Director

Pub.: Oct. 18, 25, 1979

2977

RECEIVED

OCT 25 1979

Department of Water Resources
Western Regional Office

MICROFILMED

JAN 27 1987

KEYPUNCHED

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-9295

1. Owner: Wallace R & Eda Rae Connolly
Current Address: 4983 Brookside Ln. Boise ID 83703

Phone No. 939-0441

2. Accompanied by: Ed Connolly EXAM. DATE: 8/1/86

Address: - Phone No. -

Relationship to Permit Holder: brother

3. Source: ground water tributary to -

KEYPUNCHED
7D 1-6-87


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9971 for gasohol plant and commercial use not for irrigation ☐ Copies Attached

2. Other water rights with same point of diversion: - ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 28 1987

Scale: 1" = 8'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

A25
T23

21 32
28 27

27 26

NE NE

21

27

5

P/D

NE S

15

R/U

2

2

28 27
29 34

27 26
34 35

A48
T3

MICROFILMED

A48
T40

SEP 20 1961

A47
T3A

A4A
T41

A50
T42

A53
T48

9295-27

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

22'30"

20'

(MONTGOMERY 1:62 500)



REPRODUCTION

1900 2 800 1900 2 800



Point of Diversion with place
of use in background looking west.



Point of Diversion and
Place of Use looking east

MICROFILMED

SEP 28 1987

Notations per backs of photos - kw 3/3/87

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-9295

Priority: December 6, 1979 Amount: .65 CFS 315.9 AFA

This is to certify, that WALLACE R. CONNOLLY
EDA RAE CONNOLLY

4983 BROOKSIDE LANE
BOISE, ID 83703

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated October 4, 1979, and has submitted proof to the Department of Water Resources on January 31, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .65 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.65 cfs	315.9 afa

LOCATION OF POINT OF DIVERSION(S): NESE , Sec. 27, Township 5N, Range 1E
Ada County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
5N	1E	26	SWNW 5	NWSW 2	SWSW 1		8
		27	NENE 21	NWNE 6	SWNE 1	SENE 27	
			NESE 15	SESE 2			72

Total number of acres irrigated: 80

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 31st day of AUGUST, 1987.

MICROFILMED

Director

SEP-28 1987

State of Idaho
Department of Water Resources

AUG 17 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-9295

Department of Water Resources

APPROVED

Date of Priority: December 6, 1979

Comes now WALLACE R. CONNOLLY
EDA RAE CONNOLLY
4983 BROOKSIDE LANE
BOISE, ID 83703

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-9295, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.65 cfs	315.9 afa

LOCATION OF POINT OF DIVERSION(S): NESE, Sec. 27, Township 5N, Range 1E
Ada County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
5N	1E	26	SWNW 5	NWSW 2	SWSW 1		8
		27	NENE 21	NWNE 6	SWNE 1	SENE 27	72
			NESE 15	SESE 2			

Total number of acres irrigated: 80

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 13TH day of AUG., 19 87.

RECORDED

SEP 28 1987

Wallace R. Connolly
Edna Rae Connolly
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-9295

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by rg Date 8/17/87
#44446
ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. Kenneth Dunn, of the Department of Water Resources hereby approve the above
Application for Amendment for Permit No. 63-9295 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 31ST day of AUGUST, 1987.

Norm C Young
(Director)

MICROFILMED

SEP 28 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 63-9295 IN THE NAME	)	ORDER ADVANCING
	)	DATE OF PRIORITY
OF WALLACE R. & EDA RAE CONNOLLY	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-9295 for the issuance of a license, the Department makes the following Findings of Fact, Conclusions of Law, and Order pursuant to the provisions of Idaho Code.

FINDINGS OF FACT

1. On December 7, 1979 the Department approved Application for Permit No. 63-9295 to appropriate the public waters of the State of Idaho with a priority of October 4, 1979.
2. On December 1, 1984 the permit lapsed for failure to submit proof of beneficial use.
3. On January 31, 1985, proof of beneficial use was submitted and on April 30, 1985 the permit was reinstated and the priority of the permit was advanced to December 4, 1979.
4. On April 30, 1986 the Department sent the permit holder a notice that a license examination fee was required before an examination could be conducted confirming the extent of use developed under the permit.
5. The fee was due on June 29, 1986, 60 days from the date of the notice; however, the fee was not received until July 1, 1986, 11 days late.

RECEIVED

SEP 28 1987

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the fee was late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-9296 should be advanced 2 days.

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 63-9295 is advanced to December 6, 1979.

Dated this 27th day of July, 1987.

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED

SEP 23 1987

5100

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-9295 IN THE
NAME OF WALLACE R. & EDA RAE CONNOLLY

} ORDER OF REINSTATEMENT
}

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before December 1, 1984; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on January 31, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-9295 be REINSTATED and the priority advanced to December 4, 1979.

Dated this 30th day of April, 1985.

RECEIVED

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant WALLACE R. & EDARAE CONNOLLY Phone 939-0441
Post office address 4983 BROOKSIDE LN. BOISE, IDAHO 83703
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is NW 1/4 of NE 1/4 of Section 27 Township 5N.
Range 1E B.M. ADA County, additional points of diversion if any: _____
SW 1/4 NE 1/4 SEC. 27, 5N 1E; NE 1/4 SE 1/4 SEC. 27, 5N. 1E.
4. Water will be used for the following purposes:
Allow 4.8
Amount ~~2.6 cfs~~ for IRRIGATION purposes from 3-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount ~~2.6 cfs~~ for " purposes from 3-1 to 4-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount ~~2.6 cfs~~ for " purposes from 3-1 to 4-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
4.8 cfs
a. 4.8 cfs cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 3 PUMPS; PIPES, ~~ADDITIONAL~~
SPRINKLER SYSTEM.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 35 years (minimum 1 year — maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion WALLACE R. & EDA RAE CONNOLLY

b. Who owns the land to be irrigated or place of use WALLACE R. & EDA RAE CONNOLLY

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

X = WELLS, POINT OF DIVERSION.

SHADED AREAS = IRRIGATED AREAS.

SEC-27, 5N, 1E.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wallace R. Connolly
(Applicant)

Proposed Priority 10/4/79

Received by kw Date 10/4/79 Time 10:40 am

Preliminary check by CSB Fee \$ 105.00

Receipted by kw Date 10/4/1979 # 14576

Publication prepared by kk Date 10/11/79

Published in Statesman

Publication dates 10/18 & 10/25/79

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS gin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9295, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
(2) The maximum rate of diversion allowed under this permit shall not exceed 4.8 cfs.

Witness my hand this 7th day of December, 19 79.

L. Glen Sayton

COUNTY OF ADA)

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

issue of October 18, 1979, and ending with the
 116 issue of October 25, 1979.

Cheryl R. Rehwaalt

day of October, 19 79.

Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

OCT 25 1979

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR A WATER RIGHT
I, WYNNE SWYNE NESE,
do hereby certify that the following
information has been submitted
to me for approval to the Public Works
Department of the State of Idaho:
63-2725
CONNOLLY, LAGUNA RIVER EDA
BROOKSIDE LAKE HOUSE, ID
GROUNDWATER
Date Filed: 10/04/1977
Approx. 200 CFS
Diversion Point: WYNNE SWYNE NESE
Section 10 R 01E ADA Co.
Use: IRRIGATION (170 CFS) from
10/01 to 11/01
Place of Use: WYNNE SWYNE NESE
Section 10 R 01E Sec 27.01 OWN R 01E
FOR IRRIGATION
Diversion Points: 1 PUMPS, PIPES
AND SPRINKLER SYSTEM
If respect the permit will be subject to
all water rights. Permits for all
the water of any permit must be filed
with the Director of the Idaho Department
of Water Resources, 92 S. Cole
Road, Boise, Idaho 83709 on or before
NOVEMBER 5, 1979
WYNNE SWYNE NESE
OWNER
Pub. Off. 11-25-1979 2977

NOTES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-9295
Name(s) of Permit Holder(s): WALLACE R. & EDA RAE CONNOLLY
Post Office Address: 4983 BROOKSIDE LANE, BOISE, ID. 83703
Phone No. 939-0441

☒ I hereby certify that construction of diverting works for the above referenced permit began on 6-1-82. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.


Date

Signature of Permit Holder

7-1-82

Wallace R. Connolly

WALLACE R. CONNOR
4983 BROOKSIDE LANE
BOISE, IDAHO 83703



MICROFILMED

JUL 26 1988



RECEIVED

JUL 6 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

September 3, 1987

WALLACE R. & EDA RAE CONNOLLY
4983 BROOKSIDE LANE
BOISE, ID 83703

RE: Permit No. 63-9295

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

SEP 28 1987

pd. \$100.00
exam fee late
advance priority

Review
WATER RIGHT CODING FORM

30 day
P/U

WATER RIGHT NO. L 63-9295

Record 1

Last Name or Company

First Name

1. Owner CONNOLLY ✓
2. Owner CONNOLLY ✓

WALLACE R. ✓
EDA RAE ✓

C ✓
C ✓

Record 1A. Address

1. 4983 BROOKSIDE LANE ✓
2.

Record 1B.

3.
City BOISE ✓
State ID Zip 83703 ✓

Record 2. Source(s)

1. GROUNDWATER ✓

TRIB: ✓

Record 3. Point(s) of Diversion Description

OK

Tract Sec. Twp Rng Lot Rediv.

NW NE 27 05N 01E

SW NE 27 05N 01E

NE SE ✓ 27 ✓ 05N ✓ 01E ✓

← delete these

Record 4.

Use

Period of Use

Diversion Rate

Volume

1. 01 IRRIGATION ✓

3/15 11/15
03/01 - 11/01
per rules
& regs.

0.65
4.800

315.9
0.00

Record 5.

Stage P LC

Status ✓

Priority Date 4-Dec-1979 12-6-79

County Code 01 ADA ✓

Total Cfs 4.800 0.65 cfs

Total Acre Feet .00 315.9 AF

Transfer/Amendment Flag ✓

Water District ✓

Dle/Carey Act

Record 6.

Diversion Means: 3 PUMPS, PIPES AND SPRINKLER SYSTEM. ✓

8A. Non-Irrigation Use Remarks: ✓

MICROFILMED

SEP 28 1987

8B. Place of Use: **Z & re-enter P/U identified below...**

	Use Code	Twp	Rge	S	Tract	Lot	Acres
1.	01 IRRIGATION	05N	01E	27 ✓	NW NE		40
2.	01 IRRIGATION	05N	01E	27	SW NE		40
3.	01 IRRIGATION	05N	01E	27	NE SE		40
4.	01 IRRIGATION	05N	01E	27	NW SE		40
5.	01 IRRIGATION	05N	01E	27	SW SE		40
6.	01 IRRIGATION	05N	01E	27	SE SE		40
Total Acres							240

Record 10. Remarks:

1. REINSTATED 4-30-1985. ← delete

Record 14. Proof made date 1-Jan-1900 1-31-1985

Record 15. Conditions of Approval

1. 01C ← delete
2. 16

Record 16. Diversion Capacity: .000 → 0.65 cfs

Application Received: 10/4/1979

Description and location of place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	1E	26							5			2	1						8
		27	21	6	1	27								15			2		<u>72</u>
																			80

PID overlap: 63-9971-commercial use only,
no proof of B/U, no overlap

P/U overlap: 63-7042-no overlap (TIN, RIE)
63-9971-no overlap

allow 0.65 cfs for this right.

Kay Walker

$$V = 0.65 \text{ cfs} \times 1.9835 \times 245 \text{ days} = 315.87 \quad 3-4-87$$

$$\approx 315.9 \text{ AF}$$

August 10, 1987

WALLACE R. & EDA RAE CONNOLLY
4983 BROOKSIDE LANE
BOISE, ID 83703

RE: Permit No. 63-9295

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
SEP 28 1987

SEP 28 1987

INTER-DEPARTMENT MEMO — 1

FROM Brad Dingee
TO John Beal
SUBJECT Attached memos.

DATE 3/12/87

I spoke with Jan Shurte about this. She was at the well during the field exam. The well has a gate valve and can be shut-in.

Brad

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM *John B.*

TO *Dave Tuttle*

DM → *Brad* DATE *3/4/87*

SUBJECT *Attached.*

*Does the attached indicate
A leaking hot well?
Please follow-up if needed.*

Tha-Ks

RECEIVED

MAR 5 1987

Department of Water Resources
Western Regional Office

John B.

SIGNATURE

DATE 3/3/87

FROM

Ray Walker

TO

John Beal

SUBJECT

hot water well -

while licensing Rt. 63-9295
I noticed the examiner showed
hot water was ~~rising~~ ^{rising} from this
well in NESE, S27, T5N, R1E.
may have hot water right under
Permit 63-9971 which is for
gasahol plant & commercial use.

SIGNATURE

I don't know if you care
about this or not but
thought I'd let you know.

Kay

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-9295

1. Owner: Wallace R & Eda Rae Connolly Phone No. 939-0441

Current Address: 4983 Brookside Ln. Boise ID 83703

2. Accompanied by: Ed Connolly EXAM. DATE: 8/1/86

Address: - Phone No. -

Relationship to Permit Holder: brother

3. Source: ground water tributary to -

TD 1-6-87


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9971 for gasohol plant and
commercial use not for irrigation ☐ Copies Attached

2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 8'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A well supplies water for irrigation purposes. The well has an 8 inch steel casing for several sections and then is uncased in the blue shale member for the remainder of the hole. The total depth is 550 ft and the dynamic pumping level is 44.5 ft. (Hot water emanates from the well) A 3" mainline feeds the irrigation system which is primarily handlines.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	10	282-2029-200	—	3" discharge

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	27	5N	1E	ADA	Topographic Map

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	1E	27	21	6	1	27									15			2	72
		26							5			2	1						8
																			80

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Hall Meter	-	-	120381	-	2-5"	-
Manometer	-	-	-	-	57'	-

2. Measurements:

Hall meter / Manometer high 53.5 Δ 41.5 inches
low 12.0

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

- Measured Method: HALL METER CALC. $(1.5)^2 \pi \times 41.5 = 293.3 \text{ gpm} = .65 \text{ cfs}$
- Alternate Method for Checking Purposes: 660 gallon tank used = 283 gpm = .63 cfs
fills in 2 minutes 20 sec

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 5 psi x 2.31 = 11.5 ft (1); Dynamic pumping level: 44.5 ft (2)
Total Head: (1) + (2) = 56 (3); Flow rate: .65 cfs (4)
Water HP: (3) x (4) $\div$ 8.8 = 4.1 (5)
Meter Input KW: 3.6 x 7.7 KH x CTR or MULT x PTR x 5 N/ 15 T = (6)
Meter Input HP: (6) x 1.34 = 11.5 (7)
Panel Input KW: Ave PF x Ave Volts x Ave Amps x .001732 = (6)
Panel Input HP: (6) x 1.34 = (7) Efficiency: (5)/(7) x 100 = 36 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.5 \times 80 = 360 \text{ AFA}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .65 \times 245 \text{ day} \times 1.98 = 315 \text{ AFA}$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 315 \text{ AFA}$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Of original 3 wells licenced on, only 1 well has been developed. Of the 240 acres originally applied on, only 80 acres is irrigated.

Permit 63-9971 is strictly for commercial use and does not overlap with the irrigated lands.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/1	11/1	.65 cfs	315 AFA
Totals:			.65 cfs	315 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Richard Gempke

DRT 12/8/86

Signature

Richard A Gempke

Certification Date

Field Report Preparation Date

8/1/86

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

A25
T23

21 22

23 27

27 26

NE NE

21

27

P/D

NE

15

P/U

5

2

34

A48
T40


SEP 8 1961

A50
T42

A55
T48



Point of Diversion with place
of use in background looking west.



Point of Diversion and
Place of Use looking east

SEP 28 1987

Notations per backs of photos - tw 3/3/87

CALCULATION OF NEW PRIORITY DATES

LATE EXAM FEES

FOR PERMIT NO. **63-9295**
 BY: **Kay Walker**
3/3/87

	<u>DATE</u>	<u>NUMBER OF DAYS</u> (From Table of Days Between Two Dates)
A. EXAMINATION FEE NOTICE SENT	<u>4-30-86</u>	<u>120</u>
B. DATE FEE DUE (60 days)	<u>6-29-86</u>	<u>180</u>
C. DATE FEE RECEIVED	<u>7-1-86</u>	<u>182</u>
D. NUMBER OF DAYS LATE (C - B)		<u>2</u>
E. ORIGINAL PRIORITY DATE	<u>12-4-79</u>	<u>338</u>
F. NEW PRIORITY DATE (D + E)	<u>12-6-79</u>	<u>340</u>

REMARKS:

MICROFILMED

SEP 28 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

December 19, 1986

Bruce G. Connolly
dba H2O Well Drilling
11917 Highlander Rd.
Boise, ID 83705

RE: Well Log Reports

Dear Mr. Connolly:

We have been informed that three wells may have been drilled by you in the following area: T5N, R1E, Sec. 27. These coincide with Water Right Permits 63-9971, 63-10018, 63-9295 and 63-9327.

Please submit the above referenced drilling reports.

Sincerely,

JOHN D. CARLSON

Groundwater Protection Section

JDC:ldt

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED

DEC 20 1986

SEP 28 1987

Department of Water Resources

EXP 00 01248691 12/24/86
NOTIFY SENDER OF NEW ADDRESS
RETURN TO SENDER
FORWARDING ORDER EXPIRED
USPS USPS

gk 910
Bruce G. Connolly
dba H2O Well Drilling
11917 Highlander Road
Boise, ID 83705

RECEIVED

4/86

RECEIVED
JUL 1 1986

STATE OF IDAHO

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100
Date 7-23-86
Receipt # 40490
Receipt by AMB
Sent to S.O. 7/25/86

RECEIVED

JUL 1 1986

1. Permit No. 63-9295

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: WALLACE R. & EDA RAE CONNOLLY

3. Post Office Address: 4983 BROOKSIDE LN. BOISE, ID. 83703

Telephone No. 939-0441

4. Source of Water: WELL

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 100 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

4-1-79

8. Person to contact to accompany the department representative during the field examination:

WALLACE R. CONNOLLY

(Name)

SAME

(Address) SEP 28 1987

SAME

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 6-25-86

W. R. Connolly OWNER
Signature of Permit Holder (and title, if appropriate)



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-9295
CONNOLLY, WALLACE R.
CONNOLLY, EDA RAE
4983 BROOKSIDE LANE
BOISE, ID 83703

Mailing address:
Statehouse
Boise, Idaho 83720

138927

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

SEP 28 1987

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

1987

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 15-9295

DATE: 4-24-1985

Date proof received

Proof due

Number of day proof late

Priority date

New priority date

365
+ 31
396

- 335

61

+ 277

338

Jan. 31, 1985

Dec. 1, 1984


Oct 4, 1979

Dec. 4, 1979

Remarks:

MICROFILMED

W.R. Co. 
4983 BRECKSIDE AVE
BOISE, ID. 83720



RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
JAN 31 1985 STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9295.

Name(s) of Permit Holder: WALLACE R. & EDA RAE CUNNOLLY

Post Office Address: 4983 BROOKSIDE LN. BOISE, ID.

83703

Tel. No. 939-0441

Source of Water: _____

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

700

(acres)

☐ Other _____

Measuring Device: Required?

☐ Yes

☐ No

Installed?

☒ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-28-85

Date

MICROFILMED

W.R. Cunnolly
Signature of Permit Holder

January 28, 1985

Wallace R. and Eda Rae Connolly
4983 Brookside Lane
Boise, ID 83703

Dear Mr. and Mrs. Connolly:

Re: Permit No. 63-9295

LAPSE NOTICE

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 63-9295 has lapsed. This office did not receive either an acceptable notice that you have completed the project (proof of beneficial use) by the date required on your permit or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated September 30, 1984.


Your permit cannot be reinstated unless you submit the statement of beneficial use postcard or submit an extension of time request showing reasonable cause for delay. Either the completed postcard or the extension request must be received by this office within sixty days of the date of this lapse notice or the permit will no longer be of any force or effect.

A statement of beneficial use postcard and a request for extension of time form are again enclosed for your use. Please note that a fee of \$15.00 must accompany an extension of time request and that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation.

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

LGS:rf



1-28-1985
Rita Fleck

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138289

CONNOLLY, WALLACE R. & EDA RAE
4983 BROOKSIDE LANE
BOISE, ID 83703

PROOF DUE NOTICE

SEPTEMBER 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9295 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

SENT BY AIR



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

December 7, 1979

Wallace & EnaRae Connolly
4983 Brookside Ln.
Boise, Idaho 83703

Dear Mr. & Mrs. Connolly,

RE: Permit No. 63-9295

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

CEMILHOUN

INTER-DEPARTMENT MEMO — 1

FROM Jim Johnson

DATE Dec. 5, 1979

TO File

SUBJECT Request for original letter from applicant

Upon review of this application it was noted that the applicant had requested a refund of \$30.00 for over payment and approved the reduction of diversion rate. This response was made on the letter sent 10-22-79 by Ervin Ballou. A copy of this response was in the file rather than the original. I called western in an attempt to get the original for the file. This application was hld for over three weeks waiting for the original letter which could never be found. I don't see any reason to delay this application any longer.

SIGNATURE

TO _____

WHILE YOU WERE OUT

DATE _____ TIME _____

M _____

OF _____

PHONE: _____
AREA CODE NUMBER EXT.

☐ Telephoned

☐ Returned Your Call

☐ Will Call Again

☐ Please Call

☐ Called to See You

*letter
Hold for original
from western.*

11/8/78

ROUTING SLIP

DATE _____	TIME _____
TO: _____	REF. No. (if any) _____
FROM: (show title) _____	_____

FOR YOUR:

- ☐ Information
- ☐ Approval
- ☐ Signature

REVIEW AND:

- ☐ Call Me ☐ See Me
- ☐ Comment & Return
- ☐ Take Proper Action
- ☐ Draft a Reply for Me

PER:

- ☐ Our Conversation
- ☐ Your Request
- ☐ Boss's Request

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CE Ballan

APPLICATION NUMBER: 03-9295

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: quantity of water excessive
total reduced to 1" per acre
for associated prior to review

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None platted from same source
☒ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
10/4/79 Date of priority recommended.
Special conditions of approval or cover letter.
I.P. GW letter

By: DBS

Date: 11/6/79

STATE OFFICE REVIEW:

OIC

MAJKEE type changes on items No 4.
Idaho Power letter w/ access port condition

- ☐ See attached sheet for more information.

By: Jin

Date: 11/8/79



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

October 22, 1979

^{EDA}
Wallace & ~~Waller~~ Rae Connolly
4983 Brookside Lane
Boise, ID 83703

RE: Application for Permit No. 63-9295

Dear Mr. & Mrs. Connolly:

Your application for permit for irrigation of 240 acres requests 7.8 c.f.s. This is in excess of the 1 inch per acre allowed under Idaho water law. Unless you can show cause of need for the increased diversion rate, the Department of Water Resources will reduce the amount to 4.8 c.f.s. prior to issuing the permit.


If you have no objection to the reduction, you may request in writing that the \$30.00 over payment of fees be refunded to you, if at the time you filed your application you were not aware of the inch per acre limitation.

Please contact us as quickly as possible so we may continue processing your application.

Very truly yours,

ERVIN E. BALLOU
Senior Water Resource Agent

EEB:kk



DEAR SIR,

PLEASE REFUND THE OVER PAYMENT IN THE
AMOUNT OF \$30.00, & REDUCE THE C.F.S. TO 4.8.

THANK YOU,

Walter A. Johnson

MICROFILMED

October 22, 1979

Wallace & Edna Rae Connolly
4983 Brookside Lane
Boise, ID 83703

RE: Application for Permit No. 63-9295

Dear Mr. & Mrs. Connolly:

Your application for permit for irrigation of 240 acres requests 7.8 c.f.s. This is in excess of the 1 inch per acre allowance under Idaho water law. Unless you can show cause of need for the increased diversion rate, the Department of Water Resources will reduce the amount to 4.8 c.f.s. prior to issuing the permit.

If you have no objection to the reduction, you may request in writing that the \$30.00 over payment of fees be refunded to you, if at the time you filed your application you were not aware of the inch per acre limitation.

Please contact us as quickly as possible so we may continue processing your application.

Very truly yours,

ERVIN E. BALLOU
Senior Water Resources Agent

EEB:kk

RECEIVED
OCT 23 1979
BOISE, IDAHO

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 384-2190

OCTOBER 11, 1979

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before NOVEMBER 5, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before NOVEMBER 5, 1979.

C. STEPHEN ALLRED

Director

Published 10/18 & 10/25/79.

RECEIVED
NOV 19 1979

CONNOLLY, WALLACE R. &/or EDA RAE

4983 BROOKSIDE LANE, BOISE, ID 83703

Source: GROUNDWATER

Date Filed: 10/04/1979

Amount: 7.80 CFS

Diversion Point: NWNE SWNE NESE Sec 27 T 05N R 01E, ADA Co.

Use: IRRIGATION (7.80 CFS) from 03/01 to 11/01

Place of Use: NWNE SWNE NESE NWSE SWSE SESE Sec 27 T 05N R 01E
FOR 240 ACRES

Diversion Means: 3 PUMPS, PIPES AND SPRINKLER SYSTEM.

RECORDED
INDEXED

