

RECEIVED
DEC 26 1978

Department of Water Resources
Western Regional Office

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verna L. Johnson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the issue of December 14, 1978, and ending with the issue of December 21, 1978.

Verna L. Johnson
Subscribed and sworn to before me this 21st

day of December, 1978.

Dorothy E. Eguen
Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9192

BOISE CITY PARK DEPARTMENT

1104 Royal Blvd., Boise, ID 83702

Source: Groundwater

Date Filed: 12/05/1978

Amount: 0.80 CFS

Diversion Point: NWNE Sec 22 T 03N R

02E, Ada Co.

Use: Irrigation (0.80 CFS) from 03/01 to

10/31

Place of Use: NWNE SWNE Sec 22 T

03N R 02E for 8 acres

Diversion Means: Well and pump.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before JANUARY 2, 1979.

C. STEPHEN ALLRED

Director

Pub. Dec. 14, 21, 1978

1193

ok
kw

MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Boise City Community Development Dept.Address Box 500 83701

Owner's Permit No. _____

7. WATER LEVEL

Static water level 16' feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☒ Valve ☐ Cap ☐ Plug

Temperature _____ OF Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☒ Pump ☐ Baller ☐ Air ☐ Other _____Discharge G.P.M. 200Pumping Level 138' 15"Hours Pumped 4

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type) _____

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Aug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
375 inches	12 inches	2 feet	247' 7/8 feet
250 inches	10 inches	228' 18 inches	231' 18 inches
250 inches	6 inches	231' 18 inches	252' 8 inches
250 inches	6 inches	258 feet	302' 18 inches
250 inches	6 inches	323 feet	335 feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☒ Yes ☐ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
perforations	_____ feet	_____ feet
perforations	_____ feet	_____ feet
perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name JohnsonType stainless steel Model No. 304Diameter 6 Slot size 30 Set from 252' 18 inches feet to 258 feetDiameter 6 Slot size 30 Set from 302' 18 inches feet to 323 feetGravel packed? ☒ Yes ☐ No Size of gravel # 8 sandPlaced from 231 feet to 335 feetSurface seal depth 70' Material used in seal: ☐ Cement grout☒ Puddling clay ☐ Well cuttingsSealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent☐ Weld☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes No
	0	1	topsoil	☒
	1	37	cemented sand & gravel	☒
	37	96	cemented sand, streaks of brown clay	☒
	96	110	streaks of greenish-brown sand, gravel & clay	☒
	110	152	blue clay	☒
	152	165	streaks of blue clay & fine to medium size sandy sand	☒
	165	190	very cemented blue sand & streaks of blue clay	☒
	190	221	sticky blue clay	☒
	221	252	sticky brown clay	☒
	252	258	slightly muddy, fine to medium size sand, very little gravel	☒
	258	266	cemented brown sand	☒
	266	295	blue clay	☒
	295	305	slightly sandy blue clay	☒
	305	316	streaks of blue clay & very muddy blue & black sand	☒
	316	335	blue clay	☒

Packer Head
Set in 10"
Head pipe



10.

Work started 1/31/79 finished 3/25/79 SEP 21 1992

6. LOCATION OF WELL

Sketch map location must agree with written location.

Manitou Park

Subdivision Name _____

Lot No. _____ Block No. _____

County AdaN/W 1/4 N/E 1/4 Sec. 22 T. 3 N. 2 R. 2 E. W.County AdaN/W 1/4 N/E 1/4 Sec. 22 T. 3 N. 2 R. 2 E. W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name W.E. Stevens & Sons Firm No. 153Address 3709 Hawthorne Drive Date 4/1/79Signed by (Firm Official) Wayne E. Stevens

and

(Operator) David B. Stevens

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT



PERMIT 63-09192 INIT CWJ
T. R. S. Q/Q
P/D 3N 2E 22 NW NE
SCALE
PHOTO ID. X-59


P/u

P/D

MISSING FILMED
SEP 21 1992

MANITOU PARK

boise park department



TURF AREA = 8.2 ACRES

1" = 125'

PERMIT 63-09192 (ALTERNATIVE DIAGRAM)

SEP 21 1992
MANITOU PARK

PHOTO #1

PERMIT 63-09192

12-INCH WELL EQUIPPED WITH 30 HP SUBMERSIBLE
PUMP TO SUPPLY WATER FOR IRRIGATION OF MANITOU PARK.




PHOTO #2

VIEW LOOKING WEST FROM MANITOU AVENUE — WELL
IN CENTER OF PHOTO.



SEP 21 1992

UNMED

PHOTO #3

VIEW LOOKING SOUTH WEST FROM MANITOU AVENUE
TOWARD PARKING LOT AND TENNIS COURTS.




PHOTO #4

VIEW LOOKING NORTH WEST AT LARGE TURF AREA.
AT RIGHT OF PHOTO #2.



MISSOURI
SEP 21 1992

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
Boise City Park Superintendent

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09192

Priority: December 5, 1978

Maximum Diversion Rate: 0.58 CFS
Maximum Diversion Volume: 36.0 AF

This is to certify, that BOISE CITY PARKS DEPT
1104 ROYAL BLVD
BOISE ID 83706

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated December 5, 1978; and
has submitted Proof of Beneficial Use on November 21, 1983. An examination indicates
that the works have a diversion capacity of .580 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/31	0.58 CFS	36.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 22, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	22	NWNE 5	SWNE 3		8

Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Place of use is also known as Manitou Park.

MICROFILMED
SEP 21 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09192

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16th
day of SEPTEMBER, 1992.


R. Keith Higginson, Director

SEP 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
DEC 6 1978
APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Western Regional Office

1. Name of applicant Boise City Park Department (Manitou Park) Phone _____

Post office address 1104 Royal Blvd., Boise 83702

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 3N

Range 2E B.M. Ada ^{per map recon.} 1/3/79 035 County, additional points of diversion if any: _____

None

4. Water will be used for the following purposes:

Amount 0.8 cfs for irrigation purposes from March 1 to October 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.8 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

12-in. well with submersible pump supplying buried sprinkler irrigation system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	22		5	3														8

Total number of acres to be irrigated 8

c. Describe any other water rights used for the same purposes as described above.

None known


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks Water will be used for night irrigation of Manitou Park lawn and planting areas. The amount applied for exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during long daylight-hour days in the summer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Boise City Park Superintendent

Proposed Priority 12-5-78

Received by J.S. Date 12-5-78 Time 9:15 A.M.

Preliminary check by J.S. Fee \$ 35.00

Received by ny Date 12-5-78 # 13646
13647

Publication prepared by Rita Date 12-7-78

Published in Idaho Statesman

Publication dates 12-14-78, 12-21-78

Publication approved kw Date 12-27-78

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9192, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 8th day of January, 19 79.

J. Glen Saylor

Chief, Operations Bureau

RECEIVED
DEC 26 1978

Department of Water Resources
Western Regional Office

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Verna L. Johnson, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for


two insertions, beginning with the issue of December 14, 1978, and ending with the issue of December 21, 1978.

Verna L. Johnson

Subscribed and sworn to before me this 21st day of December, 1978.

Nancy Eugene
Notary Public for Idaho, Residing at Boise, Idaho

ok
kw



September 17, 1992

BOISE CITY PARKS DEPT
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-09192

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

SEP 21 1992

August 27, 1992

BOISE CITY PARKS DEPT
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-09192

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED
SEP 21 1992

LICENSE REVIEW CHECKLIST

Permit # 63-9192

Date 8-25-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? <u>Fee Notice 9-20-88/Rev'd 10-18-88</u>
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>8 x .02 = .16 / .58 cfs (IRR) Higher rate allowed per permit</u>
	☐	☒	Disagree with Theoretical? <u>.96</u>
	☒	☐	Limited by Capacity? <u>.58 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>3-15 to 10-31/Reduced Vpm</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>8 x 4.5 = 36 cfs (IRR)</u>
	☐	☒	Limited by Flow? <u>.58 x 230 x 1.9835 = 264.6 > 36</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☒	☐	Other <u>P/D</u>
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R27</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate, Season

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

WR0749NP
No. L63-09192

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/25/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOISE CITY PARKS DEPT 1104 ROYAL BLVD BOISE ID 83706 (208) 384-4240	12/05/1978	IRRIGATION	03-15 10-31	0.58 CFS	36.0 AFA
TOTAL DIVERSION:					0.58 CFS	36.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.58 CFS

Point(s) of Diversion: T03N R02E S22 NW NE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE															
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM			
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	
03N	02E	22	:			05	03	:						:					:							:	8.0
TOTAL ACRES																							:	8.0			

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-02685 63-03202 63-03292 63-09192

Other Water Rights Listing Overlapping Place(s) of use:
63-00243 63-02392 63-02685 63-09192

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Remarks: Place of use is also known as Manitou Park.

Dates: App. Received: 12/05/1978 Priority Date: 12/05/1978
Proof Due Date: 01/01/1984 Proof Made Date: 11/21/1983
Exam Made Date: 06/08/1990 Exam Sent to S.O.: 01/14/1991
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 08/25/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-09192

Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☐ Copies of any Amendments/Orders with conditions of approval

yes Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

NONE Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index (WJ) 5/23/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: NEARBY WELLS AND SURFACE DIV.

Check of P/U index (WJ) 5/23/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: NEARBY LANDS

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Edipton Johnson 6/13/90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent CH 12-27-90 (Initial and date)

Exam Reviewed by Manager of Regional Office Dms 12/28/90 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 1-14-91 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 15 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-02192


1. Owner: BOISE CITY PARK DEPT. (MANITOU PARK) Phone No. 384-4240
Current Address: 1104 ROYAL BOULEVARD, BOISE, ID 83706
2. Accompanied by: WILLIAM BENNETT EXAM. DATE: JUNE 8, 1990
Address: SAME Phone No. SAME
Relationship to Permit Holder: CREW CHIEF
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-00243, 63-02392 AND 63-02685
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 63-02685, 63-03202, 63-03292
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



SEP 21 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 12-INCH WELL EQUIPPED WITH A 30 HP SUBMERSIBLE PUMP
SUPPLIES WATER THROUGH BURIED PIPELINES TO IRRIGATE
TURF, TREES AND PLANTINGS AT MANITOW PARK. THE SYSTEM
WAS OPERATED AT 65 PSI AT SPRINKLERS TO SUPPLY ROYAL
COACH SPRINKLERS NO. 10090, 20 EACH, 1 5/64" ORIFICES.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL	FRANKLIN	30	UNKNOWN	GOLDS	DISCHARGE 4-INCH

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion: PHOTO #1

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL			NW	NE	22	3N	2E	ADA	ORTHO PHOTO MAP, OWNER MAP

6. Place(s) of Use: PHOTOS #2, #3, #4 Indicate Method of Determination SAME AS ITEM 5

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	22		5.2	3.0														8.2

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE	HAND HELD					

2. Measurements:

SPRINKLER HEAD PRESSURE = 65 PSI 20 HEADS AT 15/64 INCH
ORIFICE (OWNER'S SPECIFICATIONS) DISCHARGE 13.1 GAL/MIN EACH.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 20 HEADS $\times$ 13.1 GAL/MIN/HEAD = 262 GAL/MIN = 0.58 cfs max capacity limitation
(Permit for .8 cfs)
2. Alternate Method for Checking Purposes:
HORSEPOWER EQUATION: $\frac{30 \text{ HP} \times 8.8 \times .7}{42 + (2.51 \times 65)} = 0.96 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times$ 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div$ 8.8 = _____ (5)
Meter Input KW: 3.6 $\times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)
Meter Input HP: (6) $\times$ 1.34 = _____ (7)
Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times$.001732 = _____ (6)
Panel Input HP: (6) $\times$ 1.34 = _____ (7) Efficiency: (5)/(7) $\times$ 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: 8.0 ACRES MAXIMUM UNDER PERMIT.

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8.0 \times 4.5 = 36 \text{ AFA}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.58 \times 245 \times 1.9835 = 281.9 \text{ AFA}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 36 \text{ AFA}$

2. Volume Calculations for Other Uses:


RECEIVED
SEP 21 1992

ELI DRILLER'S REPORT

[illegible]


PERMIT 63-09192 INIT CWJ
T. R. S. Q/Q
P/D 3N 2E 22 NW NE
SCALE
PHOTO ID. X-59

P/U P/D



MANITOU PARK

boise park department



TURF AREA = 8.2 ACRES

1" = 125'

PERMIT 63-09192 (ALTERNATIVE DIAGRAM)

SEP 21 1992

PHOTO #1

PERMIT 63-09192

12-INCH WELL EQUIPPED WITH 30 HP SUBMERSIBLE
PUMP TO SUPPLY WATER FOR IRRIGATION OF MANITOU PARK.



PHOTO #2

VIEW LOOKING WEST FROM MANITOU AVENUE - WELL
IN CENTER OF PHOTO.



SEP 11 1992

PHOTO #3

VIEW LOOKING SOUTHWEST FROM MANITOU AVENUE
TOWARD PARKING LOT AND TENNIS COURTS.



PHOTO #4

VIEW LOOKING NORTHWEST AT LARGE TURF AREA.
AT RIGHT OF PHOTO #2.



SEP 21 1992

FIELD EXAMINATION SCHEDULING CHECK LIST

Permit Number 63-9192
 Fees Paid For 160.00, 8 CFS Maximum
 Employee Name CLIFF
 Estimated time to
 conduct this exam 1 HR.
 Proof of Beneficial
 Use Date: (if prior to
 Nov 19, 1987 check adj file
 Adjudication filing -- Yes ☐ No ☒

Caller's Name DENNIS MEYERS
 Caller's Phone 384-4240
 Scheduled date 6/8/90
 Scheduled time 8:00 AM.
 Measurement device
 required -- -- -- Yes ☐ No ☐
 type of device installed _____

I. DETERMINE ALL USES:

- A. Primary use -- -- -- -- -- IRR
 Source (if ground water determine if measurement required) _____
 1. Domestic _____ Size of yard _____ # homes _____
 2. Subdivision: Is it fully developed or do the lots
 have the water line stubbed in? -- -- _____
 Subdivision name _____ is plat available? _____
 3. Irrigation: -- -- -- -- -- Approx acres irrig 8
 sprinkler system desc _____

B. Miscellaneous notes: WELL BALANCED SYSTEM

II. TYPE OF DIVERSION SYSTEM:

- A. Pumping system
- HP _____ PSI _____
 Estimated diversion rate _____
 Measuring device _____

ASK: (1) ANY IRRIGATION WATER FROM SOUTH BONE MUTUAL CANAL?

WHEN CAN WE SEE SYSTEM IN OPERATION? NIGHT --

INTERSTATE TO BROADWAY, THEN WEST ON GARFIELD TO PARK

MAINTAINED

SEP 21 1992

REMINDER: Reaffirm with the permit holder that his system needs to be ready for the field exam in a manner consistent with his normal operations.

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-09192

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot_____.

2. Owner: BOISE PARKS
Address_____, City_____, St_____

3. Casing $\geq$ 12 inches above ground: Yes_____ No ✓ IN PIT-GROUND

4. Access Port: Yes ✓ No____ Static Water Level: 42 FT
Pressure Gauge: Yes____ No ✓ Casing Diameter: 12 INCHES
Flowing: Yes____ No ✓ Temperature: _____

5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes____ No ✓

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: _____

MICROFILMED

SEP 21 1992

4/86

RECEIVED

OCT 18 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

Department of Water Resources

For Office Use Only
Fee Received \$100.00
Date 10/18/88
Receipt # 0082949
Receipt by [initials]
Sent to S.O.

RECEIVED
OCT 31 1988

1. Permit No. 63-9192 (Manitou Park)

Department of Water Resources
Western Regional Office

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: BOISE PARK SYSTEM

3. Post Office Address: 1104 ROYAL BOULEVARD

BOISE, ID 83706 Telephone No. 384-4240

4. Source of Water: GROUND WATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 8 (EIGHT) (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .8 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Spring 1980

8. Person to contact to accompany the department representative during the field examination:

DENNIS MEYERS, MANAGER (Name)

Same as above (Address) SEP 21 1992 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

October 17, 1988
Date

Paul Phillbrook, Park Designer
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

FORM NO.

028490

VOUCHER NO.	COMMENTS	VOUCHER DATE	ITEM AMOUNT
11674510589	PARKS	09-27-88	100.00
		NOT FILMED SEP 21 1992	

CHECK

00000007243

FOR TOTAL OF

100.00



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

63-9192
Boise City Park Dept. (Manitou Park)
1104 Royal Blvd.
Boise, ID 83702

September 20, 1988

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated

MICROFILMED
SEP 21 1992

the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St.
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

LGS:hm

Enclosures

RECEIVED
SEP 21 1992

reattach

Jane,

This file needs
a fee letter
sent. Check with
Western, however,
before mailing.

Gary

INTER-DEPARTMENT MEMO — 1

FROM

Rita

TO

Gary


SUBJECT

63-9192

DATE

4-11-88

No fee exam notice was
ever sent on this one.


SIGNATURE

Boise City Park Dept.
1104 Royal Blvd.
Boise, ID 83706

Re: Permit No. 63-9192

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

Sincerely,

100

DEPARTMENT OF WATER RESOURCES MANITOW

The Idaho Department of Water Resources will consider this card as an agreement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9192.

Name(s) of Permit Holder: BOISE CITY PARK DEPARTMENT

Post Office Address: 1104 ROYAL BLVD.

BOISE, ID. 83706 Tel. No. 384-4240

Source of Water: UNDERGROUND

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (night) 8 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

NOVEMBER 9, 83
 Date


 Signature of Permit Holder

BOISE CITY PARK DEPT.

1104 ROYAL BLVD

BOISE, IDAHO 83704



U.S. POSTAGE

13

RECEIVED



NOV 21 1983

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138150

BOISE CITY PARK DEPARTMENT
1104 ROYAL BLVD.
BOISE, ID 83702

PROOF DUE NOTICE

OCTOBER 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9192 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

January 9, 1979

Re: Permit No. 63-9192

Boise City Park Dept.
Manitou Park
1104 Royal Blvd.
Boise, Idaho 83702

Gentlemen:

Your approved copy of your Application for Permit is enclosed and we direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

RECEIVED
JAN 10 1979

AFF REVIEW - STATE OFFICE

1. Super Name vs. Signature
2. W Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use *
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 8 Place of Use for irrigation (add ✓ acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 35 Fee & Rec't. No. ✓

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>/</u> Idaho Fish & Game Dept.	<u>/</u> Dept. of Lands
<u>/</u> Bureau of Land Management	<u>/</u> Other

* See memo in file concerning amt of diversion
 Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted for irrigation in
NW NE, or SW NE sec 22

N/A Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. No

ID Power Co. Letter - G.W. & Tribs. Yes

Snake River Condition No

Payette River Letter /

Priority Date 12-5-78

Water Quality #16 No

Water Quality #10 /
 intrastate interstate

Meas. Dev. or Sc. Meas. No

Totalizing meter /

Supplemental /

Right-of-Way Cond. /

Watermaster Cond. /

Wtr. Dist No. /

Meas. Dev. Cond. for apps within
 a Water Dist. /

Jim Reviewer
1/5/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-9192

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JS 6 Nov 78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) JS 6 Nov 78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use No G.W. Platted.

(10) _____

Comments: _____

(11) kw OK

Affidavit of Publication received(date) 12-26-78

(12) _____

Final date for protests Jan. 2, 1979
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

12-5-78 Proposed Priority

Reason for Reduction _____

No Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District W

By [Signature] Date 1-4-79

I. P. G. W. letter
RECEIVED
JAN 24 1979

Department of Water Resources

RECEIVED



CITY OF TREES

PAUL H. PHILBROOK
Project Planner
Park Department

BOISE CITY, IDAHO

Phone: (208) 384-4240
1104 Royal Boulevard
P.O. Box 500, Boise, Idaho 83701

Jack Kelly &
ANDERSON & Kelly
Consultants

Emer.

375-9220

RECEIVED
JAN 11 1960

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

DECEMBER 7, 1978

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JANUARY 2, 1979.

Yours truly,

Sally Trinkaus
Secretary

Encl.

RECEIVED
JAN 10 1979

BOISE CITY PARK DEPARTMENT

1104 ROYAL BLVD., BOISE, ID 83702

Source: GROUNDWATER

Date Filed: 12/05/1978

Amount: 0.80 CFS

Diversion Point: NWNE Sec 22 T 03N R 02E, ADA Co.

Use: IRRIGATION (0.80 CFS) from 03/01 to 10/31

Place of Use: NWNE SWNE Sec 22 T 03N R 02E FOR 8 ACRES

Diversion Means: WELL AND PUMP.

*Bill Submitted
12-27-78 kw*

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before JANUARY 2, 1979.

C. STEPHEN ALLRED

Director

Published 12/14 & 12/21/78.

RECEIVED
JAN 2 1979

FROM Jim

DATE 12-5-78

TO File

SUBJECT LARGE Rate of diversion requested on Application

I DISCUSSED the rate of diversion with MR.

Paul H. Philbrook of the Park Department & their consultant Jack Kelly. Management of water application was a key factor in design of the distribution system. (described in remarks) No one was sure how much water would be required per irrigation, however, it was felt that 6 hrs would probably be the maximum length of irrigation.

The .8 cfs diversion rate would provide about 0.92 in per acre in that time period which may or may not be reasonable. In terms of management the fewer number of applications the less management required. Jack Kelly of ANDERSON & Kelly indicated they would probably design the system close to the .8 cfs maximum diversion rate.

RECEIVED

DEC 6 1978

Department of Water Resources
Western Region Office
MICROFILMED