

RIE

T
2
N

23

⑥

Rivanda Walber - Secretary
(Applicant)

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

63-9163

Name: KING OF GLORY LUTHERAN
CHURCH

Address: 3430 N. Maple Grove, Boise,
Idaho

Source: GROUNDWATER

Date Filed: June 29, 1978

County: Ada

Amount: 0.04 cfs

Point of Diversion: SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 36 T
4N-R 1E B.M.

Use: irrigation of 1 acre from Apr 1 to Nov 1

Place of Use: SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 36 T 4N-R
1E B.M.

Means: well, pump, and sprinkler system

63-9164

Name: HI-VIEW WATER CO., C/O
RON WALKER

Address: Route 3, Kuna, Idaho

Source: GROUNDWATER

Date Filed: June 30, 1978

County: Ada

Amount: 0.28 cfs

Point of Diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 23 T
2N-R 1E B.M.

Use: domestic purposes from Jan 1 to Dec 31

Place of Use: SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 23 T 2N-R
1E B.M.

Means: well, pump, and pipeline

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before July 31, 1978.

C. STEPHEN ALLRED

Director

Pub. July 13, 20, 1978

348

Nancy Smith, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of July 13, 1978, and ending with the
issue of July 20, 1978.

Nancy Smith
Subscribed and sworn to before me this 20th
day of July, 1978.

Notary Public for Idaho, Residing at Boise, Idaho

0.1278
5.2
pt.

MICROFILMED

Department of Water Resources
Western Regional Office




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-9164 Priority June 30, 1978 Amount .28 cfs

THIS IS TO CERTIFY, that HI-VIEW WATER COMPANY
of Kuna, Idaho, has complied with the terms and conditions of Permit
No. 63-9164 issued pursuant to Application for Permit dated June 30, 1978,
and has submitted proof to the Department of Water Resources on July 30, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .28 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(7 homes)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.28</u> cfs and	<u>8.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.28 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
8.4 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, Twp. 2N,
Rge. 1E, B.M. in the County of Ada

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2N	1E	23																X	

Total number of acres irrigated _____

CONDITION: This right when combined with Right No. 63-8588 shall provide
no more than .84 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
July, 19 80.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Hi-View Water Co. c/o Ron Walker Phone 362-1915

Post office address Route 3, Kuna, Idaho 83634

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 2N

Range 1E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .28 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .28 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. existing well, pump, & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 2N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 7.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

none

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use Kuna East Subdivision

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks expand 63-8588



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by S Proposed Priority 6/30/78
Date 6/30/78 Time 10:30
Preliminary check by 6LS Fee \$ 25.00 # 11155
Receipted by alw Date 6-30-78
Publication prepared by alw Date 7-6-78
Published in The Idaho Statesman
Publication dates 7-13-78 + 7-20-78
Publication approved st Date 8-2-78
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DRT ig

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9164, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 79.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 11 day of August, 19 78.

L. Glen Sayton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 6, 1980

H1-View Water Co.
Route 3
Kuna, Idaho 83634

Dear Sirs,

RE: License No. 63-9164

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Jan Grover".

JAN GROVER
Water Rights Supervisor

JG:mr
Enclosure

MICROFILMED

FIELD REPORT

- TOTAL ACREAGE**




Diagram of System

DATE OF EXAM 10/10/79

ACREAGE
Found
Recommended

Irrigation Requirement Ac Ft/Ac

USE
Irrigation Q = c.f.s. V = AF/Ann. from to
Domestic Q = .28 c.f.s. V = 8.4 AF/Ann. from 4/1 to 12/31
Livestock Q = c.f.s. V = AF/Ann. from to

Is water co-mingled? yes no ✓

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured 125 gpm = 0.28 cfs Method of measurement FLOWMETER

Total Q recommended .28 cfs Meter No. 3552208 Type ANOLE Condition Good

Total V recommended 8.4 AF/Ann

Recommended Amendments:

P.D.
Place of Use
Other
None ✓

MEASUREMENT CALCULATION:

$Q = 125 \text{ gpm} (.002228) = .28 \text{ cfs}$

$V = 7 \text{ Dom. units} (1.2 \text{ AF/Ann}) = 8.4 \text{ AF/Ann} \checkmark$

$V = .28 \text{ cfs} (1.98) (365 \text{ days/yr}) = 202.4 \text{ AF/Ann}$

SYSTEM DESCRIPTION:

20 hp Red Jacket Pump # 206795308, APPROX 1500 gal
STORAGE TANK.

REMARKS:

THOUGH I MEASURED .28 cfs, THE SYSTEM HAS CAPACITY
TO PUMP 1.06 cfs. 63-9169: .28 cfs
THIS APP. TO EXHAUST 63-8588. 63-8588: .56
.84 cfs
TOTAL CAPACITY: 1.06 cfs.

Examiner's Signature Charles Wilby Date 10/10/79

Checked by DBS Date 6/4/80

Approved by RH Date 7/15/80



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

August 29, 1979

Hi-View Water Co.
c/o Ron Walker
Route #3
Kuna, ID 83634

RE: Permit No. 63-9164

Dear Mr. Walker:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Wednesday, October 10th at 10:00 am.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the holder(s) has completed development to the extent shown below of Permit No. 63-1784.

Name(s) of Permit Holder: Hi-View Water Co % Ron Walker

Post Office Address: Rt. 3 Kuna, Idaho 83634

Tel. No. 362-1115

Source of Water: Groundwater

Extent of Use: ☒ Domestic 7 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 79
 Date

Wanda Walker - Sec.
 Signature of Permit Holder

MICROFILMED

RECEIVED

JUL 20 1975

Department of Water Resources
Western Regional Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

June 29, 1979

Hi-View Water Company
c/o Ron Walker
Route 3
Kuna, ID 83634

101093

Gentlemen:

One of the conditions of approval of your water Permit No. 63-8104 was that evidence of the extent of development must be submitted to this office on or before September 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK

Sr. Secretary

Enc: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 16, 1978

Re: Permit No. 63-9164

Hi-View Water Co.
C/o Ron Walker
Route #3
Kuna, ID 83634

Dear Mr. Walker:

Your approved copy of Application for Permit No. 63-9164 is enclosed and we direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

MICROFILMED

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

63-9164

STAFF REVIEW - STATE OFFICE

J.S.
8/1/78

1. ☒ Name vs. Signature See
2. GWL Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. 1 Time req. for Proof of B/U
.04 x 7 hours = .28 cfs ok
7. ☒ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. See file Property Owner at Pt. of Div. & Pl. of Use
no remarks
10. ☒ Map
11. ok Fee & Rec't. No. .28 = 25.00
12. ok correct advertisement

Copies Sent To:

see file Idaho Health Department
/ Idaho Fish & Game Dept.
/ Bureau of Land Management

/ U.S.F.S.
/ Dept. of Lands
/ Other

Dam Safety Information _____ (Goes to Permit Section)

Check:

Critical G.W. Area _____ yes X no checkX Other rights on same land 63-8588

N/A Withdrawals of all protests received _____ yes _____ no

Conditions:

ID Power Co. Letter - Snake R. N/AX ID Power Co. Letter - G.W. & Tribs. yes X

Snake River Condition _____

Payette River Letter N/APriority Date 6/30/78~~2~~ > 1.0 N/A
Meas. Dev. or Sc. Meas. _____Totalizing meter N/A

Supplemental _____

Right-of-Way Cond. see item #9Watermaster Cond. /Wtr. Dist No. /Meas. Dev. Cond. for apps within a Water Dist. /X Water Quality #16 seeX Water Quality #10 see
intrastate _____ interstate _____

Jim J.
 Reviewer

Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-9164

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) GLS 7/5/78

In form to receipt

(2) _____

Send Copies to:

☒ Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) GLS 7/5/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) OK JP

Affidavit of Publication received(date) 8-2-78

(12) _____

Final date for protests _____
Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

6-30-78 Proposed Priority

Reason for Reduction _____

NO Measuring device required

See attached sheet for other conditions of
approval

☒ No special conditions for approval

(15) District W By DET Date 8-2-78

RECEIVED
AUG 4 1978

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

Central District Health Department
Environmental Health Division

JUL 1 1978
Boise, Idaho

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

July 7, 1978

RE: Application No. 63-9164 - Hi-View Water Co.

Jim Jenkins
Central District Health
1455 N. Orchard
Boise, ID
STATEHOUSE MAIL

Dear Mr. Jenkins:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the application, please contact this office.

Sincerely,

David B. Shaw
alw

David B. Shaw
Western Regional Supervisor

DBS:alw
Enc.

Department of Water Resources
Western Regional Supervisor

This department has no objection to this
Application *[Signature]*

MICROFILMED

July 7, 1978

RE: Application No. 63-9164 - Hi-View Water Co.

Jim Jenkins
Central District Health
1455 N. Orchard
Boise, ID
STATEHOUSE MAIL

Dear Mr. Jenkins:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the application, please contact this office.

Sincerely,

David B. Shaw
Western Regional Supervisor

DBS:alw
Enc.

RECEIVED



DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

July 6, 1978

RE: Applications Nos. 63-9163 - King of Glory Luthern Church
63-9164 - Hi-View Water Co.
Claim No. 63-4619 - Packer &/or Fleming &/or Eichhorn

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before July 31, 1978.

Sincerely,

RITA FLECK
Secretary

MICROFILMED

~~63-9164~~

Name: HI-VIEW WATER CO., C/O RON WALKER

Address: Route 3, Kuna, Idaho

Source: GROUNDWATER

Date Filed: June 30, 1978

County: Ada

Amount: 0.28 cfs

Point of Diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 23 T 2N-R 1E B.M.

Use: domestic purposes from Jan 1 to Dec 31

Place of Use: SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 23 T 2N-R 1E B.M.

Means: well, pump, and pipeline

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT .

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before July 31, 1978.

C. STEPHEN ALLRED

Director

Published in the The Idaho Statesman, Boise, Idaho
on July 13 and July 20, 1978.

MICROFILMED