


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

ATTEST:

Pearl Stacy
Pearl Stacy, Garden City Clerk

THE CITY OF GARDEN CITY, IDAHO

Ray Eld
(Applicant) Ray Eld, Mayor
Garden City, Idaho
Date: 4-11-78

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED

MAR 31 1987

A. GENERAL INFORMATION

1. Owner: City of Garden City ^{Attn: Carlyle Briggs}
Current Address: City Hall, 201 E. 50th St., Garden City, ID 83714
2. Accompanied by: Carlyle Briggs
Address: 619 Grove St., Boise, ID 83702
Relationship to Permit Holder: City Engineer
3. Source: groundwater tributary to _____


Permit No. 63-7136
Phone No. 377-1831
EXAM. DATE: 9/25/86
Phone No. 343-3381

B. OVERLAP REVIEW

1. Other water rights with same place of use: none for municipal
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: as above
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

JUL 24 1990



MICROFILMED
JUL 24 1990




BY _____ DATE _____

JOB NO. _____

63-9136



PUMPING DEPTH - Feet Below Top of Casing



Garden City, Idaho
Marigold Well No. 6
DRAWDOWN CURVE

sustained Pumping

Turbine Pump

Submersible Pump

From Test Pumping Report
September 11 & 12, 1978

Intermittent Pumping

MICROFILMED

JUL 24 1990

G. P. M.

DWG. No. CWB-780912

63-9136


125' Lift + 0 PSI = 125 ÷ 5 STAGES = 25' / STAGE = 780 GPM
 112' Lift + 20 PSI = 158 ÷ 5 STAGES = 31.6' / STAGE = 695 GPM
 75' Lift + 60 PSI = 213 ÷ 5 STAGES = 42.7' / STAGE = 490 GPM

Moved to No. 6 Main Pump
 Garden City Well No. 2 Pump
 at Garden City Park - E. 36th Street

This is the main pump for
 Well No. 6 and is installed in
 Well No. 6 most of the time

FEET TOTAL DYNAMIC HEAD

H=36.6'



FEET N.P.S.H. REQUIRED
 @ SUCTION IMPELLER

Well No. 6 Main Pump - Pump # 63-9136
 4 P

PERFORMANCE BASED ON MULTISTAGE TESTS
 PUMPING CLEAR COLD WATER SP. GR. 1.0
 FOR 1 STAGE MULTIPLY HEAD & EFF. BY 0.95
 FOR 2 STAGES MULTIPLY HD. & EFF. BY 0.98
 DATE 1-2-64



U.S. GALLONS PER MINUTE
 JOHNSTON PUMP COMPANY
 Pasadena, California
 ESTABLISHED 1909

10CC TURBINE PUMP
 IMPELLER - BRONZE
 BOWL - CAST IRON
 1760 R.P.M.
 CURVE SHEET NO. 9678
 Pumped flow at 42 psi

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09136

Priority: July 1, 1978

Maximum Diversion Rate:

1.38 CFS

This is to certify, that CITY OF GARDEN CITY
201 E. 50TH ST.
GARDEN CITY, ID 83714

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 13, 1978; and has submitted Proof of Beneficial Use on February 3, 1984. An examination indicates that the works have a diversion capacity of 1.380 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	1.38 CFS	

LOCATION OF POINT(S) OF DIVERSION:


NENW , Sec. 25, Township 04N, Range 01E
ADA County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use within city limits of Garden City.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of July, 1990.

Acting for  R. Keith Higginson, Director

MICROFILMED

JUL 24 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 63-9136 IN THE NAME OF	)	ORDER ADVANCING
	)	DATE OF PRIORITY
CITY OF GARDEN CITY	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-9136 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 63-9136 to appropriate the public waters of the State of Idaho with a proposed priority of APRIL 13, 1978.
2. On APRIL 30, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 29, 1986.
3. The license examination fee was received on SEPTEMBER 15, 1986, 78 day(s) late.

MICROFILMED

JUL 24 1990

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 63-9136 should be advanced 78 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 63-9136 is advanced to JULY 01, 1978

Dated this 13th day of June, 1990.

J. Glen Saxton
Chief, Water Allocation Bureau

RECORDED

JUL 24 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-9136 IN
THE NAME OF CITY OF GARDEN CITY, IDAHO

ORDER

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before May 1, 1983; and,


WHEREAS, on February 28, 1983, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on May 9, 1983, the Department notified the permit holder that the permit had lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, it has been determined that proper notification was not given to the permit holder;

IT IS, THEREFORE, HEREBY ORDERED that the permit be REINSTATED with no advance in priority and the time within which to submit the statement of beneficial use extended to April 1, 1984.

Dated this 31st day of January, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-9136**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

Permit Numbers: G-22310; G-22601; 27271; 63-7805; 63-8005

9. a. Who owns the property at the point of diversion Garden City

b. Who owns the land to be irrigated or place of use The public, represented by Garden City

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

City of Garden City is a municipal corporation representing the citizens and water users of Garden City.

10. Remarks _____

Send copy of all correspondence to:
Carlyle W. Briggs, P.E.
Garden City Engineer
619 Grove Street
Boise, Idaho 83702
343-3381

Identification No. _____

Application No. 63-9136

Garden City Well No. 6
Marigold Street

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Garden City Phone: 342-5591
post office address City Hall, 201 E. 50th Street, Garden City, Idaho 83704

2. Source of water supply underground water which is a tributary of N.A.

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 25 Township 4N.
Range 1E. B.M. Ada County; additional points of diversion if any: SWNW,
Sec. 25, T4N, R1E, NWNW, Sec. 25, T4N, R1E

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 3.0 for municipal purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.0 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
Municipal water pipelines system

b. Height of storage dam N.A. feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 250 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 30,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. City limits of Garden City, Idaho


(2) Amount of power to be generated: none hp under _____ feet of head.

(3) List number of each kind of livestock to be watered none known

(4) Name of municipality to be served City of Garden City, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

ATTEST:

Pearl Stacy
Pearl Stacy, Garden City Clerk

THE CITY OF GARDEN CITY, IDAHO

Ray Eld
(Applicant) Ray Eld, Mayor
Garden City, Idaho
Date: 4-11-78

Proposed Priority 4/13/78

Received by DBS Date 4/13/78 Time 10:00 a.m.

Preliminary check by DBS Fee \$ 45.00

Receipted by J Date 4-13-78 # 11038

Publication prepared by J Date 4-13-78

Published in Idaho Statesman

Publication dates April 20-27, 1978

Publication approved J Date 5-20-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS JG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9136, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 22ND day of May 19 78.

Ron Young
Administrator


STATE OF IDAHO)
COUNTY OF ADA) ss.

Nancy E. Smith, being duly sworn,
deposes and says: That she is the Principal Clerk
of The Idaho Statesman, a daily newspaper printed
and published at Boise, Ada County, State of Idaho,
and having a general circulation therein and which
said newspaper has been continuously and uninter-
ruptedly published in said County during a period
of twelve consecutive months prior to the first
publication of the notice, a copy of which is
attached hereto; that said notice was published
in the regular edition of The Idaho Statesman

for one insertion, in the issue of 27th
April, 19 78.

Nancy E. Smith, Principal Clerk
Subscribed and sworn to before me this 27th
day of April, 19 78.

Nancy Enggren
Notary Public for Idaho, Residing at Boise, Idaho



OK
5-2-78
JEF
Boise, Idaho
District Regional Office

July 18, 1990

CITY OF GARDEN CITY
201 E. 50TH ST.
GARDEN CITY, ID 83714

RE: PERMIT NO. 63-09136

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 24 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 25, 1990

RE: Permit Nos. 63-9134 & 63-9136

Richard D. Cummings
City of Garden City
201 E. 50th
Garden City, ID 83714-1499

Dear Mr. Cummings:

I am in receipt of your letter concerning Garden City's two municipal wells. Your letter states that both wells are capable of producing 3.00 cfs and your intent is to upgrade the sites as necessary to meet water needs.

Mr. Carlyle Briggs, P.E. (Garden City's Engineer) provided performance data on the pumps and motors used under Permit Nos. 63-9134 and 63-9136. The maximum capacities of the systems are 1.69 cfs (Permit 63-9134) and 1.74 cfs (Permit 63-9136). At the time of the examination in 1986, the discharge of the system was measured at 1.06 cfs (Permit 63-9134) and 0.51 cfs (Permit 63-9136). Adjustments to the flows were made to account for possible measurement error. I believe the rates listed in the pre-license correspondence are representative of the capacities of the two systems.

I am sure that the City will add municipal capacity as population growth occurs. A new water right will need to be filed when the City replaces the existing pumps and motors with larger ones. The licenses to be issued on the permits identified above reflect the development that occurred prior to the time of the examination conducted in 1986.

I cannot grant your request that the permits remain at 3.00 cfs as there is no statutory authority that allows this. All permits are eventually licensed and a license is based upon the amount of water actually diverted and put to beneficial use. Unless you can provide information that shows an error in the rates of


RECEIVED

JUL 24 1990

Page 2

diversion, licenses will be issued as set forth in my June 14, 1990 correspondence. I will not take any further action, however, until July 15, 1990 to give you an opportunity to respond. Please feel free to call me or set up an appointment.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:sc

MAIL ROOM

JUN 24 1990



"Nestled by the River"

city of Garden City

June 18, 1990

Jim Johnson
Dept. of Water Resources
State House Mail
Boise, Idaho 83720

RECEIVED
JUN 21 1990

Department of Water Resources

RE: Permit No. 63-09134
63-09136

Dear Mr. Johnson:

I can only apologize for the previous administrations lack of promptness in submitting examination fees.

The advancing of the priority date is justified and acceptable. My concern is the rate of diversion.

Both permits are wells that are capable of producing over 3.00 C.F.S. and that is why Garden City requested the rate of diversion or quantity appropriated to be set at 3.00 C.F.S. As Garden City continues to grow, it is our intent to upgrade these well sites to produce the necessary water needed.

Once again, I would like to request that the rate of diversion for these two permits remain at 3.00 C.F.S.

Sincerely,

Richard D. Cummings
Public Works Director

RDC:pjt

Enclosures

MICROFILMED

JUL 24 1990

6

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-09136
Date Received: 8/14/1989
Receipt No: W004439
Received By: DE JN

COPY

FOR YOUR FILES

DO NOT RETURN

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CITY OF GARDEN CITY
Address: 201 E. 50TH ST.
GARDEN CITY, ID

208-377-1831

83714

2. Date of Priority: APR 13, 1978

3. Source: GROUNDWATER

Trib. to:

RECEIVED
JUN 21 1990

4. Point of Diversion:

Department of Water Resources

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
04N	01E	25	NE	NW			ADA
			NW	NW			ADA
			SW	NW			ADA

5. Description of diverting works:
40 HP SUBMERSIBLE IN 299 FT. WELL 8" DISCHARGE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
MUNICIPAL	01/01	12/31	3.000		

7. Total Quantity Appropriated is:
3.000 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
DOMESTIC 1600 CONNECTIONS PLUS

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
03N	02E	5				MUNI	
04N	01E	23				MUNI	

A63-09136

Page

1

Date: 05/08/90

MICROFILMED

JUL 24 1990

June 14, 1990

CITY OF GARDEN CITY
201 E. 50TH ST.
GARDEN CITY, ID 83714

RE: PERMIT NO. 63-09136

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

JUL 24 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 63-09136

FROM: ROXANNE MC CARTHY

RE: PRIORITY ADVANCE REVIEW

DATE: 5-JAN-1990

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 13 1978	103
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 30 1986	120
Exam Fee/Info Sheet Received Date:	SEPTEMBER 15 1986	258
Exam Fee or Info Due Date:	JUNE 29 1986	180
Days Late:		78 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	APRIL 13 1978	103
Total Days Late:		78 DAY(S)
New Priority Date:	JULY 01 1978	181

RECEIVED
JAN 14 1990

RECEIVED

MAR 31 1987

Staff Analysis Sheet
for
Beneficial Use Field Report

Department of Water Resources
63-9136
Permit No.

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check of P/D index RD 9/25/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Check of P/U index RD 9/25/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Aerial Photo

Required? ☐ yes ☒ no ☐ If yes, copy attached?

Scheduling Letter sent? No - In office (Initials, date)

☐ Appointment made and telephone conversation memo attached?

NENW Sec. 25

4N 1E

SWNW
NWNW

no other
rights for
municipal
in NENW

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Bud E. Linger 10/6/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office DP 12/1/86 (Initial and date)

Exam Date Entered in Computer 3/17/87 (Initial and date)

Exam sent to State Office 3/18/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original Refiled in White File 3/27/87 (Initial and date)

KEYP

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 31 1987

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: City of Garden City ^{Attn: Carlyle Briggs} Permit No. 63-7136
Phone No. 377-1831
Current Address: City Hall, 201 E. 50th St., Garden City, ID 83714
2. Accompanied by: Carlyle Briggs EXAM. DATE: 9/25/86
Address: 619 Grove St., Boise, ID 83702 Phone No. 343-3381
Relationship to Permit Holder: City Engineer
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none for municipal
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: as above
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

JUL 24 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Source consists of a well 299' deep with 16" casing to 219' and 12" casing to 287'. A 25 HP pump is set at 124' along with a 1 HP backup pump which is burned-out. Static water level is 8' while ~~the~~ pumping water level is 100'. Well water is discharged into 4" pipe which turns into 6" pipe. Water is pumped into a 2000 gallon storage tank & is used domestically by Garden City. A McCrometer flowmeter measured 230 gpm during exam.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model # Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	25	2556X6-T	—	468-13
	submersible				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	25	4N	1E	Ada	Topog. Map

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

N/A Garden City Limits

MICROFILMED

JUL 24 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

McGrometer Flowmeter : 230 gpm. Pump had to be manually started since system was up to pressure. According to pump curves, maximum instantaneous discharge is 780 GPM (1.74 cfs). Allow: 1.25 cfs (5616PM) per exam information/fee sheet.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Theoretical: Assume 100' lift, 40 psi, 80% effie.
$$\frac{HP \times 8.8 \times \text{effie.}}{\text{Lift} + (PSI \times 2.3)} = \frac{25 \times 8.8 \times 180}{100 + (40 \times 2.3)} = \frac{176}{192} = .92 \text{ cfs}$$

Note: Use lift of 86' & pressure of 42 psi & efficiency of 0.82 (per pump curve) per DRT memo dated 10/29/87
$$\frac{35 \times 8.8 \times .82}{86 + (42 \times 2.3)} = 1.38 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3)
: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6) (See DRT memo for explanation of 35 hp)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Municipal	1/1	12/31	1.25	
Totals:			1.25	

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name Brad E. Dingee
Signature Brad E. Dingee
Certification Date _____
Field Report Preparation Date 9/25/86

DRT 12/1/86

CONSULTANT SEAL


- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

JUL 24 1990

MICROFILMED

JUL 24 1990





Evaluation of Pump Curve Data in View of Measured Well Output Data

Given: - Pump Curve

- Measurement of 230 gpm @ 70 psi (system pressure measured for well # 63-9134)

To find: Recommended Rate of Flow for Licensing

Solution:

1. Plot flow rate of 230 gpm on pump curve - read total head value of 49.5'/stage. Note that system is 5 staged.
2. Pressure output of 70 psi (assume that pressure here is the same as for well # 63-9134 1/2 mile away) means that head distribution is as follows:

$$\text{Head}_{\text{Total}} = \text{Head}_{\text{pressure}} + \text{Head}_{\text{Lift}} + \text{Head}_{\text{friction}}$$

$$H_T = H_P + H_L + H_f$$

$$H_T = 49.5' / \text{stage} \times 5 \text{ stages} = 248'$$

$$H_P = 70 \text{ psi} \times 2.31 \text{ ft/psi} = 162'$$

$$(H_L + H_f) = H_T - H_P$$

$$(H_L + H_f) = 248' - 162' = 86'$$

3. During the Summer of 1987 the system pressure dropped at one point to 42 psi. This is considered to be the minimum acceptable pressure (per telecon with Bob Unger, Garden City Public Works Director, 10/29/87). At this pressure, based on the data above, the output from this well would have been as follows:

$$(H_L + H_f) = 86'$$

MICROFILMED

JUL 24 1990

Evaluation of Pump Curve Data in View of Measured Well Output Data (cont.)

3. (cont)

$$H_p = 2.31 \frac{\text{ft}}{\text{psi}} \times 42 \text{ psi} = 97'$$

$$H_T = H_p + H_L + H_f = 86' + 97' = 183'$$

$$@ 5 \text{ stages, } H/\text{stage} = \frac{183'}{5} = 36.6'$$

4. From pump curve at $H = 36.6'$, system output = 620 gpm
= 1.38 cfs

5. Note that the Garden City system contains no significant storage* — all pumps divert directly into the main delivery system. Thus, flow production at pressures lower than 42 psi are not anticipated. 1.38 cfs is the maximum rate of flow that we would allow under this right, but the permit holder requested only 1.25 cfs as a rate of flow, so this amount should be allowed for licensing.

6. Note regarding Theoretical pump output computation:

$$Q = \frac{HP \times 8.8 \times \text{Eff}}{\text{Lift} + (\text{PSI} \times 2.3)}$$

From pump curve, $\text{Eff} = 0.82$

From above, Lift (includes friction loss) = 86'

PSI = 42

HP is shown on documentation submitted to be 30 HP. From pump curve, HP requirement is $7.0 \text{ HP/stage} \times 5 \text{ stages} = 35 \text{ HP}$. Per Bill Insko of Caron Pump Inc, the safety factor on a 30 hp pump is 1.15, which means that a 30 hp pump can produce up to 35 HP. Thus, for the computation of pump output in this case, 35 Hp should be used.

* Some well sites such as this one have small pressure regulating tanks

MICROFILMED

JUL 24 1990

Evaluation of Pump Curve Data (cont.)

6. (cont)

$$Q = \frac{35 \times 8.8 \times 0.82}{86' + (42 \times 2.3)} = \underline{\underline{1.38 \text{ cfs}}} \quad (\text{this matches value from pump curve})$$

Dns

CONFIDENTIAL

JUL 24 1990

Date 9-20-78

Owner Garden City, Idaho

Well Number Marigold Well No. 6 Location NENW Sec. 25. T.4N., R.1E., B.M.

Depth 299' Casing: Diameter 12" Depth 287' Ht. 217'

Date Drilled 7-20 to 9-13-78 Screened 12"x50"x50 mesh Pump Pedestal 16" casing & head

Pumps (Hp & Type) 30 H.P., Vertical Turbine, Johnson 10" bowls, 5 stages - 130' + 40'

Flow 500 GPM 260' TDH (Also standby 1 HP submersible pump, approx. 20 GPM at 260' TDH)

Discharge Line 8" Check Valve 8" Gate Valve 8"

Flow Meter 8" Turbine - Gallons Sample tap 1/4"

Well Vent 1" screened 3' above well Screen 10 mesh plastic

Flush Line: Size 4" Location Out of Press. Tank Drain

Static Waterlevel 8' Max. Draw-down 100'

Pumphouse: Construction: Wood frame & metal

Concrete Slab 6" reinf. Floor Drain out door

Chlorinator (type) none Separate Room? to be constructed, if needed

Ventilation? door & 2 roof vents Scales none

Storage tank: 2,000 Gallon in building

Distance: Well to Sewerline 50' + Septic Tank none Property Lines 50' +

Drain Fields none Irrigation Ditches 50' + Streams none

Pasture 100' + Flood Irrigation 100' +

Other Comments: Well located in approximate center of Lot 7, Block 1 of Maribrook

Subdivision. Pump building floor to be 1.0 feet above ground. Well casing to

extend 1.0 feet above pump building floor

MICROFILMED

JUL 24 1990


BY _____ DATE _____

JOB NO. _____

63-9131

PUMPING DEPTH - Feet Below Top of Casing

180
170.4
160
140
125
120
112
100
80
75
66
60
55
50
40
20
8
3
0



Garden City, Idaho
Marigold Well No. 6
DRAW-DOWN CURVE

MICROFILMED

JUL 24 1997


From Test Pumping Report
September 11 & 12, 1971

G. P. M.

DWG. No. CWB-780912

$125' \text{ Lift} + 0 \text{ psi} = 125 \div 5 \text{ stages} = 25' / \text{stage} = 780 \text{ GPM}$
 $112' \text{ Lift} + 20 \text{ psi} = 158 \div 5 \text{ stages} = 31.6' / \text{stage} = 645 \text{ GPM}$
 $75' \text{ Lift} + 60 \text{ psi} = 213 \div 5 \text{ stages} = 42.7' / \text{stage} = 490 \text{ GPM}$

Moved to No. 2 Marwood Well - Turbine Pump
Garden City Well No. 2 Pump
at Garden City Park - E. 36th Street



CONVERSATION MEMORANDUM

DATE 10/23/87FILE 63-9134NAME OF PARTY City of Garden City63-9136EMPLOYEE Brad DingeeRE: Capacity of Garden City Wells

Per conversation with Carlyle W. Briggs, P.E. (City of Garden City Engineer), The wells for the above-listed permits are capable of producing the following amounts of water:

63-9134: 760 GPM capacity (1.69 cfs)
per exam fee: 1.50 cfs
(aka: Plantation Well No. 7)

63-9136: 780 GPM capacity (1.74 cfs)
per exam fee: 1.25 cfs
(aka: Marigold Well No. 6)

I have attached pump curves as well as pump test drawdown curves for each well.

MICROFILMED

JUL 24 1990

KEYPUNCH

O.K. 60

For Office Use Only
Fee Received \$125.00
Date 7-15-86
Receipt # 40583
Receipt by [signature]
Sent to S.O. 9-23-86

4/86
REGISTERED
STATE OF IDAHO

Deputy Director of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

\$125.00 Fee

1. Permit No. 63-9136 (Garden City Marigold St. Well No. 6)

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: City of Garden City, Idaho

3. Post Office Address: 201 E. 50th Street, Garden City, Idaho 83714

Telephone No. (208)377-1831

4. Source of Water: Underground well

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation (acres) Other/Remark Municipal

6. Total rate &/or volume for which proof is submitted (562.5 GPM) (2,000 gallons)
1.25 cfs 0.06 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
March 9, 1979
January 2, 1979
Note: less than permitted amt.

8. Person to contact to accompany the department representative during the field examination:

Carlyle W. Briggs, P.E., Garden City Engineer

B. & A. Engineers, Inc. (Name)

619 Grove Street, Boise, Idaho 83702 (Address)

(208)343-3381 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Sept. 12, 1986

Date

Carlyle W. Briggs
Signature of Permit Holder (and title, if appropriate)
Carlyle W. Briggs, P.E., Garden City Engineer



city of Garden City

September 12, 1986

"Nestled by the River"

David R. Tuthill, Jr., P.E.
Manager, Western Regional Office
Idaho Dept. of Water Resources
Statehouse 450 W. State Street
Boise, Idaho 83720
Tel. 334-2190

Dear Mr. Tuthill:

Subject: Garden City, Idaho Wells
Permit No. 63-9136 (Marigold St. Well No. 6)
Permit No. 63-9134 (Plantation Well No. 7)


Enclosed are two Examination Fee Forms and two checks from Garden City, each for \$125.00.

We received notice on February 10, 1984 that we would be contacted by someone from your department to make a field examination for issuance of license. We were thereafter contacted by telephone by someone, who said they were very busy at that time and would contact us again when they had time to complete the examination. We heard nothing further but presumed that the process was started by someone in your department.

I did not receive the notice that your letter of September 4, 1986 said had been sent out earlier in the year, however, I have from time to time received a copy of other correspondence, as requested on our original application for permit. Would you please check your return receipt record and inform me when the requested notice was sent, and who signed for it. Perhaps that will help us to locate the missing documents.

These wells have been operating ever since shortly after they were permitted and drilled, and are an essential part of Garden City's municipal water supply. We want to do promptly whatever is required to perfect our water rights and license.

Very truly yours,


Carlyle W. Briggs, P.E.
Garden City Engineer

cc: Mayor Jay Davis
G. City Clerk
Rick Cummings - Main't.

MICROFILMED

JUL 24 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

63-9136
CITY OF GARDEN CITY
GARDEN CITY MUNICIPAL BLDG.
201 E. 50TH ST.
GARDEN CITY, ID 83704

September 4, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

JUL 24 1990

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

63-9136
CITY OF GARDEN CITY
GARDEN CITY MUNICIPAL BLDG.
201 E. 50TH ST.
GARDEN CITY, ID 83704

138900

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,


L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1984

MUNICIPAL BLDG. CITY OF GARDEN CITY
201 E. 50TH ST.
GARDEN CITY ID 83714

RE: Permit No. 63-9136

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

JUL 24 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 10, 1984

City of Garden City
c/o Carlyle Briggs
Garden City Municipal Building
201 E. 50th St.
Garden City, ID 83714

Gentlemen:

Re: Permit No. 63-9136

This office acknowledges receipt of the statement of beneficial use postcard submitted for this permit received on February 3, 1984.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

If you have any questions regarding the field examination, please contact our Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

RECEIVED FEB 14 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9136

Name(s) of Permit Holder: City of Garden City, Idaho

Post Office Address: Garden City Municipal Bldg.
201 E. 30th Street

Garden City, Idaho 83714 Tel. No. 343-3381
Carlyle W. Briggs

Source of Water: Underground - well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Municipal

Measuring Device: Required? ☒ Yes ☐ No

Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No

Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

February 2, 1984
Date

CITY OF GARDEN CITY, IDAHO
Carlyle W. Briggs, P.E.
Signature of Permit Holder
Garden City Engineer

Hand delivered - Cole Rd.
2-3-84 Fri - 10:30

Carlisle W. Briggs, P.E.
Garden City Engineer
619 Grove Street
Boise, Idaho 83702

PLACE
13 CENT
STAMP
HERE

RECEIVED

FEB 8 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

January 31, 1984

CERTIFIED MAIL

Carlyle W. Briggs, P.E.
Garden City Engineer
619 Grove St.
Boise, ID 83702

138460

Dear Mr. Briggs:

Re: Permit No. 63-9136

PROOF DUE NOTICE

One of the conditions of approval of your water permit No. 63-9136 was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1983. This date, however, has been changed to April 1, 1984 by the enclosed order. Also enclosed is a postcard which may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time provided the delay is for reasonable cause as described in Section 42-204, Idaho Code. If you have been prevented from proceeding by a government agency or by litigation, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either the beneficial use postcard or a request for an extension of time must be received by this department on or before the above-described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CITY OF GARDEN CITY
CITY HALL
201 E. 50TH ST.
GARDEN CITY, ID 83704

LAPSE NOTICE

MAY 05, 1983

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-9136 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED FEBRUARY 28, 1983.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:KF

CERTIFICATE OF MAILING
I hereby certify that on 5/9/83
a ~~certified~~ ^{registered} letter was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Charles Curtis

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138287

CITY OF GARDEN CITY
CITY HALL
201 E. 50TH ST.
GARDEN CITY, ID 83704

PROOF DUE NOTICE

FEBRUARY 28, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9136 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 28, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 24, 1978

Re: Permit No. 63-9136

City of Garden City
City Hall
201 E. 50th Street
Garden City, ID 83704

Dear Gentlemen:

Your approved copy of Application for Permit No. 63-9136 is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

MICROFILMED

-2-

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WAm 4-13-78

In form to receipt

(2) af 4-17-78

Send Copies to:

☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) WAm 4-13-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use NA.

(10) _____

Comments: _____

(11) af OK

Affidavit of Publication received(date) 5-2-78

(12) af _____

Final date for protests 5/8/78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

4/13/78 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District W

By WAm Date 5/8/78

I.P. G.W.
Letter.

RECEIVED

MAY 9 1978

Department of Water Resources



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
801 Reserve Street
Boise, Idaho 83702

May 4, 1978

MEMORANDUM

TO: David B. Shaw

FROM: Frank Keller

RE:

1. 63-9144 Idaho Land Developers, Inc.
2. 63-9137 Edward Riddle
3. 63-9138 City of Boise (geothermal)
4. 63-9139 City of Boise (geothermal)
5. 63-9134 Phillips Enterprises, Inc.
6. 63-9136 Garden City
7. 77-S-39 Stanley Kish
8. 65-S-118 W&L Land and Livestock Co.
9. 65-S-119 Idaho Rand, Inc.

Items 1,5,6. We will have to review plans and specifications on these. We, however, have no objections to the permit.

Item 2. We have no comment.

Items 3 and 4. Any discharge to a stream or runoff to a stream will have to be coordinated with our stream quality program.

Items 7,8,9. We have no comments.

Frank Keller

FK/ds

MICROFILMED

April 17, 1978

Re: Applications for Permit Nos. 63-9134 -- Phillips Enterprises, Inc.
63-9136 -- Garden City, Idaho

Frank Keller
Department of Health & Welfare
Statehouse Mail
Boise, ID

Dear Mr. Keller:

Enclosed are copies of the above referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the applications, please contact this office.

Yours truly,

DAVID B. SHAW
Western Regional Supervisor

DBS:rf

C
O
P
Y

RECEIVED
MAY 1 1978
FBI - BOISE



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 14, 1978

Re: Notice of Claim to a Water Right No. 63-4605 -- George &/or Dolores Williams
63-4606 -- Hoot Nanney Farms, Inc.
Notice of Application for Water Right No. 63-9134 -- Phillips Enterprises
68-9136 -- City of Garden City

Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 8, 1978.

Sincerely,

RITA FLECK
Secretary

Bill submitted
5-2-78
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CITY OF GARDEN CITY, IDAHO
201 E. 50th Street, Garden City, Idaho
has on April 13, 1978 submitted Application No. 63-9136
for a permit to appropriate 3.0 cubic feet per second ~~acre feet~~
~~per annum~~ of water from a groundwater source
by means of well and pump
within the NE1/4, SW1/4, NW1/4, Sec 25 T4N-R1E B.M., Ada County

to be used from Jan 1 to Dec 31
for municipal use

within the Garden City city limits

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before May 8, 1978.

C. STEPHEN ALLRED

Director

Published in the Idaho Statesman, Boise, Idaho
on April 20, 1978 and April 27, 1978.