


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BOISE CITY - PARK DEPARTMENT

BS Bowen, Park Superintendent
(Applicant)

January 27, 1978

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Nancy E. Smith, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for Two insertions, beginning with the

issue of February 16, 1978, and ending with the
issue of February 23, 1978.

Nancy Smith

Subscribed and sworn to before me this 23rd
day of February, 1978.

Baroque Figures

Notary Public for Idaho, Residing at Boise, Idaho

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that BOISE CITY PARK DEPARTMENT 1104 Royal Bvd., Boise, Idaho, has on February 8, 1978, submitted Application No. 63-9112 for a permit to appropriate 0.6 cubic feet per second of water from a groundwater source by means of well, pump and sprinkler system within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 28 T3N-R2E B.M., Ada County, to be used from April 1 to Oct. 31 for irrigation of 5 acres within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 28 T3N-R2E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before March 6, 1978.

C. STEPHEN ALLRED
Director

Pub. Feb 16 & 23, 1978

9388

OK
2-27-78

MICROFILMED

Should questions arise during the processing of this application please contact:

Form 20
6/86
SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

Idaho Department of Water Resources
Western Region Rec'd 1-9-87
Statehouse
Boise, Idaho 83720

RECEIVED
JAN 08 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Boise Parks Department Permit No. 63-9112
Current Address: 1104 Royal Blvd., Boise, ID 83706 Phone No. 384-4240
2. Accompanied by: Bill Haven EXAM. DATE: 11-6-86
Address: Same as above Phone No. 384-4240
Relationship to Permit Holder: Employee
3. Source: Ground Water tributary to ----


B. OVERLAP REVIEW

1. Other water rights with same place of use: None Recorded
2. Other water rights with same point of diversion: None Recorded ☐ Copies Attached
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Owyhee Park



Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09112

Priority: March 4, 1978 Amount: 0.48 CFS 17.6 AFA

This is to certify, that CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated February 8, 1978, and has submitted proof to the Department of Water Resources on April 23, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .600 cfs of water from a **GROUNDWATER** source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 10/31	0.48 CFS	17.6 AFA

LOCATION OF POINT OF DIVERSION(S): NENW , Sec. 28, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 02E 28	NENW 4			4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use also known as Owyhee Park.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of OCTOBER, 1988.



NOV 30 1988

A handwritten signature in cursive script, reading "Norman C. Young".
Director

Identification No. _____

Application No. 63-9112

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BOISE CITY PARK DEPARTMENT (Owyhee Park)
post office address 1104 Royal Blvd., Boise
2. Source of water supply groundwater which is a tributary of -
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 28 Township 3N
Range 2E B.M. Ada County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into N/A at a point in 1/4
of 1/4 of Section Township Range B.M.
4. Water will be used for the following purposes:
Amount 0.6 cfs for irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.6 cubic feet per second and/or
b. acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with submersible pump piped
to buried sprinkler system in park.
- b. Height of storage dam feet, active reservoir capacity acre feet; total reservoir
capacity acre feet, materials used in storage dam:
Period of year during which storage will occur to inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 20,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township
Range B.M.
(2) Amount of power to be generated: hp under feet of head.
(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be
supplied with domestic water .
(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	28					5												5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above. None known


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks Water will be used for night irrigation of Owyhee Park lawn and planting areas. The amount applied for exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during long daylight-hour days in the summer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BOISE CITY - PARK DEPARTMENT

W. Bowen, Park Superintendent
(Applicant)

January 27, 1978

02-08-78

Proposed Priority _____

Received by jc Date 2/8/78 Time 4:10
Preliminary check by jc Fee \$ 25.00 Rec# 10319
Receipted by jc Date 2/8/78
Publication prepared by jc Date 2-9-78
Published in Stateman
Publication dates Feb 16 + 23, 1978
Publication approved jc Date 2-27-78
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by jc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9112, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 83.
- c. Other: The annual volume of water under this permit shall not exceed 4.5 acre feet per acre or 22.5 acre feet per year.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26th day of April, 19 78.

Norman C Young
Administrator

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-9112 IN THE)
NAME OF BOISE CITY PARK DEPARTMENT) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1983; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 25, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-9112 be REINSTATED and the priority advanced to March 4, 1978.

Dated this 9th day of May, 1983.



L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED
1983

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Nancy E. Smith, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of February 16, 1978, and ending with the issue of February 23, 1978.

Nancy E. Smith

Subscribed and sworn to before me this 23rd day of February, 1978.

Nancy E. Smith
Notary Public for Idaho, Residing at Boise, Idaho

OK
2-27-78
JL

RECEIVED

October 25, 1988

CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

RE: PERMIT NO. 63-09112

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

NOV 30 1988

September 15, 1988

CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

RE: PERMIT NO. 63-09112

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOV 30 1988

Sherl L. Chapman

CONSULTANT

410 S. ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 244-6600

RECEIVED

JAN 08 1987

January 6, 1987


Department of Water Resources

Mr. Dave Tuthill
Western Division
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Dave:

Enclosed you will find six water right exams for the Boise City Department of Parks. These exams were difficult to make because of the lack of data and access but I believe everything the Department needs is included. If you do need any additional information, however, or clarification, please don't hesitate to give me a call.

Sincerely yours,



Sherl L. Chapman
Consultant

SLC:kje
enclosures

RECEIVED

NOV 30 1988

Rec'd 1-9-87

SPECIALIST IN

GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

Should questions arise during the processing of this application please contact:

Form 20
6/86
SHERL L. CHAPMAN
10 S. Orchard, Suite 144
Boise, ID 83705
344-6690

Rec'd 1-9-87

Boise, ID 83705

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-9112

1. Owner: Boise Parks Department

Phone No. 384-4240

Current Address: 1104 Royal Blvd., Boise, ID 83706

2. Accompanied by: Bill Haven

EXAM. DATE: 11-6-86

Address: Same as above

Phone No. 384-4240

Relationship to Permit Holder: Employee

3. Source: Ground Water tributary to ----

B. OVERLAP REVIEW

1. Other water rights with same place of use: None Recorded

☐ Copies Attached


2. Other water rights with same point of diversion: None Recorded

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Owyhee Park



Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well 218' deep, static water level 84', 12" - 137' 6" to 218'

Submersible turbine pump no serial number available, 62 psi operating pressure.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	no information available from owner				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1	--	NE	NE	NW	28	3N	2E	Ada	Field survey/maps

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	28					3.9												3.9



NOV 30 1988

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Manometer	Air/water	Collins	36"	---	---	---

2. Measurements:

Flow measured at 62 psi Q = .60 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 62 psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.9 \times 4.5 = 17.55$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 56.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.55$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Flow measured exceeds irrigation requirement. Recommend .03 cfs/acre since land acreage is less than 5 acres. Photo of system unavailable since system is buried in vault with poor access and lighting conditions. All facilities below ground.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	March 15	Nov. 15	.177	17.55
Totals:			.117	17.55

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Sheri L. Chapman
Signature Sheri L. Chapman
Certification Date June 5, 1986
Field Report Preparation Date 12/26/86



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

NOV 30 1988

COLLINS TUB MEASUREMENT

DATE: 11-6-86
 OWNER: Dept of Parks - Owyhee Park
 CIRCUMFERENCE: _____ OUTSIDE $\bar{K}$: 4.1
 PIPE THICKNESS: .188 INSIDE $\bar{K}$: 4.0

FACTOR	Mr (IR Factor)	Mp	Velocity
0.949 ✓			7.0
0.837			
0.707 ✓			6.65
0.547			
0.316			
0.316			
0.547			
0.707 ✓			7.25
0.837			
0.949			

$$\bar{V} = \underline{6.97}$$

Mp = P + Mr - O.R. where P is chosen reference point
 on collins tube

$$Q = \bar{V} \pi (IR)^2 = \underline{.60 \text{ cfs.}}$$

Pumping level _____ Pump Type _____
 Time Operating 1 hr RPM _____
 Pressure at discharge 62 psi Rated Flow _____
 Pump motor type _____ GPM _____
 Serial No. _____ Head _____
 Horsepower _____ Access Port _____
 RPM _____ Yes _____
 Meter Constants No _____
 K = _____ Location _____
 Kh = _____
 Revolutions _____
 Time (seconds) _____
 Voltage _____
 Amperage _____
 L1 _____ L2 _____ L3 _____

NOV 30 1986

Sherl L. Chapman

CONSULTANT

410 S. ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 344-6690

RECEIVED
JUN 19 1986

Mr. A. Kenneth Dunn, Director
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Dear Mr. Dunn:

I hereby verify that I have been retained to conduct the water
right examination for water right permit # 63-9112 in accordance
with the laws and regulations of the State of Idaho.

Sherl L. Chapman
Sherl L. Chapman

Dated: 6/18/86

RECEIVED

NOV 30 1988

RECEIVED

Department of Water Resources
Western Regional Office

SPECIALIST IN
GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

- EXAM TO BE DONE BY
SHERL CHAPMAN

4/86

RECEIVED
JUN 13 1986

For Office Use Only
Fee Received NO FEE *OK*
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. 7/29/86

STATE OF IDAHO
Department of Water Resources
Western Regional Office
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED
JUN 19 1986
no incl. 85

1. Permit No. 63-9112 Owyhee Park

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:
Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: BOISE PARK SYSTEM

3. Post Office Address: 1104 Royal Blvd.
Boise, Idaho 83706 Telephone No. 384-4240

4. Source of Water: Ground Water

5. Extent of Use:
Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 5 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .6 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
Fall of 1978

8. Person to contact to accompany the department representative during the field examination:
N/A (Name)

NOV 30 1988

(Address) (Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

June 10 - 86 Paul Philbrook, Park Designer
Date Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Storehouse
Boise, Idaho 83720

63-9112
CITY OF BOISE
PARK DEPARTMENT
1104 ROYAL BLVD.
BOISE, ID 83706

10088

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

NOV 30 1988

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

NOV 3 1976

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 14, 1983

BOISE CITY PARK DEPT.
1104 ROYAL BLVD.
BOISE ID 83702

RE: Permit No. 63-9112

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

RECEIVED

NOV 30 1988

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File 63-9112

DATE: May 6, 1983

Date Proof Received

115 Apr. 25

Proof Due

- 91 Apr. 1

Number of Days Proof Late

24

Priority Date

+ 39 Feb. 8, 1978

New Priority Date

63 = Mar. 4, 1978

Remarks

115

DEPARTMENT OF WATER RESOURCES

Received Notice 4/20/83

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9112

OWYHEE PARK

Name(s) of Permit Holder: BOISE CITY PARK DEPARTMENT

Post Office Address: 1104 ROYAL BOULEVARD

BOISE, IDAHO

Tel. No. 384-4240

Source of Water: GROUNDWATER

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>FIVE</u> (acres)
☐ Other	

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Point:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

APRIL 22, 1983
Date



Signature of Permit Holder

BOISE  DEPARTMENT

1104 Royal Blvd.

BOISE, ID 83706

PLACE
13 CENT
STAMP
HERE



POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



APR 25 1993

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

LAPSE NOTICE

APRIL 05, 1983

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-9112 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED JANUARY 31, 1983.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURE

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on Apr 18, 1983
a copy of this document was
deposited in the post office, Boise, Idaho, for mailing,
postage paid, to the
individuals listed below.

Rita Flunk

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CITY OF BOISE
DEPT. OF PARKS
1104 ROYAL BLVD.
BOISE, ID 83706

138225

PROOF DUE NOTICE

JANUARY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9112 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 2, 1978

Re: Permit No. 63-9112

Boise City Park Department (Owyhee Park)
1104 Royal Blvd.
Boise, ID 83706

Gentlemen:

Your approved copy of Application for Permit No. 63-9112 is enclosed and we direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

A handwritten signature in cursive script, reading "L. Glen Saxton".

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

This ^{annual} volume of water
under this permit shall
not exceed 4.5 acre
feet per acre or 22.5
acre feet per year.

Condition

SR
G & T

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-9112

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) CEB 97-6-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) CEB 97-6-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none known

(11) sf OK

Affidavit of Publication received(date) 2-27-78

(12) sh. _____

Final date for protests 3/6/78
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

2-8-78 Proposed Priority

_____ Reason for Reduction _____

NO Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) Department of Water Resources District W

By sh. Date 3/7/78

Suggest limiting total diversion to 22.5 ac-ft/year on permit.

RECEIVED

MAR 7 1978



DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

February 10, 1978

Re: Notice of Claim to a Water Right No. 63-4599 -- Phebe M. Morris
Notice of Application for Water Permit No. 63-9106 -- Behrman Brothers, Inc.
Notice of Application for Water Permit No. 63-9111 -- Gary O. Myers
Notice of Application for Water Permit No. 63-9112 -- Boise City Park Dept.

Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 6, 1978.

Sincerely,

RITA FLECK
Secretary

Bill submitted
2-27-78

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that BOISE CITY PARK DEPARTMENT
1104 Royal ~~St~~ Blvd., Boise, Idaho
has on February 8, 1978 submitted Application No. 63-9112
for a permit to appropriate 0.6 cubic feet per second acres, feet
XXXXXXXXXX per annum of water from a groundwater source
XXXXXXXXXX by means of well, pump and sprinkler system
within the NE1/4, Sec 28 T3N-R2E B.M., Ada County
NE1/4, Sec 28 T3N-R2E B.M., Ada County
NE1/4, Sec 28 T3N-R2E B.M., Ada County
to be used from Apr 1 to Oct 31
for irrigation of 5 acres
irrigation of 5 acres
within the NE1/4, Sec 28 T3N-R2E B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before March 6, 1978.

C. STEPHEN ALLRED

Director

Published in the Idaho Statesman, Boise, Idaho
on February 16, 1978 and February 23, 1978.