


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CONSOLIDATED CONCRETE COMPANY
344-7651

P. O. BOX 1597 - BOISE, IDAHO - 83701
(Applicant)

G. H. Gray, Mgr.

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Nancy E Smith

Two

Nancy E Smith

Subscribed and sworn to before me this 17 20

day of November, 1977.

Notary Public for Idaho

Notary Public for Idaho, Residing at Boise, Idaho

Notice is hereby given that Consolidated Concrete Co., Box 1597, Boise, ID, 83701 has on 10-2-77 submitted Application No. 63-9067 for a permit to appropriate 1.115 cubic feet per second of water from a well & groundwater source by means of pumps within the SW¼SE¼ Sec 22 T4N R1E B.M. County of Ada to be used from Jan. 1 to Dec. 31 for industrial & domestic purposes within the SW¼SE¼ Sec 22 T4N R1E.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before November 28, 1977.

C. STEPHEN ALLRED
Director
Pub. Nov. 10, 17, 1977

8795

VERIFIED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

MAR 05 1987

A. GENERAL INFORMATION

1. Owner: Consolidated Concrete Co., Inc. Permit No. 63-9067
Current Address: P.O. Box 9225, Boise ID 83707 Phone No. 344-7651
2. Accompanied by: Bob Blanchard & Ben Bensinger EXAM. DATE: 6/26/86 & 11/7/86
Address: as above Phone No. 939-2065
Relationship to Permit Holder: employees
3. Source: groundwater tributary to _____


KEYPUNCHED
20-8-87

B. OVERLAP REVIEW

1. Other water rights with same place of use: see attached microfiche - all others for irrigation, ∴ no conflict ☐ Copies Attached
2. Other water rights with same point of diversion: as above ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

OCT 09 1987

Scale: 1" = 104 to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



North
MICROFILMED
OCT 09 1961


63-9067



MICROFILMED

OCT 09 1987

T 4N R. 1E S. 22



MICROFILMED

OCT 09 1961

P.D. + P.V.
N¹/₂ 20 acres
S¹/₂ 10 acres
SE¹/₄ 10 acres
63-2387

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-9067

Priority: November 3, 1977 Amount: .16 CFS 10.9 AFA

This is to certify, that CONSOLIDATED CONCRETE CO.
P.O. BOX 9225

BOISE, ID 83707 has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated October 2, 1977, and
has submitted proof to the Department of Water Resources on February 2, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .16 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Industrial	01/01 to 12/31	.16 cfs	9.8 afa
Domestic	01/01 to 12/31	.04 cfs	1.1 afa
	Totals	.16 CFS	10.9 AFA

LOCATION OF POINT OF DIVERSION(S): SWSE , Sec. 22, Township 4N, Range 1E
Ada County

PLACE OF USE: Domestic

TWN RGE SEC

4N 1E 22 SWSE

PLACE OF USE: Industrial, same as Domestic use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Industrial use is for production of ready-mix concrete & washing vehicles.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th day
of SEPTEMBER, 1987.

MICROFILMED

Acting for the Director



OCT 09 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-9067 IN THE)
NAME OF CONSOLIDATED CONCRETE COMPANY) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1983; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on February 2, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-9067 be REINSTATED and the priority advanced to November 3, 1977.

Dated this 9th day of February, 1983.



L. GLEN SAXTON

Chief, Operations Bureau

MICROFILM

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-9067

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 63-9067

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Consolidated Concrete Company Phone: 344-7651
post office address P. O. Box 1597, Boise, Idaho 83701
2. Source of water supply Well; Ground Water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 4N
Range 1E B.M. Ada County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into Settling Basin at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 22 Township 4N Range 1E B.M. ADA County
4. Water will be used for the following purposes:
Amount 1.0 for Industrial purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .115 for Domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.115 cubic feet per second and/or 500 gal. per minute at 60 lbs.
b. _____ acre feet per annum. 2 - 4" Discharge
6. Proposed diverting works:
a. Description of ditches, flumes, (pumps,) headgates, etc. The installation will have 2 pumps,
15 H.P. each with capacity of 250 gallons per minute each.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 80-100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 9,200.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 4N
Range 1E B.M. _____
(2) Amount of power to be generated: None hp under _____ feet of head.
(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served None, or number of families to be
supplied with domestic water None
(5) If water is to be used for other purposes describe: Water will be used for production of
Ready Mixed Concrete and in plant sanitary use.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

[illegible]


Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Boise Sand & Gravel Company
- b. Who owns the land to be irrigated or place of use Boise Sand & Gravel Company
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Lease

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CONSOLIDATED CONCRETE COMPANY
344-7651

P. O. BOX 1597 - BOISE, IDAHO - 83701

(Applicant)

L. H. Gray, Mgr.

Proposed Priority 10/02/77

Received by SW Date Oct 2, 1977 Time 1:45 P.M.
Preliminary check by RWH Fee \$ 35.00
Received by y Date 10-28-77 # 9644
Publication prepared by L. I. Date 11-2-77
Published in Ida. Stat.
Publication dates 11-10-11-17-77
Publication approved y Date 11-25-77
Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by JSW


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9067, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 83.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water. (2) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 12 day of January, 19 78.


Deputy Director

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Nancy E Smith, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

Two insertions, beginning with the issue of November 16, 1977, and ending with the issue of November 17, 1977.

Nancy E Smith
Subscribed and sworn to before me this 17 th
day of November, 1977.

Harold E. Engren
Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

September 28, 1987

CONSOLIDATED CONCRETE CO.
P.O. BOX 9225
BOISE, ID 83707

RE: Permit No. 63-9067

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No.

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

see examiner's calculations -

2. **Overlap Review**

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: *none -* _____

c) Analysis:

MICROFILMED

OCT 09 1987

10 day

- Date 8/25/87

September 3, 1987

CONSOLIDATED CONCRETE CO.
P.O. BOX 9225
BOISE, ID 83707

RE: Permit No. 63-9067

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

MAR 05 1987

A. GENERAL INFORMATION


1. Owner: Consolidated Concrete Co., Inc. Permit No. 63-9067
Current Address: P.O. Box 9225, Boise ID 83707 Phone No. 344-7651
2. Accompanied by: Bob Blanchard & Ben Bensinger EXAM. DATE: 6/26/86 & 11/7/86
Address: as above Phone No. 939-2065
Relationship to Permit Holder: employees
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: see attached microfiche - all others for irrigation, ∴ no conflict ☐ Copies Attached
2. Other water rights with same point of diversion: as above
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

OCT 09 1987

Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Source is a well 231 ft. deep; 16" casing to 160' and 10" casing to 231 ft. Static water level is 3' below surface and pumping water level is about 14' below land surface. A 2 HP pump is present with 1.5" intake and discharge. 1.5" pipe becomes 3" pipe at an elbow about 4' from the well. 3" pipe conveys water to a storage tank (10,000 gallons); pipe is buried between well house and storage tank. Water is

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	2	M 3555	Jacuzzi	DB1-1/2/93/20483

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	22	4N	1E	Ada	topog. map

6. **Place(s) of Use:**

Indicate Method of Determination topog. map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	22															X		

MICROFILMED

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Coll-Hall meter	2-5"				3"	
Manometer						

2. Measurements:

manometer readings: $31.2''$ $4.7'' \Rightarrow 10.1''$ (Hall Manometer inches)
 $- 26.5''$
 $4.7''$ pipe: 3"; area = 7.07"
PSI of system was 22

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: 10.1" represents 10.1 gpm per in² of pipe area

$$10.1 \text{ gpm/in}^2 \times 7.07 \text{ in}^2 = 71.41 \text{ GPM} \Rightarrow .16 \text{ cfs}$$

2. Alternate Method for Checking Purposes: Theoretical = assume 80% efficiency

$$\frac{HP \times 8.8 \times \text{effic.}}{\text{Lift} + (PSI \times 2.3)} = \frac{2 \times 8.8 \times .80}{14 + (22 \times 2.3)} = \frac{14.08}{64.6} = .22 \text{ cfs}$$

} Therefore, .16 cfs is reasonable

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season})$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

see attached sheet for volume calculations

note: estimate .04 cfs for domestic use

H. REMARKS AND OVERLAP REVIEW ANALYSIS

pumped to a pressure tank & from storage tank. Water is used to prepare Ready-Mixed concrete, to wash vehicles, and for domestic purposes at facility.

Note: System was measured ~~on~~ 6/26/86; access port was near well. 27 GPM (.06 cfs) was measured on this date. Due to the access port's proximity to a change in pipe size & an elbow, this measurement was considered to be low. A new access port was installed in a ~~straight~~ straight section of 3" pipe near the storage tank, and 71.4 GPM (.16 cfs) was measured on 11/7/86. I feel that .16 cfs represents an accurate measurement of the diversion rate.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	1/1	12/31	.16	9.8
domestic	1/1	12/31	~~.04~~ .04	1.1
Totals:			.16	10.9

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name Brad E. Dingee
Signature Brad E. Dingee
Certification Date _____
Field Report Preparation Date 11/7/86

DNR 2/23/87

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 03 1987

Volume Calculations -- 63-9067

Industrial

Per conversations with Ben Bensinger and Bonnie Wisecaver (both Consol. Conc. employees), Consolidated Concrete produces on average 75,000 cubic yards of concrete per year.

- One truck carries about 10 yards
- One load of concrete requires about 350 gallons of water

$$\frac{75,000 \text{ yd}^3}{\text{year}} \times \frac{1 \text{ truckload}}{10 \text{ yd}^3} \times \frac{350 \text{ gallons}}{\text{truckload}} = 2625000 \text{ gal./yr.}$$

$$\frac{2625000 \text{ gals}}{\text{year}} \times \frac{1 \text{ a-f}}{325,850 \text{ gals}} = 8.1 \text{ afa}$$

estimate 75 gallons to wash truck & equipment; a truck is washed each time it is loaded w/concrete.

$$\frac{7500 \text{ loads}}{\text{yr.}} \times \frac{75 \text{ gals}}{\text{load}} = 562500 \text{ gals/yr. for washing.}$$
$$= 1.7 \text{ afa}$$

total industrial: 9.8 afa.

MICROFILMED


OCT 09 1987

Domestic:

estimate
.04 cfs

22 employees at facility; use water to wash & in bathroom.
from Table 7: 50 gals per person per shift; 6 shifts/wk.

$$\frac{6 \text{ shifts}}{\text{wk}} \times \frac{50 \text{ gals}}{\text{person}} \times \frac{22 \text{ persons}}{\text{shift}} \times \frac{52 \text{ wks}}{\text{yr.}} = 343200 \text{ gals/yr} \Rightarrow 1.1 \text{ afa}$$



63-9067

AEROFILMED

OCT 09 1987



MICROFILMED

OCT 09 1987

SESE	40	01	63-0219	JOPLIN	O	D	06-01-1882	BOISE RIVER
SHSE	40	01	63-2387	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
SHSE	40	01,04	63-4701	HACE	C	S	01-01-1904	WASTE WATER
SHSE	29	01	63-02148	JOPLIN	C	L	06-01-1882	BOISE RIVER
SHSE	43	01	63-2387	DRAINAGE DISTRICT	C	D	11-11-1964	BOISE RIVER
SHSE	40	01,04	63-4461	ROSS	C	S	06-01-1974	GROUNDWATER
SESE	02	01	63-4701	HACE	C	S	01-01-1904	WASTE WATER
SESE	02	01,43	63-0210	JOPLIN	C	D	07-01-1880	BOISE RIVER
SESE	29	01	63-2111	MESSERSMITH	C	L	08-09-1909	UNNAMED STREAM
SESE	03	01	63-2387	ELY	C	D		
SESE	03	43	63-3229	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
SESE			63-7688	JOPLIN CEMETERY DI	C	L	03-14-1961	GROUNDWATER
				HETRICK	C	L	10-19-1973	GROUNDWATER
				HETRICK	C	L		
				SMITH	C	L	09-02-1969	JUNCTION DRAIN
				DRAINAGE DIST. NO.	C	L		
				SETTLERS IRRIGATION	C	L	08-03-1955	GROUNDWATER
				DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
				SIMONSON	C	D	04-01-1865	BOISE RIVER
				YARYAN	C	D	06-01-1872	BOISE R.
				WEBSTER	C	D	06-01-1865	BOISE R.
				WEBSTER	C	D	06-01-1882	BOISE R.
				SIMONSON	C	D	04-01-1865	BOISE RIVER
				SIMONSON	C	D	04-01-1865	BOISE RIVER
				WEBSTER	C	D	06-01-1865	BOISE R.
				WEBSTER	C	D	06-01-1882	BOISE R.
				WEBSTER	C	D	06-01-1865	BOISE R.
				WEBSTER	C	D	06-01-1882	BOISE R.
				WEBSTER	C	D	06-01-1865	BOISE R.
				WEBSTER	C	D	06-01-1882	BOISE R.
				WEBSTER	C	D	06-01-1865	BOISE R.
				CITY OF BOISE	C	L	05-02-1975	GROUNDWATER
				CITY OF BOISE	C	L	05-02-1975	GROUNDWATER
				JOPLIN	C	D	07-01-1880	BOISE RIVER
				MESSERSMITH	C	L	08-09-1909	UNNAMED STREAM
				ELY	C	D		

E 4

PAGE 1111
01/04/1986

0156

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

WATER

TOWNSHIP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
04N	01E	22	SHSW		43		63-3526	ADKINS, M.D.	C	L	07-11-1966	GROUNDWATER
			SHSW		43		63-7888	HETRICK	C	L	10-19-1973	GROUNDWATER
			SHSW	01	01,43		63-9681	BAILY	C	L	03-03-1981	GROUNDWATER
			SESH		01		63-0221	JOPLIN	C	D	06-01-1883	BOISE RIVER
			SESH	38	01		63-2387	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
			NESE	10	01		63-0143	YARYAN	C	D	06-01-1872	BOISE R.
			NESE	10	18		63-2387	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
			NWSE		01		63-0142	YARYAN	C	D	06-01-1872	BOISE R.
			NWSE		01		63-0143	YARYAN	C	D	06-01-1872	BOISE R.
			NWSE	11	01		63-0139	WEBSTER	C	D	06-01-1865	BOISE R.
			NWSE	11	01		63-0140	WEBSTER	C	D	06-01-1882	BOISE R.
			SWSE		01		63-0143	YARYAN	C	D	06-01-1872	BOISE R.
			SWSE		01		63-0211	GOBLE	C	D	10-20-1880	BOISE RIVER
			SWSE	30	01		63-2387	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
			SESE		43,07		63-9067	CONSOLIDATED CONCR	C	P	11-03-1977	GROUNDWATER
			SESE		01		63-0143	YARYAN	C	D	06-01-1872	BOISE R.
			SESE	40	01		63-2387	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
			SESE		01		63-0135	HAVIRD	C	D	06-01-1864	BOISE R.
					01		62-2555	SMITH	C	L	09-02-1969	JUNCTION DRAIN
			NENE	36	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NENE	01	01,04,43		63-7012	BEUTLER	C	L	06-19-1967	GROUNDWATER
								BEUTLER	C	L		
			NENE	35	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			SHNE	10	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			SENE		01		63-0161J	PERRAULT	C	D	05-01-1866	BOISE RIVER
								JOHNSON	C	D		
			SENE	20	01		63-2406	CONSUMERS WATER CO	C	L	07-05-1965	WASTE WATER
			NENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			SHNH		01		63-0161J	PERRAULT	C	D	05-01-1866	BOISE RIVER
			SHNH	22	01		63-2406	JOHNSON	C	L	07-05-1965	WASTE WATER
			SENH		01		63-0161J	PERRAULT	C	D	05-01-1866	BOISE RIVER
								JOHNSON	C	D		
			SENH	12	01		63-2406	CONSUMERS WATER CO	C	L	07-05-1965	WASTE WATER
			NUSH	08	01		63-0141	YARYAN	C	D	06-01-1865	BOISE R.
			SHSW	60	01		63-2387	DRAINAGE DISTRICT	C	L	11-11-1964	BOISE RIVER
			SESE	03	01		63-9718	RIVERSIDE VILLAGE	C	P	04-03-1981	VILLAGE LAKE
			SESE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NENE	01	01,04,43		63-4743	VICTORY	C	S	02-14-1963	GROUNDWATER
			NENE					VICTORY	C	S		
			NENE	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			NENE	01	01,43		63-2870	IVANKOVICH	C	L	07-19-1951	GROUNDWATER
			SHNE	42	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER
			SHNE		01,43		63-2683	SPIUY	C	L	02-09-1948	GROUNDWATER

MICROFILMED

OCT 09 1981

P/U overlap
63-9067

6/18/86
S.L.

63-9067

P/U OVERLAPS - SEE PHOTOCOPY, S.22 USGS MAP, W/ ATTACHED PAGES

63-2387 License, irrigation for $N\frac{1}{2}SW\frac{1}{4}SE\frac{1}{4}$ and
 $SE\frac{1}{4}SW\frac{1}{4}SE\frac{1}{4}$ (TOTAL 30 acres). ATTACHMENT PG 1.

63-0143 } Decees, irrigation. ATTACHMENT PGS. 2-3
63-0211 }

Decees show P/U to nearest $\frac{1}{4}$ section (63-0143) and
 $\frac{1}{4} \frac{1}{4}$ (63-0211)

63-9067 is a permit for industrial and domestic use for
Consolidated Concrete Company. Source - groundwater
63-2387, 63-0143, 63-0211 are a license and decees for
irrigation. Source - surface water

Probably no P/U conflict. Current aerial photo would help in
field exam.

MICROFILMED

OCT 09 1987

I 4N R. 1E S. 22

NOR

S. 89° 54' W.

80.28

S. 89° 56' W.

80.28

N. 89

80

80

80

80 3 2
4 39.75 52.50

Sec. 16

42.50

NORTH

Sec 15

Sec

93

6 7 8
0 58.55 49.25 62.10

S. 89° 56' W.

80.50

4 3 2
41 42.25 46.30 40.80

S. 89° 54' W.

43.80

33.30 37.10

80.15

WEST

6 7 8
15 27.70 20.25 30.75

Sec. 21

NORTH

Sec. 22

RIVER

36.00 29.00

7 50

16.65

17.10

15.00

Sec

39.20 24.20

N 1/2

80

9 10
60.00 54.25

NORTH

WEST

80.45

SWSE

N 1/2 20 acres
SE 1/4 10 acres

63-387

7.

Sec

Sec

Sec

S. 89° 57' W.

79.48

MICROFILMED

OCT 08 1961

Sec 28

Sec 27

Sec

Staff Analysis Sheet
for
Beneficial Use Field Report

63-9067

Permit No.

RECEIVED

MAR 05 1987

Department of Water Resources

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad *LOT-ND*

Check of P/D index SL 6/17/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Check of P/U index SL 6/17/86 (Initials, date)

Overlap? ☒ yes ☐ no ☒ If yes, copy attached? *- also see copy 5.22, WSS map with attachments*

Aerial Photo

Required? ☐ yes ☒ no ☐ If yes, copy attached?

Scheduling Letter sent? SL 6/12/86 (Initials, date)

☒ Appointment made and telephone conversation memo attached?

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Scott E. Dinger 11/7/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office DET 2/23/87 (Initial and date)

Exam Date Entered in Computer 2-8-87 (Initial and date)

Exam sent to State Office PH 3/4/87 (Initial and date) **MICROFILMED** OCT 09 1987

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original Refiled in White File PH 2-22/87 (Initial and date)

KEYPUNCHED

4/86

RECEIVED

MAY 13 1986

Department of Water Resources
Washington Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$125 *OK*
Date 5/20/86
Receipt # 40314
Receipt by JP
Sent to S.O. 5/27/86

RECEIVED

MAY 12 1986

1. Permit No. 63-9067

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE. Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Consolidated Concrete Co., Inc.

3. Post Office Address: P.O. Box 9225, Boise, ID 83707

Telephone No. 344-7651

4. Source of Water: ARTESIAN well

5. Extent of Use:

Domestic .115 ^{cfs} (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark INDUSTRIAL 1.0 cfs

6. Total rate &/or volume for which proof is submitted 1.15 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Jan 21, 1978

8. Person to contact to accompany the department representative during the field examination:

Bonnie Wisecaver Asst. mgr.
(Name)

P.O. Box 9225, 625 W. 31st Street Boise 344-7651
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

May 9, 86
Date

Bonnie Wisecaver Asst. mgr.
Signature of Permit Holder (and title, if appropriate)

MICROFILMED

OCT 09 1987



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-9067
CONSOLIDATED CONCRETE CO.
P.O. BOX 9225
BOISE, ID 83707

Mailing address:
Statehouse
Boise, Idaho 83720

138888

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination. You cannot change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

OCT 09 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

OCT 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MARCH 1, 1983

CONSOLIDATED CONCRETE CO.
P.O. BOX 9225
BOISE ID 83707

RE: Permit No. 63-9067

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

OCT 09 1987

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 63-9067

DATE: 2-9-1983

Date Proof Received

33 Feb. 2, 1983

Proof Due

$\frac{1}{32}$ Jan. 1, 1983

Number of Days Proof Late

Priority Date

275 Oct. 2, 1977

Number of Days Proof Late

$\frac{32}{307}$

New Priority Date

= Nov. 3, 1977

Remarks

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of permit No. 63-9067.

Name(s) of Permit Holder: Consolidated Concrete Co

Post Office Address: P.O. Box 9225

Boise ID 83707 Tel. No. 3447651

Source of Water: Artesian well

Extent of Use: ☒ Domestic N/A (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Industrial


Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Jan 31, 1983
Date

Bonnie W. Searles
Signature of Permit Holder

BOISE, ID
P.M.
CONSOLIDATED CONCRETE CO.
OPEN 844-7651
BATCH PLANT 939-2065
P.O. BOX 9225
BOISE, IDAHO 83707



RECEIVED



FEB 2 1983

Idaho Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

Sent to
625 N. 31
Boise, Id
83703

CON 97 001922N1 01/19/83
CON 97 002458N1 01/24/83
RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
JAN 20 1983
DEPT. OF WATER RESOURCES

STATE OF IDAH
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CONSOLIDATED CONCRETE CO.
P.O. BOX 1597
BOISE, ID 83701

LAPSE NOTICE

JANUARY 11, 1983

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-9067 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED OCTOBER 31, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING
I hereby certify that on 1/17/83
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.
Charles Curtis

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

UNDELIVERABLE ORDER FOR \$5.00

CON 97 000305N1 11/03/6588/10

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138870

CONSOLIDATED CONCRETE CO.
P.O. BOX 1597
BOISE, ID 83701

OCTOBER 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9067 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MFC

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CONSOLIDATED CONCRETE CO.
P.O. BOX 1597
BOISE, ID 83701

OCTOBER 31, 1982


DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-9067 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,



RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
OCT 31 1982
DEPT. OF WATER RESOURCES
BOISE, IDAHO

63-9067
Batch # 1010

CON 97 001814N1 10/18/82

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**INSTRUCTIONS FOR
ACCESS PORT INSTALLATION**

Purpose


The Department of Water Resources' examiners now have portable measuring devices to measure the flow of water in a pipe flowing full. However, for them to be able to use these devices you must install an access port in your pipeline. You, of course, may wish to install a permanent measuring device or have the flow of your system measured and certified by a professional engineer.

General Requirements

The access port shall be made by welding a 1½ inch welding coupling onto the supply pipe as shown on the attached figures. These welding couplings may be obtained at most plumbing supply dealers.

The access port must be installed at least 24 pipe diameters downstream from the pump, at least 9 pipe diameters downstream and at least 4 pipe diameters upstream from any flow restrictions such as reducers, elbows or control valves. Control valves should be located downstream from the access port. The above required distances may be reduced if straightening vanes are installed in the pipe.

The coupling must be installed perpendicular to the pipe axis and also so that the centerline of the port passes through the center of the pipe. The access should be installed on the side of the pipe, as shown in the following sketch, to eliminate the problem of air in the pipe interfering with the measuring device reading.



Specific Requirements

The type of access port necessary, between Figure 1 and Figure 2 on the back of this page, depends on whether you are willing to turn off your diversion system during the installation of the measuring device.

An access port constructed as shown on Figure 1, access port cold tap, is acceptable if you are willing to turn off your system during the installation of the measuring device. This installation should take no longer than thirty minutes.

An access port constructed as shown in Figure 2, access port hot tap, is necessary if you are not willing to turn your system off during the installation of the measuring device. The valve must be a 1½ inch gate valve with a clear opening of at least one inch. This hot tap can only be made on systems that have pressures less than 70 pounds per square inch. If your system pressure is greater than 70 pounds per square inch, then it must be turned off during the measuring device installation.

If you have questions about the access port, please contact the department's nearest regional office.




Figure 1

ACCESS PORT COLD TAP





Figure 2

ACCESS PORT HOT TAP





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 15, 1982

Consolidated Concrete Company
P. O. Box 1597
Boise, ID 83701

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-9067

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 15, 1982

Consolidated Concrete Company

P. O. Box 1597

Boise, ID 83701

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.

Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE

Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE

1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE

150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE

92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

FILED

January 12, 1978

Re: Permit No. 63-9067

Consolidated Concrete Company
P. O. Box 1597
Boise, ID 83701

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 63-9067. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

ENCLOSURE: Copy of permit

RECEIVED
JAN 15 1978
WATER RIGHTS
DIVISION

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63-9067

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 10-28-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) R.W.H. 10-28-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use none
platted

(10) _____

Comments: _____

(11) y OK

Affidavit of Publication received (date) 11-28-77

(12) _____

Final date for protests 11-28-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

10-2-77 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

☒ R/w clause
See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By THA Date 11-28-77

MICROFILMED



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

November 2, 1977

Re: Claim to a Water Right No. 63-4575 -- Darrel &/or Inez C. Paradis
63-4579 -- Richard L. Lloyd
63-4581 -- T. L. Mitchell
63-9071 -- Idaho Land Developers, Inc.
63-9067 -- Consolidated Concrete Co.

Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before November 28, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
11-25-77
y

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Consolidated Concrete Co.
Box 1597 Boise, ID 83701
has on 10-2-77 submitted Application No. 63-9067
for a permit to appropriate 1.115 cubic feet per second ~~acre foot~~
~~XXXXXX~~ per annum of water from a well & groundwater source
by means of pumps
within the ~~SW 1/4~~ Sec 22 T4N R1E B.M. County of Ada

to be used from Jan 1 to Dec 31
for ~~industrial & domestic purposes~~
within the ~~SW 1/4~~ Sec 22 T4N R1E

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before November 28, 1977.

C. STEPHEN ALLRED

Director

Published in the Idaho Statesman
on November 10, 1977 and November 17, 1977.

MINOR CEMED