


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Conroe Farms Inc.
(Applicant)
by Vernon M. Batt - Pres.

AFFIDAVIT OF PUBLICATION

RECEIVED
JUL 23 1977

Department of Water Resources
Western Regional Office

STATE OF IDAHO,)
) ss.
County of Canyon.)

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that ENROSE FARMS, INC., Box 189, Caldwell, Idaho, has on July 14, 1977, submitted Application No. 63-8981 for a permit to appropriate 2.4 cubic feet per second of water from a groundwater source by means of well and pump within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, T4N-R3W B.M., Canyon County, to be used from March 15 to Nov. 15 for irrigation and from April 1 to Nov. 1 for industrial purposes within the (120 acres) NE $\frac{1}{4}$ NE $\frac{1}{4}$ & NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 5; E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 6, T4N-R3W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 8, 1977.

C. STEPHEN ALLRED
Director
July 21, 28, 1977.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

July 21, 28, 1977

Verla Harker

Subscribed and sworn to before me this _____


19 77 28th day of July


Adam D. Kach

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.


OK
M
7-29-77





SHIP N° 4 NORTH, RANG

T4N
R3W





well + 20 HP pump
T4N R3W sec 6 NENENE



measurement
6/19/1986

63-08981

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 63-8981

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,


WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.



GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 63-8981

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant ENROSE FARMS, INC. Phone: 459-3441
post office address Box 189 Caldwell, ID

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 4N
Range 3W B.M. Canyon County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 2.4 for irrigation purpose from 3-15 to 11-15 (both dates inclusive)

Amount 0.66 for industrial purpose from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.4 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 160 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 4N
Range 3W B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: See item 10

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	5					40												40
		6	40			40													80


Total number of acres to be irrigated 120

c. Describe any other water rights used for the same purposes as described above.
No irrigation wells

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Industrial use is for a mint still and hop processing plant.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Conroe Farms Inc.
(Applicant)
by *Wm. M. Batt* - Pres.

Proposed Priority 7/14/77

Received by THH Date 7-14-77 Time 3:26 P.M.

Preliminary check by THH Fee \$ 45.00

Received by THH Date 7-14-77 # 8143

Publication prepared by THH Date 7-14-77

Published in Trust Tribune

Publication dates July 21, 28, 1977

Publication approved by THH Date 7-29-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by THH


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8981, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

Witness my hand this 23 day of September 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

JUL 28 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Deputy Clerk of the Court
Washington, D.C. Office

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

July 21, 28, 1977

Verla Harker

Subscribed and sworn to before me this

28th day of July,
19 77

Adam D. Kach

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

OK
M
7-29-77

RECEIVED

OCT 17 2000

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

GENERAL INFORMATION


1. Owner: ENROSE FARMS, INC Permit No. 63-8981.
Current Address: BOX 189, CANDLEWELL, ID Phone No. _____
2. Accompanied by: FERL SWEETWOOD EXAM. DATE: 6/19/86
Address: _____ Phone No. _____
Relationship to Permit Holder: WORKER
3. Source: G.W. tributary to _____

OVERLAP REVIEW

1. Other water rights with same place of use: 63-02878 - Black Canyon Irrig Dist
63-2322 - WINSON SLOUGH & ELLAH
DRAIN - SURFACE WATER. ☐ Copies Attached
2. Other water rights with same point of diversion: A63-21436 (domestic well)
☐ Copies Attached ☐ Copies of Field Exam's Attached

SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

PUMP + MOTOR 4" PIPELINE TO OPEN DISCHARGE
 IRRIGATION VIA CEMENT DITCHES + SYPHON TUBES.
 1/2" PIPELINE FROM 8" MAINLINE TO MINI STILL. 6"
 PIPELINE FROM 8" MAINLINE OF APPROX 12' & OVER 15' TO
 PUMP WATER INTO TRUCKS FOR MIXING CHEMICALS OR
 WETTING. See remarks

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. ELEC.	20	R-909003-118	JOHNSTON	17899 - TURBINE
					(CASTING #)
					NOT SERIAL NO.
					8" DISCHARGE SIZE

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1	RENE	NE	6	4N	3W	CANYON		AERIAL PHOTO

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	6	54			36													70
		5					44												37
																			107

Do not use this space

FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNULAR		DOVER	757-316-SS	191142	2.981	
MANOMETER				#1		

2. Measurements:

13" x 8" = 5" DIFFERENCE. - SEE ATTACHED ANNULAR MEASURE-
MENT SHEET

FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: SEE ATTACHED ANNULAR

2. Alternate Method for Checking Purposes:

$$\frac{20 \times 8.8 \times .80}{H + (PSI \times 2.3)}$$

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 107 \times 4.5 = 481.5$$

$$V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.2 \times 246 \times 1.9835 = 585.5$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 481.5$$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Current owners: Billie + Jay Brown
 23818 Wagner
 Caldwell Id 83605
 208-454-8456

Per telecon with Jay Brown 9/11/00: well + pump only used for irrigation. Mint still no longer exists and trucks are no longer filled.

Recommend irrigation use only.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.2 CFS	481.5
Totals:			1.2 cfs	481.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Loi Granger for Jan Shurte

Signature

Loi Granger

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: JAN SHURTE (CREW) Date 6/19/86
Owner: ENROSE FARMS, INC. Permit No. 63-8981

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

2 1/2' FROM CENTER OF WELL TO FLOW MEASUREMENT PORT.
10' TO VALVE + 18' FROM WELL TO DISCHARGE.

Measured inside diameter of pipe in inches (A) 7.75

Size of Annubar used in test 7.981 State ID No. 091413

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used NONE (MANOMETER) State ID No. —

Date of Last Calibration of Meter —

Observed inches of H₂O read on Meter (B) 5

Flow Correction Factor (From Calibration Graph) (K) —
(Use 1 if Error is $\pm 2\%$ at observed pressure)

Select C based on Annubar Model No.


If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14

CALCULATION: $K \frac{(A^2)(\sqrt{B})}{448.8} C =$ (C) 3.85
1.15 cfs measured

SKETCH (If not shown on Field Report):

$$\frac{(60.06)(2.24)3.85}{448.8} = \frac{517.95}{448.8} = 1.15$$



40.9

18.6

B
28.0

F
34.7

A

83.0

8.2

800B

809B

B

A
36.8

B
38.4

E652
912B

E562
911B

B56
888B

B660
88.7

A
36.5

A
36.4

A
37.1

B
51.4


B612
886B

A

D


ATTN: DEK

T4N
R3W





well + 20 HP pump
T4N R3W sec 6 NENENE



measurement
6/19/1986

63-08981

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

JUN 6 1977

[illegible]

RECEIVED

4/86

MAY 5 1986

RECEIVED

MAY 3 1986

Department of Water Resources
Western Regional Office

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 150.00 OK
Date 5-8-86
Receipt # 40272
Receipt by Rayton
Sent to S.O. 5/27/86

KEYPUNCHED

1. Permit No. 63 8981

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Enrose Farms, Inc.

3. Post Office Address: P. O. Box 189 Caldwell, ID 83606

Telephone No. 459 3441

4. Source of Water: Ground water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 120 (acres) Other/Remark Industrial - for a mint

still & hop processing plant

6. Total rate &/or volume for which proof is submitted 2.4 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1977

8. Person to contact to accompany the department representative during the field examination:

Timothy A. Batt

(Name)

Route # 5 Caldwell, ID 83605

(Address)

459 7155

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date MAY 2, 1986

ENROSE FARMS, INC. By: Lara Garland Bookkeeper
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720

63-8981
ENROSE FARMS INC.
P.O. BOX 189
CALDWELL, ID 83605

138876

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 12, 1982

WHEEL FARM, INC.
BOX 189
COLDWELL, ID 83605

Re: 63-8961

Dear CUSTOMERS:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below Permit No. 63 8981

Name(s) of Permit Holder: Enrose Farms, Inc.

Post Office Address: P. O. Box 189

Caldwell, Idaho 83605

Tel. No. 459 3441

Source of Water: Ground water

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 120 (acres)
☒ Other Industrial- for mint still & hop processing plant

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 12, 1982

Date

ENROSE FARMS, INC.

James Garland Officer Manager
Signature of Permit Holder

Eurose Farms, Inc.

P. O. Box 189

Caldwell, ID 83605

PLACE
TEN CENT
STAMP
HERE



RECEIVED

JUL 14 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138287

ENROSE FARMS INC.
P.O. BOX 189
CALDWELL, ID 83605

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-8981 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

29 September, 1977

Enrose Farms, Inc.
Box 189
Caldwell, Idaho 83605

Dear Waterusers:

Enclosed is a copy of your approved Application for Permit No 63-8981 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

____ Pre-permit exam
____ Adjudication Claim
____ Dam Construction
____ Papers Sent

(1)

WJA

7-14-77

In form to receipt

(2)

Send Copies to:

____ Idaho State Health Department
____ Idaho Fish and Game Department
____ Bureau of Land Management

(3)

____ Request Special Use Permit from U.S.F.S.
____ Request Easement from B.L.M.
____ Request Information from Applicant
____ Request Dam Safety Information

(4)

WJA

7-14-77

In form for advertising

(5)

Platted on Map No. _____

(6)

Located within Water District No. _____

(7)

Critical groundwater area: yes _____ no ☒

(8)

Groundwater levels:

____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9)

Col Other rights on the same place of use *none*
platted

(10)

Comments: _____

(11)

WJA

OK

Affidavit of Publication received (date) 7-29-77

(12)

Final date for protests 8-8-77

Protests received: yes _____ no ☒

(13)

All requested information received from agencies or applicant: yes _____ no _____

(14)

Action recommended:

☒ Approve _____ Deny

____ Proposed Priority

____ Reason for Reduction _____

☒ Measuring device required

____ See attached sheet for other conditions of approval

____ No special conditions for approval

(15)

District

W

By

WJA

Date

8-8-77



DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

July 15, 1977

Re: See attached sheet

63-8981

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before August 2, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
7-29-77

[Handwritten signature]

NOTICE OF APPLICATION FOR PERMIT

63-8977	Orville R. Evans
63-8979	Brooks Markwell
63-8980	D. Arthur &/or Everett J. Van Slyke
63-8991	Enrose Farms, Inc.

NOTICE OF CLAIM TO A WATER RIGHT

63-4529	Roy A. Sebree
63-4530	
63-4531	Beth Trumbull
63-4532	

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ENROSE FARMS, INC.
Box 169 Caldwell, ID
has on July 14, 1977 submitted Application No. m 63-8981
for a permit to appropriate 2.4 cubic feet per second ~~acre feet~~
per ~~XXXXXX~~ of water from a groundwater source
by means of well and pump
within the NE1/4 Sec 6 T4N-R3W B.M., Canyon County

to be used from Mar 15 to Nov 15
for irrigation and from Apr 1 to Nov 1
for industrial purposes
within the NE1/4 & NW1/4 Sec 5: E1/4 Sec 6 T4N-R3W B.M.
(120 acres)

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 3, 1977.

C. STEPHEN ALLRED

Director

Published in the Caldwell News-Tribune, Caldwell, ID

on July 21, 1977 and July 23, 1977.