


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Orville R Evans
(Applicant)

AFFIDAVIT OF PUBLICATION

RECEIVED
JUL 28 1977

STATE OF IDAHO,)
) ss.
County of Canyon.)

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that ORVILLE R. EVANS, Route 7, Caldwell, Idaho, has on July 12, 1977, submitted Application No. 63-8977 for a permit to appropriate 2.0 cubic feet per second of water from a groundwater source by means of pump, well and ditch system within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, T5N-R3W B.M., Canyon County to be used from March 15 to Nov. 15 for irrigation of 110 acres within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, T5N-R3W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 8, 1977.

C. STEPHEN ALLRED
Director
July 21, 28, 1977.

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of twenty-one years, and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune, a daily, (except Sunday) newspaper published in the City of Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two Times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

July 21, 28, 1977

Verla Harker

Subscribed and sworn to before me this

28th day of July,
19 77

Adam & Kach

Notary Public, Residing at Nampa, Idaho

My Commission Expires June 23, 1979.

OK 144
7-29-77

RECEIVED
JUL 28 1977

A hand-drawn map on a grid. The grid is composed of 10 columns and 10 rows. The map shows a proposed road (P.O.) running horizontally across the middle. To the left of the road, the text 'TWP. 3N' is written. To the right of the road, the text 'RGE. 34' is written. A small area is marked with '31', '32', and '21'. A small area is also marked with '10' and 'P.O.'.

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SW 1/4, Sec. 22, TWP. 5N, RGE. 3W, B.M.

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

☒ None

☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 9/15/80

Date 10/3/80

Date 3/12/81

2-2 2-3

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-8977)
IN THE NAME OF ORVILLE R. EVANS)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on July 12, 1977, Orville R. Evans applied to the Department of Water Resources for a permit to appropriate 2.00 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, Twp. 5N, Rge. 3W, B.M., Canyon County, to be used for irrigation purposes; and,

WHEREAS, on September 23, 1977, the Department approved said application and issued Permit No. 63-8977 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before October 1, 1979; and,

WHEREAS, on July 31, 1979, the Department notified the permit holder by certified mail that proof is due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on October 10, 1979, the Department notified the permit holder that Permit No. 63-8977 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on December 11, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-8977 be REINSTATED and the priority advanced to September 21, 1977.

Dated this 17th day of January, 1980.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **63-8977**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. 63-8977

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant ORVILLE R. EVANS Phone: 459-8078
post office address RT. #7, CALDWELL, ID 83605

2. Source of water supply GROUNDWATER which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 5N
Range 3W B.M. CANYON County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 2.0 for Irrigation purpose from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.0 cfs cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 40 hp. pump, gravity
irrig., ditch system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo., Day) (Mo., Day)

c. Proposed well diameter is 20 inches; proposed depth of well is 200 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5N	3W	22									10		40	40			20		110

Total number of acres to be irrigated 110


c. Describe any other water rights used for the same purposes as described above.

BLACK CANYON Irrigation District

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use " (20 acres owned by James F. Carter)
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Leasing 20 acres from Mr. Carter.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Orville R Evans
(Applicant)

Proposed Priority 7/12/77

Received by jc Date 7/12/77 Time 2:50
Preliminary check by jc Fee \$ \$35.00
Receipted by jc Date 7/12/77 Rec'd # 8536
Publication prepared by jc Date 7-14-77
Published in News & Tribune
Publication dates July 21 & 28
Publication approved by jc Date 7-29-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-8977, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 79.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 23 day of September 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
) ss.
County of Canyon.)

Deposited for
Western Union

Verla Harker
of Caldwell, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of twenty-one years,
and not a party to the above entitled action.

2. That I am the Principle Clerk of the News-Tribune,
a daily, (except Sunday) newspaper published in the City of
Caldwell, in the County of Canyon, State of Idaho; that
the said newspaper is in general circulation in the said County of
Canyon, and in the vicinity of Caldwell, and has
been uninterruptedly published in said County during a period of
seventy-eight consecutive weeks prior to the first publication of the
notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two Times
in the regular and entire issue of said paper, and was
printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

July 21, 28, 1977

Verla Harker

Subscribed and sworn to before me this

28th day of July,
19 77

Adam & Kach

Notary Public, Residing at Nampa, Idaho
My Commission Expires June 23, 1979.

OK 444
7-29-77



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~ALFRED K. ALFRED~~

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 22, 1981

Orville R. Evans
Rt. 7
Caldwell, Idaho 83605

Dear Mr. Evans,

RE: License No. 63-8977

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 25, 1981

Orville R. Evans
Rt. 7
Caldwell, Idaho 83605

Dear Mr. Evans,

A representative of this Department has made an examination of the works covered by your Permit No. 63-8977, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.88 cfs Source: groundwater

The maximum quantity diverted shall not exceed 423 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, Twp. 5N, Rge. 3W, B.M.

Beneficial use: Irrigation of 94 acres within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 22, Twp. 5N, Rge. 3W.

Priority date established: September 21, 1977

Conditions (if any): This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 4.5 afa per acre
for the lands above.

If you do not concur with these findings please contact us within 10 days, otherwise
water license will be issued as set forth above.

Sincerely,

IM JOHNSON
Water Distribution Supervisor

MICROFILMED

EVANS, ORVILLE R.

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

P/D NESW, 5.22

T 5N R. 3W

#63-8977

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)	9/4/80 459-8078	jc	
☐ Appointment scheduled for: (Date, time, location)	9/15/80 10:00 Purple Sage J.C. area	jc	

EXAMINATION

Date 9/15/80 Accompanied by ORVILLE EVANS Total Q measured 1.89 cfs
If source is surface water, estimate total flow of source _____
Methods of measurement CIPOLLETTI WEIR (2') Meets Permit requirements? YES

Measurement calculations:

0.43" ON GAUGE = 1.89 cfs IN WATER MEASUREMENT MANUAL.

$$4.5 \times 94 = \underline{423} \text{ a/a} \quad 1.88 \times 1.9835 \times 245 = 913.6$$

Allow .02 cfs per acre. - $.02 \times 94 = \underline{1.88} \checkmark$

[illegible]

System Description G.E. 40 hp motor, 3 phase, JOHNSTON pump w/8" pipe to
POND INTO CEMENT BOX. Then thru cement ditches w/syphon tubes.
GRAVITY IRRIG.

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
IRRIGATION	1.88 ✓	423 afa ✓	3/15	11/15
Total				

Remarks

MICROFILMED

MAP (Attach Aerial Photo)

Hand-drawn map on a grid showing a road layout. The road is labeled "TWP. 34" and "Rd. 34". A point on the road is labeled "P.". A small rectangular area is labeled "31" and "32". A curved line is labeled "21".

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SW 1/4, Sec. 22, TWP. 5N, R6E. 3W, B. M.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Jan Grover


Checked by [Signature]

Approved by

Date 9/15/80

Date 10/3/80

Date 3/12/81



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-8777

Name(s) of Permit Holder: Orville R Evans

Post Office Address: R 7 Caldwell, Idaho 83605-

U.S. No. 48078

Source of Water: well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 110 (acres)
☐ Other



Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-7-79
Date

Orville R Evans
Signature of Permit Holder

Orville R. KEN S.
R 7
@ Caldwell IDAHO



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-8972

Name(s) of Permit Holder: Orville R Evans

Post Office Address: R 7

@ Caldwell Idaho Tel. No. 459-8078

Source of Water: Well

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


12-10-79
Date

Orville R Evans
Signature of Permit Holder

RECEIVED

DEC 11 1979

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Smith R P
R 7
Caldwell Idaho 83605



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215


EVANS, ORVILLE R.
RT. 7
CALDWELL, ID 83605

OCTOBER 04, 1979

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 63-8977 HAS LAPSED SINCE YOU HAVE NOT NOTIFIED US THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT. YOU WERE PROVIDED FORMS FOR THAT PURPOSE IN OUR NOTICE TO YOU DATED JULY 31, 1979.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE PROOF OF BENEFICIAL USE AFFIDAVIT, ENCLOSED, OR SHOW OTHER REASONABLE CAUSE WHY THE PERMIT SHOULD BY REINSTATED WITHIN 60 DAYS FROM THE DATE OF THIS LAPSE NOTICE.



C. STEPHEN ALLRED
DIRECTOR

ENCLOSURE

COMMUNICATIONS MAILING
Thereby sent 10/10/79
per [illegible]
date [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

161183

July 31, 1979

Orville R. Evans
Route 7
Caldwell, ID 83605

Dear Mr. Evans:

One of the conditions of approval of your water Permit No. ~~63-8977~~ was that evidence of the extent of development must be submitted to this office on or before October 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

July 30, 1979

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

29 September, 1977

Mr. Orville R. Evans
Route 7,
Caldwell, Idaho 83605

Dear Mr. Evans:

Enclosed is a copy of your approved Application for Permit No. 63-8977. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 63

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) 6hs 7/19/77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) 6hs 7/19/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Col Other rights on the same place of use *none platted*

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received (date) 7-29-77

(12) _____

Final date for protests 8-8-77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By WJA Date 8-8-77

Supplemental



DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

July 15, 1977

Re: See attached sheet

News-Tribune
P. O. Box 1179
Caldwell, ID 83605

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before August 9, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
7-29-77
y

NOTICE OF APPLICATION FOR PERMIT

63-8977	Orville R. Evans
63-8979	Brooks Markwell
63-8980	D. Arthur &/or Everett J. Van Slyke
63-8991	Enrose Farms, Inc.

NOTICE OF CLAIM TO A WATER RIGHT

63-4529	Roy A. Sebree
63-4530	
63-4531	Beth Trumbull
63-4532	

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ORVILLE R. EVANS
Route 7 Caldwell, ID
has on July 12, 1977 submitted Application No. 63-8977
for a permit to appropriate 2.0 cubic feet per second ~~acXXXXXX~~
~~perXXXXXX~~ of water from a groundwater source
by means of pump, well and ditch system
within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 22 T5N-R3W B.M., Canyon County

to be used from Mar 15 to Nov 15
for irrigation of 110 acres
within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 22 T5N-R3W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 8, 1977.

C. STEPHEN ALLRED

Director

Published in the News-Tribune, Caldwell, ID
on July 21, 1977 and July 28, 1977.